



US00D894035S

(12) **United States Design Patent** (10) **Patent No.:** **US D894,035 S**
Bemmann (45) **Date of Patent:** **** Aug. 25, 2020**

(54) **INGOTS**

(71) Applicant: **GEIGER EDELMETALLE GMBH,**
Iggingen (DE)

(72) Inventor: **Katrin Bemmann,** Leipzig (DE)

(**) Term: **15 Years**

(21) Appl. No.: **35/503,574**

(22) Filed: **Jul. 17, 2017**

(80) **Hague Agreement Data**

Int. Filing Date: **Jul. 17, 2017**

Int. Reg. No.: **DM/097296**

Int. Reg. Date: **Jul. 17, 2017**

Int. Reg. Pub. Date: **Aug. 25, 2017**

(30) **Foreign Application Priority Data**

Feb. 27, 2017 (DE) 40 2017 100 211

(51) **LOC (12) Cl.** **11-03**

(52) **U.S. Cl.**
USPC **D11/95**

(58) **Field of Classification Search**
USPC D11/95, 99, 100, 111, 116, 131, 155;
D15/144, 144.1, 144.2; D1/100, 199;
D25/113, 118

CPC A44B 11/06; A44B 11/26; A44B 11/25;
A41F 11/04; Y10S 164/06; Y10T
428/12285; B22D 7/00; B22D 7/06;
B22D 7/106

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D278,934 S * 5/1985 Scheiwiller D25/113
D281,698 S * 12/1985 Ryan D15/144

D288,370 S * 2/1987 Rinninger D25/113
D329,120 S * 9/1992 Kesdekoglu D1/127
D329,123 S * 9/1992 Kesdekoglu D1/127
D335,202 S * 5/1993 Kesdekoglu D1/127
D335,699 S * 5/1993 Gladfelter D23/207
D407,463 S * 3/1999 Outlaw D23/207
D477,545 S * 7/2003 Davis D11/95
D481,969 S * 11/2003 Grimes-Frederick D11/95
D532,333 S * 11/2006 Wedekind D11/116
D539,692 S * 4/2007 Chang D11/116
D541,435 S * 4/2007 Wissman D25/113
D592,377 S * 5/2009 Lee D1/127
D600,157 S * 9/2009 Beyrich D11/95
D600,158 S * 9/2009 Berich D11/95
D601,449 S * 10/2009 Berich D11/95
D678,119 S * 3/2013 Luoni D11/100
D680,463 S * 4/2013 Luoni D11/100
D740,407 S * 10/2015 Kassouni D24/101
D813,321 S * 3/2018 Zaki D21/662
D835,168 S * 12/2018 Kodama D15/144
D848,107 S * 5/2019 Michel D1/100
D853,885 S * 7/2019 Jones, II D11/155
D855,930 S * 8/2019 Barson D1/100

* cited by examiner

Primary Examiner — Keli L Hill

(57) **CLAIM**


The ornamental design for an ingot, as shown and described.

DESCRIPTION

1.-6. Ingots
1.1 illustrates a side view of an ingot according to the invention;
1.2 illustrates a top view of the ingot according to 1.1;
1.3 illustrates a bottom view of the ingot according to 1.2 under ultraviolet light;
1.4 illustrates a bottom view of the ingot according to 1.2. Broken lines shown in the drawings represent unclaimed portions of the ingot and form no part of the claimed design.

1 Claim, 4 Drawing Sheets





1.1



