



US00D894101S

(12) **United States Design Patent** (10) **Patent No.:** **US D894,101 S**
Kuhlmann et al. (45) **Date of Patent:** **** Aug. 25, 2020**

(54) **TIRE FOR MOTORCYCLE**
(71) Applicant: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Kobe-shi, Hyogo (JP)
(72) Inventors: **Ryan Kurt Kuhlmann**, Buffalo, NY (US); **Ronald Joseph Winkelman**, Akron, NY (US); **Shawn Thomas Bell**, Lancaster, NY (US); **Michael Jackson**, East Amherst, NY (US); **Joseph John Roscetti, Sr.**, Niagara Falls, NY (US); **Geoffrey Harold Klein**, Niagara Falls, NY (US)

D554,043 S * 10/2007 Chapman D12/534
D558,131 S 12/2007 Itoi
D750,550 S 3/2016 Ueda
D754,057 S 4/2016 Piszczewicz et al.
D834,501 S * 11/2018 Harris D12/535
D852,121 S * 6/2019 Nakamura D12/535
D875,031 S * 2/2020 Nakamura D12/535
D875,033 S * 2/2020 Nakamura D12/535

(73) Assignee: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Kobe-Shi, Hyogo (JP)

(**) Term: **15 Years**
(21) Appl. No.: **29/693,290**

(22) Filed: **May 31, 2019**
(51) **LOC (12) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/536**
(58) **Field of Classification Search**
USPC D12/533-567
CPC B60C 11/0306; B60C 11/0311; B60C 2011/0339; B60C 2011/0341; B60C 2011/0358; B60C 2011/0374; B60C 2011/0381; B60C 2200/00; B60C 2200/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D288,424 S * 2/1987 Kamijyo D12/536
D292,086 S * 9/1987 Suzuki D12/536
D292,197 S * 10/1987 Funahara D12/535
D512,680 S 12/2005 Dias

FOREIGN PATENT DOCUMENTS

EM 000589460-0022 10/2006
EM 003421577-0001 1/2017
EM 004524494-0001 12/2017

* cited by examiner

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Joseph J Kukella

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP


(57) **CLAIM**

The ornamental design for a tire for motorcycle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire for motorcycle showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a partial enlarged view of FIG. 2;
FIG. 9 is a partial enlarged left, perspective view, of the portion 9-9 illustrated in FIG. 3, the right side being a mirror image thereof; and,
FIG. 10 is a cross-sectional view along the lines 10-10 in FIG. 5.

1 Claim, 10 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG. 8




FIG.9




FIG.10