



US00D894183S

(12) **United States Design Patent**
Min et al.

(10) **Patent No.:** **US D894,183 S**

(45) **Date of Patent:** **** Aug. 25, 2020**

(54) **INPUT UNIT OF AN ELECTRONIC LOCK**

(71) Applicant: **NANJING EASTHOUSE ELECTRICAL CO., LTD.**, Nanjing (CN)

(72) Inventors: **Hao Min**, Nanjing (CN); **Zhangping Gong**, Nanjing (CN)

(73) Assignee: **NANJING EASTHOUSE ELECTRICAL CO., LTD.**, Nanjing (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/662,176**

(22) Filed: **Sep. 4, 2018**

(51) **LOC (12) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/384**; D8/330

(58) **Field of Classification Search**
USPC D14/356–358, 383–385, 388, 389, 390, D14/399, 420, 432, 454, 217, 218, 299; D13/123, 162, 162.1, 171–174, 184; D10/46, 104.1, 106.1, 106.95, 83, 81; D8/301, 330, 331, 343, 346; D99/43, 99
CPC G07C 9/00039; G07C 9/00103; G07C 9/00904; G06K 5/00; G06K 7/01
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D253,843 S * 1/1980 Fernandez D23/245
D269,697 S * 7/1983 Graham D13/184
D269,996 S * 8/1983 Smith et al. D23/245
D273,786 S * 5/1984 Owerko D13/168
D288,317 S * 2/1987 Yuen D14/137
D289,431 S * 4/1987 Clivio D23/246
D298,921 S * 12/1988 Berry, Sr. D10/41
D299,905 S * 2/1989 Fish D8/331
D305,861 S * 2/1990 Kautt D8/330

D308,863 S * 6/1990 Soren D14/384
D309,891 S * 8/1990 Cheng D13/158
D313,233 S * 12/1990 Andrews, Sr. D14/140
D313,362 S * 1/1991 Reich D10/106.1
D328,297 S * 7/1992 Ayers D14/171
D330,521 S * 10/1992 Krolopp D10/46
D333,633 S * 3/1993 Issa D10/106.1
D348,445 S * 7/1994 Fishbine D14/384
D351,803 S * 10/1994 Foley D10/78
D367,270 S * 2/1996 Levering D14/384

(Continued)

OTHER PUBLICATIONS

Nitgen Fingkey Access—Biometric Access Control System. (Online) 5 pgs. Available as early as Oct. 3, 2012. [Retrieved Mar. 10, 2020] <https://www.bayometric.com/nitgen-fingkey-access-biometric-access-control-system/>.*

(Continued)

Primary Examiner — Marie D. Fast Horse
(74) *Attorney, Agent, or Firm* — Ming Jiang; MM IP Services LLC


(57) **CLAIM**

We claim the ornamental design for input unit of an electronic lock, as shown and described.

DESCRIPTION

FIG. 1 is a right side, top perspective view of the input unit of an electronic lock embodying our design; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a right elevation view thereof; FIG. 5 is a left elevation view thereof; FIG. 6 is a top elevation view thereof; and, FIG. 7 is a bottom elevation view thereof. The broken line in the drawing FIG. 3 depicts part of the input unit of an electronic lock that forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D382,948 S * 8/1997 Veal D14/218
 D389,817 S * 1/1998 Umetsu D14/384
 D393,837 S * 4/1998 Umetsu D14/384
 D425,881 S * 5/2000 Borza D14/384
 D457,144 S * 5/2002 Suen D13/162
 D457,821 S * 5/2002 Amborn D10/49
 D472,359 S * 3/2003 Green D34/35
 D478,905 S * 8/2003 Byrne D14/384
 D479,032 S * 8/2003 Mitchell D99/43
 D487,266 S * 3/2004 Morimiya D14/384
 D516,069 S * 2/2006 Kuroda D14/384
 D529,904 S * 10/2006 Yeo D14/240
 D535,992 S * 1/2007 Ozolins D14/383
 D551,057 S * 9/2007 Min D8/330
 D554,606 S * 11/2007 Kimura D14/168
 D563,252 S * 3/2008 Minta D10/104.1
 D569,286 S * 5/2008 Noda D10/81
 D584,695 S * 1/2009 Hilsbos D13/168
 D584,730 S * 1/2009 Lin D14/383
 D593,559 S * 6/2009 Lin D14/384
 D598,396 S * 8/2009 Lee D13/162
 D602,021 S * 10/2009 Noda D14/383
 D614,475 S * 4/2010 Min D8/331
 D616,947 S * 6/2010 Kloster D21/333
 D674,785 S * 1/2013 Kyriakides, II D14/240
 D679,986 S * 4/2013 Hsieh D8/330
 D682,659 S * 5/2013 Genord D8/330
 D698,222 S * 1/2014 Guo D8/330
 D699,614 S * 2/2014 Ke D10/106.95
 D699,615 S * 2/2014 Ke D10/106.95
 D718,307 S * 11/2014 Ozolins D14/383
 D727,901 S * 4/2015 Nishimura D14/383
 D728,675 S * 5/2015 Daniel D14/383

D730,715 S * 6/2015 Gokcebay D8/330
 D741,328 S * 10/2015 Li D14/384
 D741,862 S * 10/2015 Beroukhim D14/384
 D742,332 S * 11/2015 Matsuguma D13/162
 D750,978 S * 3/2016 van Slooten D10/41
 D764,891 S * 8/2016 Gokcebay D8/330
 D770,451 S * 11/2016 Gilbertson D14/383
 D782,479 S * 3/2017 Bruno D14/384
 D789,173 S * 6/2017 Min D8/330
 D790,956 S * 7/2017 Hetfield D8/330
 D791,133 S * 7/2017 Brownlee D14/384
 D793,969 S * 8/2017 Couture D13/168
 D794,414 S * 8/2017 Chou D8/330
 D811,852 S * 3/2018 Xin D8/331
 D812,054 S * 3/2018 Bierach D14/383
 D812,616 S * 3/2018 Potash D14/383
 D815,389 S * 4/2018 Hu D99/43
 D817,148 S * 5/2018 Carpintero D8/331
 D832,076 S * 10/2018 Gokcebay D8/331
 D832,783 S * 11/2018 Leabman D13/108
 D838,271 S * 1/2019 Kaneko D14/384
 D839,874 S * 2/2019 Biesart D14/383
 D860,143 S * 9/2019 Wolf D13/162
 D865,765 S * 11/2019 Min D14/384
 D883,282 S * 5/2020 Tatic D14/383
 2006/0255907 A1 * 11/2006 Min G06K 9/00013
 340/5.53

OTHER PUBLICATIONS

Control panel (CN 305055096). (Design—© Questel) orbit.com.
 [online PDF] 4 pgs. Print Date Mar. 1, 2019. [retrieved Mar. 10,
 2020) <https://www.orbit.com/export/QPTUJ214/pdf2/c041c91d-23b8-44cc-96e7-3c784bffb004-163150.pdf>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7