



US00D894188S

(12) **United States Design Patent** (10) **Patent No.:** **US D894,188 S**  
**Hamilton et al.** (45) **Date of Patent:** **\*\* Aug. 25, 2020**

(54) **SIGNAL BOOSTER CASE**

(71) Applicant: **Wilson Electronics, LLC**, St. George,  
UT (US)

(72) Inventors: **Aaron Jay Hamilton**, Royce City, TX  
(US); **Scot Herbst**, Santa Cruz, CA  
(US); **Will Hunter**, Denver, CO (US);  
**Ellen Posch**, Cleveland Heights, OH  
(US); **Brooks Stephen Ruhman**,  
Dallas, TX (US)

(73) Assignee: **Wilson Electronics, LLC**, St. George,  
UT (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/686,190**

(22) Filed: **Apr. 2, 2019**

(51) **LOC (12) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/420**

(58) **Field of Classification Search**

USPC ..... D14/242, 230, 240, 355, 357, 358, 125,  
D14/140-140.9, 155, 137, 139, 243, 239,  
D14/433, 496, 188, 348, 351, 356  
CPC ..... H04L 12/00; H03K 17/00; H04W 88/00;  
H04W 88/005; H04W 88/02; H04W  
88/08; H04W 88/085; H04W 88/10;  
H04W 88/12; H04W 88/14; H04W 1/38  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D368,253 S \* 3/1996 Graves ..... D13/179  
5,930,113 A \* 7/1999 McCann ..... H05K 7/20409  
361/688

6,411,515 B1 \* 6/2002 Sakamoto ..... H04B 1/74  
165/185  
D590,393 S \* 4/2009 Millar ..... D14/358  
D617,219 S \* 6/2010 Emge ..... D10/65  
D702,570 S \* 4/2014 Emge ..... D10/65  
D703,072 S \* 4/2014 Emge ..... D10/65  
D742,864 S \* 11/2015 Kurosawa ..... D14/240  
D781,257 S \* 3/2017 Moon ..... D14/125  
D789,360 S \* 6/2017 Moon ..... D14/240  
D835,040 S \* 12/2018 Duran ..... D13/124  
D876,411 S \* 2/2020 Lim ..... D14/240  
D886,086 S \* 6/2020 Jang ..... D14/240  
2003/0131973 A1 \* 7/2003 Nair ..... H01L 23/3677  
165/104.33  
2003/0169983 A1 \* 9/2003 Branch ..... G02B 6/4261  
385/92

\* cited by examiner

*Primary Examiner* — John Windmuller

(74) *Attorney, Agent, or Firm* — Jones Waldo Holbrook  
& McDonough, PC; Brent T. Winder

(57) **CLAIM**

The ornamental design for a signal booster case, as shown  
and described.

## DESCRIPTION

FIG. 1 is a top perspective view of the presently claimed  
design.

FIG. 2 is a side view of the presently claimed design.

FIG. 3 is an opposite side view of the presently claimed  
design.


FIG. 4 is a front view of the presently claimed design.

FIG. 5 is a rear view of the presently claimed design.

FIG. 6 is a top view of the presently claimed design; and,

FIG. 7 is a bottom view of the presently claimed design.

**1 Claim, 3 Drawing Sheets**








FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7