



US00D894317S

(12) **United States Design Patent** (10) **Patent No.:** **US D894,317 S**
Spector et al. (45) **Date of Patent:** **** Aug. 25, 2020**

(54) **RECEIVER ASSEMBLY FOR AN
AUTO-LOADING FIREARM**

(71) Applicant: **RFPH, LLC**, Stafford, TX (US)

(72) Inventors: **David Morris Spector**, Missouri City,
TX (US); **Phillip Haag**, Rosenberg, TX
(US)

(73) Assignee: **RFPH, LLC**, Stafford, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/678,149**

(22) Filed: **Jan. 25, 2019**

(51) **LOC (12) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/108; D22/103**

(58) **Field of Classification Search**

USPC D22/100, 103, 108, 109, 113, 115, 116,
D22/199; D21/302, 567, 573

CPC F41C 7/00; F41C 23/16; F41G 1/02; F41G
1/027; F41G 1/14; F41J 1/10; F42B 6/10;
F42B 7/00; F42B 7/02; F41A 17/38

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,307,750	B2 *	11/2012	Vuksanovich		F41A 5/28 89/191.01
8,590,199	B2	11/2013	Overstreet et al.		
8,925,229	B2 *	1/2015	Michel		F41A 3/66 42/18
9,303,949	B1 *	4/2016	Oglesby		F41A 3/66
D760,860	S *	7/2016	Vincent		D22/108
9,423,194	B2	8/2016	Fritz et al.		
9,464,866	B1 *	10/2016	Liang		F41C 23/16
D773,585	S *	12/2016	Miller, III		D22/108
9,528,793	B1 *	12/2016	Oglesby		F41C 23/16
D795,379	S *	8/2017	Frederickson		D22/108
D827,753	S *	9/2018	Lessard		D22/103

(Continued)

OTHER PUBLICATIONS

“AR-15 Combo—Complete Lower and Upper Receiver”. [online].
jtactical.com. [Retrieved Mar. 3, 2020]. Retrieved from the Internet:
<<https://jtactical.com/products/30>>.*

(Continued)

Primary Examiner — Khawaja Anwar

Assistant Examiner — Mojtaba Tehrani

(74) *Attorney, Agent, or Firm* — Patterson + Sheridan,
L.L.P.

(57) **CLAIM**

The ornamental design for a receiver assembly for an
auto-loading firearm, as shown and described.

DESCRIPTION

FIG. 1 is a front (muzzle end) isometric top view of a
receiver assembly for an auto-loading firearm.

FIG. 2 is a rear (breach end) isometric bottom view thereof.

FIG. 3 is a right side elevational view thereof.

FIG. 4 is a left side elevational view thereof.

FIG. 5 is a front (muzzle end) elevation view thereof.

FIG. 6 is a rear (breach end) elevation view thereof.

FIG. 7 is a top plan view thereof.

FIG. 8 is a bottom plan view thereof.

FIG. 9 is another front isometric top view thereof.

FIG. 10 is another rear isometric bottom view thereof.

FIG. 11 is another left side elevational view thereof.

FIG. 12 is another right side view thereof.

FIG. 13 is another front elevation view thereof.


FIG. 14 is another rear elevation view thereof.

FIG. 15 is another top plan view thereof; and,

FIG. 16 is another bottom plan view thereof.

The broken lines in the figures illustrate environment and
unclaimed parts, and form no part of the claimed design.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D833,563	S *	11/2018	Snively	D22/108
D834,112	S *	11/2018	Chu	D21/573
10,386,139	B1 *	8/2019	Sharps	F41A 17/38
10,401,122	B2 *	9/2019	Williams	F41C 23/16
2010/0319231	A1 *	12/2010	Stone	F41C 23/16
				42/71.01
2013/0174457	A1 *	7/2013	Gangl	F41A 3/18
				42/16
2015/0345879	A1 *	12/2015	Jen	F41A 3/66
				42/75.01
2016/0018181	A1 *	1/2016	Swadener	F41A 35/06
				42/90
2017/0160032	A1 *	6/2017	Overstreet	F41A 17/36

OTHER PUBLICATIONS

Lower Receiver Diagram from: <https://www.ebay.com/itm/AR-15-LOWER-RECEIVER-DIAGRAM-GLOSSY-POSTER-PICTURE-PHOTO-rifle-schematic-us-2299-/252703425144>, one page (downloaded Jan. 17, 2019).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 13




FIG. 15




FIG. 16