

US00D894361S

(12) **United States Design Patent** (10) **Patent No.:** **US D894,361 S**
Aoki (45) **Date of Patent:** **** Aug. 25, 2020**

(54) **CATALYST CARRIER FOR EXHAUST GAS PURIFICATION**

(71) Applicant: **NGK Insulators, Ltd.**, Nagoya-Shi (JP)

(72) Inventor: **Yoichi Aoki**, Nagoya (JP)

(73) Assignee: **NGK Insulators, Ltd.**, Nagoya-Shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/651,490**

(22) Filed: **Aug. 17, 2018**

(30) **Foreign Application Priority Data**

Feb. 20, 2018 (JP) 2018-003396
Feb. 20, 2018 (JP) 2018-003397

(51) **LOC (12) Cl.** **23-04**

(52) **U.S. Cl.**
USPC **D23/365**

(58) **Field of Classification Search**
USPC D23/365, 363; D15/5
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D740,405 S * 10/2015 Yamaguchi D23/355
D742,491 S * 11/2015 Yamaguchi D23/355
(Continued)

Primary Examiner — T Chase Nelson

Assistant Examiner — Ania Aman

(74) *Attorney, Agent, or Firm* — Burr & Brown, PLLC

(57) **CLAIM**

The ornamental design for a catalyst carrier for exhaust gas purification, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a catalyst carrier for exhaust gas purification illustrating my new design;

FIG. 2 is a front view thereof, the rear view thereof being a right-and-left reversed image;

FIG. 3 is a top view thereof, the bottom view thereof being a mirror image;

FIG. 4 is a right view thereof, the left view thereof being a mirror image;

FIG. 5 is an enlarged view delimited by the lines labelled 5 in FIG. 2;

FIG. 6 is an enlarged view delimited by the lines labelled 6 in FIG. 5;

FIG. 7 is a middle omitted cross-sectional view taken through line 7-7 of FIG. 6;

FIG. 8 is a middle omitted cross-sectional view taken through line 8-8 of FIG. 6;

FIG. 9 is a perspective view of a second embodiment of a catalyst carrier for exhaust gas purification illustrating my new design;

FIG. 10 is a front view thereof, the rear view thereof being a right-and-left reversed image;

FIG. 11 is a top view thereof, the bottom view thereof being a mirror image;

FIG. 12 is a right view thereof, the left view thereof being a mirror image;

FIG. 13 is an enlarged view delimited by the lines labelled 13 in FIG. 10;

FIG. 14 is an enlarged view delimited by the lines labelled 14 in FIG. 13;

FIG. 15 is a middle omitted cross-sectional view taken through line 15-15 of FIG. 14; and,

FIG. 16 is a middle omitted cross-sectional view taken through line 16-16 of FIG. 14.


The catalyst carrier is used for removing toxic substances contained in exhaust fumes emitted from automobile engines and the like. The catalyst carrier has fins in each of its cells. The fin is provided in the same sectional shape over the whole length of the cells.

In the drawings, the broken lines depict portions of the catalyst carrier for exhaust gas purification and form no part of the claimed design.

The dot-dash broken lines in the drawings depict a boundary between the claimed design and the unclaimed subject matter and form no part of the claimed design.

The catalyst carrier for exhaust gas purification is shown with a symbolic break in its length in the cross-sectional

(Continued)



views. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 16 Drawing Sheets

(58) Field of Classification Search

CPC F01N 3/035; F01N 3/022; F01N 2330/34;
 F01N 2330/48; B01D 46/00; B01D
 46/0004; B01D 27/04; B01D 27/06;
 B01D 39/00

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D835,768 S * 12/2018 Yamaguchi D23/365
 D835,769 S * 12/2018 Yamaguchi D23/365
 D837,357 S * 1/2019 Yamaguchi D23/365
 D841,143 S * 2/2019 Yamaguchi D23/365
 D841,144 S * 2/2019 Yamaguchi D23/365
 D841,145 S * 2/2019 Yamaguchi D23/365

D851,229 S * 6/2019 Mori D23/365
 2009/0011181 A1 * 1/2009 Mizuno B01D 46/2429
 428/118
 2012/0270010 A1 * 10/2012 Hiratsuka B01D 46/247
 428/118
 2013/0028808 A1 * 1/2013 Kim B01D 53/94
 422/171
 2014/0010720 A1 * 1/2014 Kasai F01N 3/2026
 422/174
 2015/0086748 A1 * 3/2015 Kato F01N 3/2828
 428/116
 2016/0158965 A1 * 6/2016 Inoue B28B 11/006
 264/320
 2016/0160720 A1 * 6/2016 Sadaoka F01N 3/0222
 55/523
 2017/0165610 A1 * 6/2017 Kim F01N 3/035
 2017/0204760 A1 * 7/2017 Matsuya B01D 46/247
 2017/0304770 A1 * 10/2017 Cheng B01D 53/34
 2017/0354913 A1 * 12/2017 Ikawa B01D 39/20
 2017/0355164 A1 * 12/2017 Kato F01N 3/2828
 2018/0280958 A1 * 10/2018 Ogata C04B 38/0009
 2019/0160456 A1 * 5/2019 Kato B01J 35/04
 2019/0353074 A1 * 11/2019 Kawakami F01N 13/017

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig.6




Fig. 7




Fig. 8




Fig. 9




Fig.10




Fig.11




Fig.12



Fig.13




Fig.14




Fig.15




Fig. 16

