



US00D894404S

(12) **United States Design Patent** (10) **Patent No.:** **US D894,404 S**
Guger et al. (45) **Date of Patent:** **** Aug. 25, 2020**

(54) **SENSOR CAP**

(71) Applicants: **Christoph Guger**, Piberbach (AT);
Günter Edlinger, Graz (AT)

(72) Inventors: **Christoph Guger**, Piberbach (AT);
Günter Edlinger, Graz (AT)

(**) Term: **15 Years**

(21) Appl. No.: **29/594,790**

(22) Filed: **Feb. 22, 2017**

(30) **Foreign Application Priority Data**

Sep. 1, 2016 (EP) 003359975-0001

(51) **LOC (12) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/186**

(58) **Field of Classification Search**

USPC D24/158–161, 165–168, 185–187, 107,
D24/110.1, 174, 231; D10/46, 47, 70,
D10/98; D14/205, 206, 223, 224, 372,
D14/496, 432, 371, 125, 126, 129, 299;
D16/300–342; 351/158, 153, 144;
345/7–9, 905; 455/344; 348/115, 53,
348/121, 739
CPC ... A61B 5/6824; A61B 5/6831; A61B 5/6832;
A61B 5/02405; A61B 5/02411; A61B
5/02427; A61B 5/02438; A61B 5/6803;
A61B 5/6814; A61B 2562/0204; G01T
1/00; G01T 1/02; G01T 1/15; G01T 1/26;
G01T 1/24

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D277,787 S * 2/1985 Corbett D24/187
6,708,051 B1 * 3/2004 Durousseau A61B 5/0478
600/383
D753,833 S * 4/2016 Ruffini D2/865

D754,873 S * 4/2016 Guger D24/232
D796,051 S * 8/2017 Ruffini D24/187
2007/0106170 A1 * 5/2007 Dunseath, Jr. A61B 5/0478
600/544

(Continued)

OTHER PUBLICATIONS

g.tec medical engineering, posted Dec. 3, 2012, [online], [site
visited Nov. 30, 2017]. Available from Internet, URL: <https://gtecmedical.wordpress.com/2012/12/03/g-scarabeo-compact-active-electrode/scarabeocap/>.*

(Continued)

Primary Examiner — Barbara Fox

Assistant Examiner — Mary Shannon Malley

(74) *Attorney, Agent, or Firm* — Henry M. Feiereisen
LLC

(57) **CLAIM**

The ornamental design for a sensor cap, as shown and
described.

DESCRIPTION

FIG. 1 is a front-left side perspective view showing our new
design;

FIG. 2 is a rear-left side perspective view thereof;

FIG. 3 is a front perspective view thereof;

FIG. 4 is a rear perspective view thereof;

FIG. 5 is a left side perspective view thereof; and

FIG. 6 is a right side perspective view thereof.


FIG. 7 is a top perspective view thereof; and,

FIG. 8 is a bottom perspective view thereof.

FIG. 1 shows the sensor cap as originally filed, where the
conducting wires attached to the sensors of the cap were
drawn in broken lines indicating environment only and not
forming a part of the design. The remaining views FIGS. 2-8
were amended to show no broken lines for ease of viewing
details of the design.

The broken lines show portions of the sensor cap that form
no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0179019	A1 *	7/2012	Fadem	A61B 5/0484 600/383
2014/0213874	A1 *	7/2014	Tong	A61B 5/0478 600/383
2015/0257673	A1 *	9/2015	Lawrence	A61B 5/0478 600/383
2017/0136255	A1 *	5/2017	Helekar	A61N 2/006
2017/0164861	A1 *	6/2017	Cahan	A61B 5/0478
2017/0172501	A1 *	6/2017	Badower	A61B 5/6803

OTHER PUBLICATIONS

Mind Beagle, available Jun. 23, 2016, [online]. [site visited Nov. 30, 2017]. Available from Internet, URL:<http://www.mindbeagle.at/Home>.*

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

