



US00D894810S

(12) **United States Design Patent**  
**Rosello Visa**

(10) **Patent No.:** **US D894,810 S**

(45) **Date of Patent:** **\*\* Sep. 1, 2020**

(54) **VEHICLE WHEEL RIM**

(71) Applicant: **AUDI AG**, Ingolstadt (DE)

(72) Inventor: **Albert Rosello Visa**, Ingolstadt (DE)

(73) Assignee: **AUDI AG**, Ingolstadt (DE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/707,149**

(22) Filed: **Sep. 26, 2019**

(30) **Foreign Application Priority Data**

Jul. 24, 2019 (EM) ..... 006 645 644

(51) **LOC (12) Cl.** ..... **12-16**

(52) **U.S. Cl.**

USPC ..... **D12/209**

(58) **Field of Classification Search**

USPC ..... D12/204-213; D21/563

CPC .... B60B 7/00; B60B 7/02; B60B 7/04; B60B

7/01; B60B 7/06; B60B 3/02; B60B 3/04;

B60B 3/06; B60B 3/10; B60B 1/00;

B60B 1/08; B60B 1/10; B60B 1/12

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D375,716 S \* 11/1996 Dehner ..... D12/209

D455,701 S \* 4/2002 McMath ..... D12/209

D588,517 S \* 3/2009 Aroney ..... D12/211

D590,322 S \* 4/2009 Rak ..... D12/211

D671,876 S \* 12/2012 Roura ..... D12/209

D738,278 S \* 9/2015 Wolff ..... D12/209

D746,212 S \* 12/2015 Valencia Pollex ..... D12/211

D753,045 S \* 4/2016 Kawaguchi ..... D12/209

D759,566 S \* 6/2016 Valencia Pollex ..... D12/211

D791,668 S \* 7/2017 Murase ..... D12/209

D798,217 S \* 9/2017 Valencia Pollex ..... D12/211

D822,574 S \* 7/2018 Rucigaj ..... D12/209

D836,054 S \* 12/2018 Kikuchi ..... D12/209

D847,719 S \* 5/2019 Rosello Visa ..... D12/209

D852,705 S \* 7/2019 Smith ..... D12/209

D858,411 S \* 9/2019 Rosello Visa ..... D12/209

D860,910 S \* 9/2019 Daniel ..... D12/209

D871,301 S \* 12/2019 Meng ..... D12/209

D878,991 S \* 3/2020 Tomasson ..... D12/209

D879,002 S \* 3/2020 Daniel ..... D12/209

\* cited by examiner

*Primary Examiner* — Stacia A Cadmus

(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP;  
Klaus P. Stoffel

(57)

**CLAIM**

The ornamental design for a vehicle wheel rim, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and,

FIG. 2 is a front, side perspective view thereof.

**1 Claim, 2 Drawing Sheets**









Fig. 1





**Fig. 2**