

US00D894876S

(12) **United States Design Patent** (10) **Patent No.:** **US D894,876 S**
Rodriguez et al. (45) **Date of Patent:** **** Sep. 1, 2020**

(54) **MICROPHONE UNIT**
(71) Applicant: **Polycom, Inc.**, San Jose, CA (US)
(72) Inventors: **Hector Rodriguez**, Austin, TX (US);
Anthony Martin Duys, Merrimac, MA (US); **Yanlin Zhu**, Austin, TX (US);
Nathan Yang, Austin, TX (US); **Samuel Alexander Moon**, Austin, TX (US); **Nathan Evan Careless**, Cedar Park, TX (US); **Adam Thomas Prather**, Austin, TX (US)

(73) Assignee: **Polycom, Inc.**, San Jose, CA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/687,057**
(22) Filed: **Apr. 10, 2019**
(51) **LOC (12) Cl.** **14-01**
(52) **U.S. Cl.**
USPC **D14/225**
(58) **Field of Classification Search**
USPC D14/150, 224-229; D16/244; D17/99;
D6/681; 248/125.1, 166, 185.1;
381/355, 359, 361-363, 365, 366, 369,
381/375; 379/428.01, 428.04, 431,
379/433.03
CPC . H04R 25/00; H04R 1/02; H04R 5/02; H04R
9/08; F16M 11/38; F16M 13/00; F16M
11/00
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D342,732 S * 12/1993 Hinman D14/150
D382,266 S * 8/1997 Wakefield D14/150
D403,328 S 12/1998 Wakefield
D439,538 S * 3/2001 Lynch D10/106.2
D449,286 S * 10/2001 Wakefield D14/150


D471,219 S 3/2003 Hovanky et al.
D471,573 S 3/2003 Hovanky et al.
D471,899 S 3/2003 Hovanky et al.
D472,233 S 3/2003 Hovanky et al.
D473,546 S 4/2003 Hovanky et al.
D480,059 S * 9/2003 Misrahi D14/150
D491,909 S * 6/2004 Sun D14/150
D571,776 S * 6/2008 Duys D14/150
D579,911 S * 11/2008 Wei D14/155
D586,743 S * 2/2009 Guccione D13/107
D635,955 S * 4/2011 Corrigan D14/149
(Continued)

Primary Examiner — Katie Jane Stofko
(74) *Attorney, Agent, or Firm* — Blank Rome, LLP

(57) **CLAIM**
The ornamental design for a microphone unit, as shown and described.

DESCRIPTION
FIG. 1 is a perspective view of a microphone unit, showing our new design, wherein a triangular light pipe for a touch sensitive mute is visible under a reflective top surface of the unit and is shown as being unilluminated; FIG. 2 is another perspective view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a front elevational view of thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a left side elevational view thereof; FIG. 8 is a right side elevational view thereof; FIG. 9 is another perspective view thereof, wherein the triangular light pipe for the touch sensitive mute is shown as being illuminated; and, FIG. 10 is another top plan view thereof, wherein the triangular light pipe for the touch sensitive mute is shown as being illuminated.
The broken lines depicted in FIGS. 1-10 are for illustrating unclaimed portions and boundaries of the microphone unit and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D714,258 S * 9/2014 Montague D14/221
D760,201 S * 6/2016 Tompkin H04M 1/02
D864,159 S * 10/2019 Ding D14/211

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10