



US00D894879S

(12) **United States Design Patent** (10) **Patent No.:** **US D894,879 S**
Fehr (45) **Date of Patent:** **** Sep. 1, 2020**

(54) **DISPLAY MOUNT**

A47B 2021/0335; F16B 47/00; F16B 47/006; A47K 2201/00; H02G 3/126; A47G 1/17

(71) Applicant: **CKnapp Sales, Inc.**, Goodfield, IL (US)

See application file for complete search history.

(72) Inventor: **Micah Fehr**, Danvers, IL (US)

(56) **References Cited**

(73) Assignee: **CKnapp Sales, Inc.**, Goodfield, IL (US)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

(21) Appl. No.: **29/684,020**

(22) Filed: **Mar. 18, 2019**

(51) **LOC (12) Cl.** **14-03**

(52) **U.S. Cl.**

USPC **D14/238**

(58) **Field of Classification Search**

USPC D14/371–382, 125–129, 336, 337, D14/447–452, 492, 335, 376–382, 239, D14/448, 457, 439–441, 432, 251–253; D8/349, 354, 363, 367, 372, 373, 376, D8/380, 382; D21/333; D12/415; D3/10, 218; 348/180, 184, 325, 739, 348/825; 248/323, 278.1, 286.1

CPC G06F 3/0412; G06F 3/016; G06F 3/0488; G06F 3/011; G06F 3/038; G06F 3/03543; G06F 3/0338; G06F 3/0202; G06F 3/0219; G06F 3/0213; G06F 1/1616; G06F 3/023; G06F 3/04883; G09G 3/3648; G02F 1/13338; G02F 1/1313; G02F 1/1333; G02F 1/135; G02F 1/132; G02F 1/133308; G02F 1/134309; G02F 1/13718; G06K 15/1252; B41J 2/465; G03F 7/70291; B02B 27/0172; B02B 5/30; B02B 2027/0118; B02B 27/0101; F16M 13/02; F16M 13/00; F16M 11/10; F16M 11/04; F16M 2200/08; F16M 11/2021; A47B 21/0314; A47B 88/044;

4,665,672	A *	5/1987	Commins		E04B 1/0007
					403/190
4,825,621	A *	5/1989	Jensen		E04B 1/2608
					403/232.1
D409,078	S *	5/1999	Bolt		D8/354
D437,282	S *	2/2001	Joll		D12/223
D474,958	S *	5/2003	Perdue		D8/349
8,234,826	B1 *	8/2012	Proffitt, Jr.		E02D 27/00
					52/293.3
D750,603	S *	3/2016	Venghaus		D14/238
D781,021	S *	3/2017	Parker		D34/24
D822,453	S *	7/2018	Kanter		D8/354
D825,317	S *	8/2018	Klein		D8/354
D852,788	S *	7/2019	Kanter		D14/238
D871,380	S *	12/2019	Fehr		D14/239

(Continued)

Primary Examiner — Katie Jane Stofko

(74) *Attorney, Agent, or Firm* — Hanley, Flight and Zimmerman, LLC

(57)

CLAIM

The ornamental design for a display mount, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a display mount.

FIG. 2 is a front elevation view thereof.

FIG. 3 is a rear elevation view thereof.

FIG. 4 is a top plan view thereof.


FIG. 5 is a bottom plan view thereof.

FIG. 6 is a left side elevation view thereof; and,

FIG. 7 is a right side elevation view thereof.

The broken lines shown in FIGS. 1-7 illustrate portions of the display mount that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0173036 A1 * 7/2009 Hand E04B 2/96
52/715

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7