



US00D894922S

(12) **United States Design Patent**
Swango et al.

(10) **Patent No.:** **US D894,922 S**
(45) **Date of Patent:** **** Sep. 1, 2020**

(54) **DISPLAY SCREEN OR PORTION THEREOF WITH AN ANIMATED GRAPHICAL USER INTERFACE**

(71) Applicant: **Covestro LLC**, Pittsburgh, PA (US)

(72) Inventors: **Mylauna M. Swango**, Coraopolis, PA (US); **David D. Steppan**, Gibsonia, PA (US); **James P. Mason**, Carnegie, PA (US); **Joel Matsco**, Coraopolis, PA (US)

(73) Assignee: **Covestro LLC**, Pittsburgh, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/661,450**

(22) Filed: **Aug. 28, 2018**

(51) **LOC (12) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/486; D14/488**

(58) **Field of Classification Search**
USPC **D14/485–495**
CPC **G06T 11/206**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D445,426 S *	7/2001	Wang		D14/486
D582,426 S *	12/2008	Chen		D14/488
D607,895 S *	1/2010	Marashi		D14/486
D727,960 S *	4/2015	Chaudhri		D14/489
9,077,823 B1 *	7/2015	Grosz		H04N 1/00177
D742,407 S *	11/2015	Park		D14/487
D750,125 S *	2/2016	Yang		D14/488
D757,028 S *	5/2016	Goldenberg		D14/485
D784,397 S *	4/2017	Kim		D14/487
D794,057 S *	8/2017	Ekstrand		D14/486
D801,996 S *	11/2017	Yang		D14/486
D825,608 S *	8/2018	Andrizzi		D14/487
D858,571 S *	9/2019	Jang		D14/489
D869,498 S *	12/2019	Anno		D14/487

(Continued)

Primary Examiner — Darlington Ly
Assistant Examiner — Katherine A Holbrow
(74) Attorney, Agent, or Firm — Richard P. Bender

(57) **CLAIM**

The ornamental design for a display screen or portion thereof with an animated graphical user interface, as shown and described.

DESCRIPTION

A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever.

FIG. 1 is a front view of a display screen or portion thereof with an animated graphical user interface, showing a first image in the sequence of our new design according to a first embodiment;

FIG. 2 is a second image thereof;

FIG. 3 is a front view of a display screen or portion thereof with an animated graphical user interface showing a first image in the sequence of our new design according to a second embodiment; and,

FIG. 4 is a second image thereof.

The outer broken line rectangle showing the display screen or portion thereof with an animated graphical user interface, and all other broken lines showing portions of the graphical user interface, illustrate portions of the article and form no part of the claimed design.

The appearance of the transitional image sequentially transitions between the images shown in FIGS. 1-2 and FIGS. 3-4. The process or period in which one image transitions to another image forms no part of the claimed design.

1 Claim, 4 Drawing Sheets

Page	Page	Page	Page	Page
1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35
36	37	38	39	40
41	42	43	44	45
46	47	48	49	50
51	52	53	54	55
56	57	58	59	60
61	62	63	64	65
66	67	68	69	70
71	72	73	74	75
76	77	78	79	80
81	82	83	84	85
86	87	88	89	90
91	92	93	94	95
96	97	98	99	100

Page	Page	Page	Page	Page
1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35
36	37	38	39	40
41	42	43	44	45
46	47	48	49	50
51	52	53	54	55
56	57	58	59	60
61	62	63	64	65
66	67	68	69	70
71	72	73	74	75
76	77	78	79	80
81	82	83	84	85
86	87	88	89	90
91	92	93	94	95
96	97	98	99	100

(56)

References Cited

U.S. PATENT DOCUMENTS

D879,821 S *	3/2020	Gray	D14/486
2017/0024091 A1 *	1/2017	Hosier, Jr.	H04L 51/32
2019/0087990 A1 *	3/2019	Hournbuckle, Jr.	G06F 30/20

* cited by examiner









Name	Density [kg/m ³]	HDT 0.45MPa [°C]	Tensile Modulus@1m m/min [Mpa]	Vicat 50N 120C/hr [°C]
 Apec 160PG				
 Apec 160S				
 Apec 160E	1180	151	2000	159
 Apec 160S	1180	150	2400	158
 Apec 1607	1180	149	2400	157
 Apec 170S	1170	161	2400	171
 Apec 174S	1170	160	2400	170
 Apec 172S	1170	161	2400	173
 Apec 1707	1170	160	2400	172
 Apec 1800	1160	174	2400	185
 Apec 180S	1160	174	2400	184
 Apec 182S	1160	173	2450	185

FIG. 1

Name	Density [g/cm ³]	HDT 0.45MPa [°C]	Tensile Modulus@1m min [GPa]	Visk 88M 130°C/hr [cP]
 Apco 16372				
 Apco 16366				
 Apco 16362	1180	181	2400	180
 Apco 16368	1180	180	2400	180
 Apco 16367	1180	180	2400	187
 Apco 17363	1170	181	2400	171
 Apco 17433	1170	180	2400	170
 Apco 17368	1170	181	2400	173
 Apco 17367	1170	180	2400	173
 Apco 16360	1180	174	2400	180
 Apco 16363	1180	174	2400	184
 Apco 16361	1180	172	2400	180

Name	Apco 17363
Family	Apco
Grade	1703
Description	UV-stabilized temperature (VOTIS 130)-171 °C
Regions Available for Sale	APAC EMEA
Industry	Mobility
Mobility Segments	Lighting Truck Bus Exteriors
Name	Apco 17368
Mobility Applications	Rear Lenses Fog Lamps Electro Plated High Heat Applications
Mobility Lighting Apps	Lenses Fog Lamps
Mobility Lenses Type	InnerLenses

FIG. 2




FIG. 3




FIG. 4