



US00D895068S

(12) **United States Design Patent**  
**Johnson**

(10) **Patent No.:** **US D895,068 S**

(45) **Date of Patent:** **\*\* Sep. 1, 2020**

(54) **FAUCET**

(71) Applicant: **Kohler Co.**, Kohler, WI (US)

(72) Inventor: **Drew Johnson**, Sheboygan, WI (US)

(73) Assignee: **KOHLER CO.**, Kohler, WI (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/677,291**

(22) Filed: **Jan. 18, 2019**

(51) **LOC (12) Cl.** ..... **23-01**

(52) **U.S. Cl.**  
USPC ..... **D23/238**

(58) **Field of Classification Search**  
USPC ..... D23/238, 241-243, 249-250, 252,  
D23/254-255, 257, 213, 226;  
D8/307-308

CPC ..... Y10T 137/9464; Y10T 137/6014; Y10T  
137/6017

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |               |               |
|--------------|---------|---------------|---------------|
| D342,308 S   | 12/1993 | McKeone       |               |
| D376,413 S   | 12/1996 | Kergoet       |               |
| D573,696 S   | 7/2008  | Eilmus        |               |
| D577,421 S * | 9/2008  | Williams      | ..... D23/238 |
| D585,112 S   | 1/2009  | Kohler et al. |               |
| D683,825 S   | 6/2013  | Sofield       |               |
| D689,595 S   | 9/2013  | Georgeson     |               |
| D713,939 S   | 9/2014  | Mazz et al.   |               |
| D721,422 S * | 1/2015  | Sedwick       | ..... D23/255 |

|              |         |           |               |
|--------------|---------|-----------|---------------|
| D721,791 S * | 1/2015  | Bahler    | ..... D23/252 |
| D762,285 S * | 7/2016  | Jepson    | ..... D23/238 |
| D797,902 S   | 9/2017  | Georgeson |               |
| D815,249 S * | 4/2018  | Kuang     | ..... D23/238 |
| D820,399 S * | 6/2018  | Garland   | ..... D23/238 |
| D839,394 S * | 1/2019  | Mai       | ..... D23/255 |
| D848,578 S * | 5/2019  | Garland   | ..... D23/255 |
| D855,158 S * | 7/2019  | Eads      | ..... D23/238 |
| D857,166 S * | 8/2019  | Spangler  | ..... D23/238 |
| D867,526 S * | 11/2019 | Garland   | ..... D23/213 |
| D867,527 S * | 11/2019 | Eads      | ..... D23/213 |
| D867,532 S * | 11/2019 | Liao      | ..... D23/238 |

\* cited by examiner

*Primary Examiner* — Robert A Delehanty

(74) *Attorney, Agent, or Firm* — Foley and Lardner LLP

(57) **CLAIM**

I claim the ornamental design for a faucet, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an embodiment of the claimed design;

FIG. 2 is a front view of the embodiment of FIG. 1;

FIG. 3 is a rear view of the embodiment of FIG. 1;

FIG. 4 is a side view of the embodiment of FIG. 1;


FIG. 5 is another side view of the embodiment of FIG. 1;

FIG. 6 is a top view of the embodiment of FIG. 1; and,

FIG. 7 is a bottom view of the embodiment of FIG. 1.

The ornamental design which is claimed is shown in solid lines in the drawings. The broken lines in the drawings are for illustrative purposes only and form no part of the claimed design. Broken lines formed of unequal length dashes (i.e., dash-dot) define bounds of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7