



US00D895196S

(12) **United States Design Patent** (10) **Patent No.:** **US D895,196 S**
Antoni (45) **Date of Patent:** **** Sep. 1, 2020**

- (54) **ADJUSTABLE LUMINAIRE**
- (71) Applicant: **Beta-Calco Inc.**, Toronto (CA)
- (72) Inventor: **Jacob Antoni**, Toronto (CA)
- (73) Assignee: **Beta-Calco Inc.**, Toronto (CA)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/693,209**
- (22) Filed: **May 31, 2019**

Primary Examiner — Brian N. Vinson
 (74) *Attorney, Agent, or Firm* — Renner, Otto, Boisselle & Sklar, LLP

(57) **CLAIM**

The ornamental design for an adjustable luminaire, as shown and described.

DESCRIPTION

FIG. 1 is a bottom view of an adjustable luminaire in a closed position, showing a first variant of the design, and a top view thereof is a mirror image;
 FIG. 2 is a front view thereof, and a rear view thereof is a mirror image;
 FIG. 3 is a right-side view thereof, and a left-side view thereof is a mirror image;
 FIG. 4 is a top perspective view thereof;
 FIG. 5 is a bottom view thereof in a half-open position;
 FIG. 6 is a bottom view thereof in an open position;
 FIG. 7 is a bottom view of an adjustable luminaire in a closed position, showing a second variant of the design, and a top view thereof is a mirror image;
 FIG. 8 is a front view thereof, and a rear view thereof is a mirror image;
 FIG. 9 is a right-side view thereof, and a left-side view thereof is a mirror image;
 FIG. 10 is a top perspective view thereof;
 FIG. 11 is a bottom view thereof in a half-open position;
 FIG. 12 is a bottom view thereof in an open position;
 FIG. 13 is a bottom view of an adjustable luminaire in a closed position, showing a third variant of the design, and a top view thereof is a mirror image;
 FIG. 14 is a front view thereof, a rear view thereof is a mirror image;
 FIG. 15 is a right-side view thereof, and a left-side view thereof is a mirror image;
 FIG. 16 is a top perspective view thereof;
 FIG. 17 is a bottom view thereof in a half-open position; and,
 FIG. 18 is a bottom view thereof in an open position.

Related U.S. Application Data

- (62) Division of application No. 29/621,106, filed on Oct. 4, 2017, now Pat. No. Des. 882,862.

(30) **Foreign Application Priority Data**

Apr. 4, 2017 (CA) 173952

- (51) **LOC (12) Cl.** **26-99**

- (52) **U.S. Cl.**
USPC **D26/138**

- (58) **Field of Classification Search**
USPC D26/113, 118, 155, 141, 138, 72, 80;
D11/141; D19/61, 62; D21/579, 468,
D21/707, 498, 398

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,578,291 A * 3/1986 Miner B44C 5/00
428/542.2

D423,403 S * 4/2000 Flowers D11/141


(Continued)

OTHER PUBLICATIONS

Photographs of Sochi Olympics Rings (Opening Ceremony in 2014).

Photograph of light fixture by Héméra.

(Continued)



The portions of the luminaire shown in broken lines form no part of the design.

1 Claim, 6 Drawing Sheets

(58) Field of Classification Search

CPC F21S 4/00; F21S 4/003; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/004; F21S 6/005; F21S 8/06; F21V 15/01; F21V 15/013; F21V 3/00; F21V 17/04; F21V 23/06; F21Y 211/10; F21K 9/54; E04B 1/3441; E04B 1/3211; A63H 17/00; A63H 17/03; A63F 9/0819; B44C 5/00

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

6,190,231	B1 *	2/2001	Hoberman	A63F 9/0819 446/487
7,100,333	B2 *	9/2006	Hoberman	E04B 1/3211 446/487
D636,927	S *	4/2011	Lin	D26/138
D637,344	S *	5/2011	Baker	D26/138
D761,991	S *	7/2016	Clark	F21V 1/22 D26/73
D807,560	S *	1/2018	Jones	D26/81
D865,275	S *	10/2019	Yu	D26/155
D869,745	S *	12/2019	Sonneman	D26/138

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18