

US00D895396S

(12) **United States Design Patent** (10) **Patent No.:** **US D895,396 S**
Sweeney et al. (45) **Date of Patent:** **** *Sep. 8, 2020**

(54) **MORTISE LOCK TRANSLATABLE STATUS INDICATOR**

D305,861 S * 2/1990 Kautt D8/330
D437,771 S * 2/2001 Barnes D8/352
D452,807 S * 1/2002 Gartner D8/330
6,471,257 B1 * 10/2002 Lu E05B 47/0012
292/144
D494,841 S * 8/2004 Moon D8/352

(71) Applicant: **SARGENT MANUFACTURING COMPANY**, New Haven, CT (US)

(72) Inventors: **Ian Sweeney**, New Haven, CT (US);
Ryan Piantek, New Haven, CT (US);
Lee Griswold, New Haven, CT (US)

(Continued)
Primary Examiner — Steven J Cxyz
(74) *Attorney, Agent, or Firm* — DeLio Peterson & Curcio LLC; Thomas E. Ciesco

(73) Assignee: **Sargent Manufacturing Company**, New Haven, CT (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(57) **CLAIM**

(**) Term: **15 Years**

The ornamental design of a “mortise lock translatable status indicator”, as shown and described.

(21) Appl. No.: **29/649,541**

(22) Filed: **May 31, 2018**

DESCRIPTION

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/649,069, filed on May 25, 2018.

(51) **LOC (12) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/330**

(58) **Field of Classification Search**
USPC D8/330, 331, 336, 337, 338, 339, 341,
D8/342, 343, 350, 352, 353; D10/109.1,
D10/109.2, 114.1
CPC E05B 15/02; E05B 41/00; E05B 17/10;
E05B 17/22; Y10T 70/8027; Y10T
17/8081

See application file for complete search history.

FIG. 1 is a right front top perspective view of the “mortise lock translatable status indicator” shown in a locked state; FIG. 2 is a front elevational view thereof; FIG. 3 is a right elevational view thereof; FIG. 4 is a left elevational view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a top view thereof; FIG. 7 is a right front top perspective view of the “mortise lock translatable status indicator” shown in an unlocked state; FIG. 8 is a front elevational view thereof; FIG. 9 is a right elevational view thereof; FIG. 10 is a left elevational view thereof; FIG. 11 is a bottom plan view thereof; and, FIG. 12 is a top view thereof.


The rear view of the “mortise lock translatable status indicator” is not included and forms no part of the design. The broken lines depict portions of the article that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,490,999 A * 1/1985 Castle E05B 41/00
70/330
4,559,796 A * 12/1985 De Forrest, Sr. E05B 41/00
70/432

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D508,393 S *	8/2005	Gao	D8/352	D752,946 S *	4/2016	Shen	D8/330
D578,866 S *	10/2008	Kim	D8/350	D766,070 S *	9/2016	Ruoff	D8/343
D581,245 S *	11/2008	Conway	D8/330	D767,365 S *	9/2016	Yu	D8/330
D584,942 S *	1/2009	Yoshie	D8/383	D771,471 S *	11/2016	Ruoff	D8/330
D585,270 S *	1/2009	Yoshie	D8/383	D774,875 S *	12/2016	Yu	D8/353
D591,138 S *	4/2009	Blanchette	D8/330	D778,708 S *	2/2017	Jeng	D8/330
D592,936 S *	5/2009	Douglas	D8/330	D783,384 S *	4/2017	Shargh	D8/330
D597,821 S *	8/2009	Nunez	D8/330	9,631,399 B1 *	4/2017	Zhang	E05B 47/00
D614,475 S *	4/2010	Min	D8/331	D790,948 S *	7/2017	Lai	D8/330
D630,489 S *	1/2011	Gratzki	D8/330	D790,956 S *	7/2017	Hetfield	D8/330
D639,135 S *	6/2011	Doucet	D8/330	D791,569 S *	7/2017	Chen	D8/331
D660,129 S *	5/2012	Genord	D8/330	D794,414 S *	8/2017	Chou	D8/330
D663,603 S *	7/2012	Guo	D8/302	D812,448 S *	3/2018	Schneider	D8/331
D666,074 S *	8/2012	Genord	D8/330	D814,265 S *	4/2018	Kasper	D8/330
D673,838 S *	1/2013	Clark	D8/353	D817,148 S *	5/2018	Carpintero	D8/331
D679,986 S *	4/2013	Hsieh	D8/330	9,982,462 B2 *	5/2018	Lin	E05B 47/0012
D682,656 S *	5/2013	Cramer	D8/331	D832,081 S *	10/2018	Gokcebay	D8/331
D682,659 S *	5/2013	Genord	D8/330	10,087,652 B2 *	10/2018	Snider	E05B 17/10
D683,205 S *	5/2013	Cramer	D8/331	10,145,144 B1 *	12/2018	Shyu	E05B 3/00
D685,249 S *	7/2013	Friedli	D8/301	10,161,162 B2 *	12/2018	Schaeffer	E05B 15/02
8,490,445 B2 *	7/2013	Chiou	E05B 47/0012	10,323,437 B2 *	6/2019	Hallett	E05B 47/00
			70/224	D855,436 S *	8/2019	Yu	D8/330
D696,095 S *	12/2013	Kim	D8/331	D861,460 S *	10/2019	Ronge	D8/353
D702,580 S *	4/2014	Andersen	D10/109.1	D863,029 S *	10/2019	Gokcebay	D8/330
D733,522 S *	7/2015	Kim	D8/331	10,443,264 B1 *	10/2019	Son	E05B 9/08
9,187,928 B2 *	11/2015	Abel	E05B 41/00	2015/0225982 A1 *	8/2015	Bronner	E05B 63/0017
9,299,270 B2 *	3/2016	Hosilyk	G09F 3/00				70/432
				2015/0240526 A1 *	8/2015	Clary	E05B 41/00
							70/432
				2017/0114570 A1 *	4/2017	Hallett	E05B 47/00

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10



FIG. 11




FIG. 12