



US00D895534S

(12) **United States Design Patent** (10) **Patent No.:** **US D895,534 S**
Sparacino et al. (45) **Date of Patent:** **** Sep. 8, 2020**

- (54) **TIRE**
- (71) Applicant: **Bridgestone Europe NV/SA**, Zaventem (BE)
- (72) Inventors: **Andrea Sparacino**, Rome (IT); **Marco De Liddo**, Rome (IT); **Pierfrancesco Triboulet**, Rome (IT)
- (73) Assignee: **Bridgestone Europe NV/SA**, Zaventem (BE)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/680,831**
- (22) Filed: **Feb. 20, 2019**

Related U.S. Application Data

- (63) Continuation of application No. 35/504,458, filed on Dec. 12, 2017 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Dec. 12, 2017, now abandoned.
- (51) **LOC (12) Cl.** **12-16**
- (52) **U.S. Cl.**
USPC **D12/545; D12/564**

(58) **Field of Classification Search**
USPC D12/545, 564, 563, 604
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D556,669 S	12/2007	Fugier et al.	
D684,922 S	6/2013	Scheuren et al.	
D710,292 S	8/2014	Le et al.	
D716,720 S	11/2014	Seng et al.	
D778,230 S *	2/2017	Haanketo	D12/564
D868,677 S *	12/2019	Kossi	D12/563
D871,315 S *	12/2019	De Liddo	D12/564

* cited by examiner

Primary Examiner — George D. Kirschbaum

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view of the right side thereof;
and,
FIG. 4 is a side elevational view of the left side thereof.

1 Claim, 4 Drawing Sheets





FIG. 1



FIG. 2




FIG. 3




FIG. 4