



US00D895540S

(12) **United States Design Patent**  
**Hasenmayer et al.**

(10) **Patent No.:** **US D895,540 S**

(45) **Date of Patent:** **\*\* Sep. 8, 2020**

(54) **BATTERY CHARGER**

(71) Applicant: **Robert Bosch GmbH**, Stuttgart (DE)

(72) Inventors: **Vincent Hasenmayer**,  
Stuttgart-Möhringen (DE); **Kay Zaß**,  
Stuttgart (DE)

(73) Assignee: **Robert Bosch GmbH**, Stuttgart (DE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/641,477**

(22) Filed: **Mar. 22, 2018**

(30) **Foreign Application Priority Data**

Jan. 16, 2018 (EM) ..... 004667764

(51) **LOC (12) Cl.** ..... **13-02**

(52) **U.S. Cl.**  
USPC ..... **D13/107**

(58) **Field of Classification Search**

USPC ..... D13/107-110, 118-119, 184; D14/251,  
D14/253, 432, 434

CPC ..... Y02E 60/12; Y02T 90/14; Y02T 90/122;  
Y02T 90/128; Y02T 90/163; H02J 7/025;  
H02J 7/0042; H02J 7/0044; H02J 7/0045;  
H02J 7/0013; H02J 7/0003; H01F 38/14;  
H01R 13/6675; H01M 2/1022; H01M  
2/1055; H01M 10/44; H01M 10/46;  
H01M 10/425; B60L 11/182

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,065,082 A \* 11/1991 Fushiya ..... H02J 7/00038  
320/110  
D327,669 S \* 7/1992 Sakamoto ..... D13/108

D404,006 S \* 1/1999 Clowers ..... D13/107  
D407,685 S \* 4/1999 Lohrding ..... D13/107  
D506,972 S \* 7/2005 Parel ..... D13/107  
D515,502 S \* 2/2006 Wen ..... D13/107  
D533,134 S \* 12/2006 Aglassinger ..... D13/108  
D578,473 S \* 10/2008 Okuda ..... D13/107  
D677,220 S \* 3/2013 Ploss ..... D13/108  
D711,317 S \* 8/2014 Zhou ..... D13/108  
9,728,822 B2 \* 8/2017 Taga ..... H01M 10/613  
9,966,772 B2 \* 5/2018 Uesugi ..... H02J 7/00041  
D855,019 S \* 7/2019 Rustill ..... D13/108

\* cited by examiner

*Primary Examiner* — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — Maginot, Moore & Beck  
LLP

(57) **CLAIM**

The ornamental design for a battery charger, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a perspective view of a battery charger showing our  
new design;

FIG. 2 is a front elevational view of the battery charger of  
FIG. 1;

FIG. 3 is a rear elevational view of the battery charger of  
FIG. 1;

FIG. 4 is a right side elevational view of the battery charger  
of FIG. 1;


FIG. 5 is a left side elevational view of the battery charger  
of FIG. 1;

FIG. 6 is a top plan view of the battery charger of FIG. 1;  
and,

FIG. 7 is a bottom plan view of the battery charger of FIG.  
1.

The broken lines shown in the drawings illustrate portions of  
the battery charger that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7