



US00D895636S

(12) **United States Design Patent**
Yang et al.

(10) **Patent No.:** **US D895,636 S**
(45) **Date of Patent:** **** Sep. 8, 2020**

(54) **ELECTRONIC DEVICE STAND**

(71) Applicant: **SOCKET MOBILE, INC.**, Newark, CA (US)
(72) Inventors: **Po-Wen Yang**, Fremont, CA (US); **Edward R. Toro**, San Jose, CA (US); **Vanessa Esther Lindsay**, San Francisco, CA (US); **Leonard Ott**, Livermore, CA (US); **James William Rebello**, Livermore, CA (US)
(73) Assignee: **Socket Mobile, Inc.**, Newark, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/633,227**

(22) Filed: **Jan. 12, 2018**

(51) **LOC (12) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/453**; D13/107; D13/108; D14/434

(58) **Field of Classification Search**
USPC D14/434, 447, 453, 432, 433, 385, 357, D14/149, 457, 253, 251, 356, 242, 439,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D375,450 S * 11/1996 Bidwell D8/356
D391,838 S * 3/1998 Bidwell D8/356
(Continued)

Primary Examiner — Susan Moon Lee

(74) *Attorney, Agent, or Firm* — PatentVentures; Bennett Smith; Korbin Van Dyke

(57) **CLAIM**

The ornamental design for an electronic device stand, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of an electronic device stand, showing a first embodiment of our new design;

FIG. 2 is a front view thereof;
FIG. 3 is a side view thereof, the other side view thereof being a mirror image;
FIG. 4 is a rear view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a perspective view of an electronic device stand, showing a second embodiment of our new design;
FIG. 8 is a front view thereof;
FIG. 9 is a side view thereof, the other side view thereof being a mirror image;
FIG. 10 is a rear view thereof;
FIG. 11 is a top view thereof;
FIG. 12 is a bottom view thereof;
FIG. 13 is a perspective view of an electronic device stand, showing a third embodiment of our new design;
FIG. 14 is a front view thereof;
FIG. 15 is a side view thereof, the other side view thereof being a mirror image;
FIG. 16 is a rear view thereof;
FIG. 17 is a top view thereof;
FIG. 18 is a bottom view thereof;
FIG. 19 is the front view thereof further illustrating use with an electronic device; and,
FIG. 20 is the rear view thereof further illustrating use with the electronic device.

In FIGS. 1-18, broken lines and unshaded portions contained within broken lines depict portions of the electronic device stand that form no part of the claimed design. In FIGS. 19-20, broken lines and unshaded portions contained within broken lines in the lower third of the figures depict portions of the electronic device stand that form no part of the claimed design. In FIGS. 19-20, broken lines and unshaded portions contained within broken lines in the upper two-thirds of the figures depict unclaimed environmental matter. Linear shading figurative effects in FIGS. 7-11, and fine stipple shading (stippling) figurative effects in FIGS. 1-5, 13-17, and 19-20, are meant to portray the illusion of varying degrees of surface shadow and thereby to show the contour of the surfaces, without claiming any particular pattern, texture, or color. Perspective views are not drawn to scale.

1 Claim, 10 Drawing Sheets



(58) **Field of Classification Search**

USPC D14/344, 140.2, 140.5, 140.9, 203.8,
D14/209.1, 224.1, 227, 229, 238, 405;
D13/108, 118, 199, 107, 177, 119, 184,
D13/116, 109; D3/218, 228, 269;
D18/12; D8/349, 382; 361/683, 686,
361/679, 600, 679.44, 679.09, 679.26,
361/679.58; 455/557, 556.1, 556.2,
455/575.4, 569.2, 569.1; 248/346.03,
248/176.1, 181.1, 309.1, 221.11, 349.1,
248/131, 418, 346.01, 918, 920; 200/6 R;
206/701; 320/107, 108, 112-116, 125,
320/134, 160; 379/426; 345/156, 901,
345/905; 439/374, 131, 529, 534, 929,
439/346, 31, 640; 235/472.01, 454,
235/462.01, 462.32, 462.41, 462.45,
235/462.48, 462.46, 462.43, 462.42,
235/462.14, 462.1, 462.13, 472.02;
429/100; 382/135; 312/223.1; D24/186,
D24/187, 133
CPC G06K 7/109; G06K 7/10881; G06K
7/10861; G06K 7/10594; G06K 7/10831;
G06K 7/1096; G06K 7/10851; G06K

7/10821; G06K 7/10475; G06K 17/0022;
G06F 1/1632; G06F 1/163; G07G 1/0018;
G07G 1/0045; Y10S 248/92; F16M
11/10; F16M 11/08; F16M 11/041; F16M
11/00; F16M 11/046; F16M 11/2021;
F16M 13/00; F16M 2200/08; A47F
9/046; H02J 7/0044; H02J 7/0042; H02J
7/0004; H02J 7/0054; H02J 7/0047; H02J
7/0027; H02J 7/0013; H04M 1/04; H04N
2201/0058; H01M 2/1055

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D736,210	S	*	8/2015	Paradise	D14/434
D742,530	S	*	11/2015	Pippel	D24/187
D764,173	S	*	8/2016	Nichols	D4/102
D765,867	S	*	9/2016	Pippel	D24/187
D782,685	S	*	3/2017	Pippel	D24/186
D873,831	S	*	1/2020	DePaolo	D14/434
2008/0249406	A1	*	10/2008	Naruse	A61B 8/00 600/437

* cited by examiner




Fig. 1




Fig. 4

Fig. 3

Fig. 2




Fig. 6




Fig. 5




Fig. 7




Fig. 8

Fig. 9

Fig. 10




Fig. 12




Fig. 11




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 18




Fig. 17




Fig. 20




Fig. 19