



US00D895723S

(12) **United States Design Patent** (10) **Patent No.:** **US D895,723 S**
Doswell (45) **Date of Patent:** **** Sep. 8, 2020**

(54) **INKJET PRINTHEAD**

(71) Applicant: **Linx Printing Technologies Limited**,
 St. Ives, Cambridgeshire (GB)
 (72) Inventor: **David James Doswell**, Cambridgeshire
 (GB)
 (73) Assignee: **Linx Printing Technologies Limited**,
 Cambridgeshire (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/679,262**

(22) Filed: **Feb. 4, 2019**

(30) **Foreign Application Priority Data**

Aug. 13, 2018 (EM) 005606704-0001
 Aug. 13, 2018 (EM) 005606704-0002
 Aug. 13, 2018 (EM) 005606704-0003

(51) **LOC (12) Cl.** **18-02**

(52) **U.S. Cl.**
 USPC **D18/56**

(58) **Field of Classification Search**

USPC D18/40-45, 56
 CPC G03G 15/0894; G03G 15/0898; G03G
 21/1661; G03G 15/0872; G03G 15/0874;
 G03G 15/0868; G03G 15/087; G03G
 15/0877; G03G 15/0875; G03G 15/0896;
 G03G 21/18; G03G 21/1803; G03G
 21/1807; G03G 21/1666; G03G 21/1671;
 G03G 21/1676; G03G 21/168; G03G
 21/1685; G03G 21/169; G03G 21/1695;
 B41J 2/1607; B41J 2/1648; B41J 2/165;
 B41J 2002/16502; B41J 2002/16505;
 B41J 2002/16508; B41J 2002/16511;
 B41J 2002/16514; B41J 2002/17; B41J
 2002/1652

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D242,528 S * 11/1976 Weckman D9/500
 D308,886 S * 6/1990 Aoyama D18/43
 (Continued)

FOREIGN PATENT DOCUMENTS

CN WO2016033859 A1 * 3/2016 B29C 67/00
 DE 202016102220 U1 * 7/2016 G03G 15/0867
 (Continued)

OTHER PUBLICATIONS

MDPI. Link: <https://www.mdpi.com/2075-1702/7/1/6/htm>. Jan. 11, 2019. Design to Achieve Accuracy in Ink-Jet Cylindrical Printing Machines. (Year: 2019).*

Primary Examiner — Lauren D McVey

(74) *Attorney, Agent, or Firm* — TraskBritt


(57) **CLAIM**

The ornamental design for an inkjet printhead, as shown and described.

DESCRIPTION

FIG. 1 is a front side perspective view of an inkjet printhead showing my new design;
 FIG. 2 is a rear side perspective view thereof;
 FIG. 3 is a right side view thereof;
 FIG. 4 is a rear view thereof;
 FIG. 5 is a front view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof; and,
 FIG. 8 is a left side view thereof.
 The broken lines immediately adjacent to the claim depict the bounds of the claimed design, while all other broken lines are directed to environment. The broken lines form no part of the claimed design.
 The wire frame lines shown throughout the views indicate surface contour.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D320,810 S * 10/1991 Koiso D18/43
D353,832 S * 12/1994 Masaki D18/43
D397,141 S * 8/1998 Ichimaru D18/40
5,991,584 A * 11/1999 Meyer G03G 15/0886
222/DIG. 1
6,104,902 A * 8/2000 Meyer G03G 15/0868
222/DIG. 1
D538,850 S * 3/2007 Choi D18/56
D576,668 S * 9/2008 Okino D18/43
D812,680 S * 3/2018 Takiguchi D18/43
D813,941 S * 3/2018 Bertolin D18/56
D816,158 S * 4/2018 Yoshii D18/56
2016/0124348 A1 * 5/2016 Yamada G03G 15/0898
399/106

FOREIGN PATENT DOCUMENTS

JP 2012198499 A * 10/2012 G03G 15/0863
WO WO-2017033869 A1 * 3/2017 B41J 2/165

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8