



US00D896015S

(12) **United States Design Patent**
Żywicki et al.

(10) **Patent No.:** **US D896,015 S**

(45) **Date of Patent:** **** Sep. 15, 2020**

(54) **FILTERING STRAW**

(71) Applicants: **Mirosław Jan Żywicki**, Olsztyn (PL);
Anna Karolina Cieślińska, Gietrzwałd (PL)

(72) Inventors: **Mirosław Jan Żywicki**, Olsztyn (PL);
Anna Karolina Cieślińska, Gietrzwałd (PL)

(**) Term: **15 Years**

(21) Appl. No.: **29/637,397**

(22) Filed: **Feb. 17, 2018**

(51) **LOC (12) Cl.** **07-06**

(52) **U.S. Cl.**
USPC **D7/300.2**

(58) **Field of Classification Search**
USPC D7/213, 300.2, 387, 397, 400, 505, 507,
D7/635, 643, 648, 653, 664, 683, 300;
D20/22, 28; D9/499, 434; D23/209,
D23/210; D27/101
CPC A47G 21/181; A47G 21/18; A01M 3/022
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|---------|--------------|-------|------------------------|
| 3,722,457 | A * | 3/1973 | Hartinger | | A47J 43/27 116/321 |
| 5,509,605 | A * | 4/1996 | Cripe | | A47G 21/188 210/266 |
| D371,269 | S * | 7/1996 | Shattuck | | D7/300.2 |
| D497,509 | S * | 10/2004 | Nelson | | D24/108 |
| D498,967 | S * | 11/2004 | White | | D7/300.2 |
| D587,953 | S * | 3/2009 | Aliberti | | D7/300.2 |
| D719,388 | S * | 12/2014 | Ecseri | | D7/300.2 |
| D720,051 | S * | 12/2014 | Dole | | D23/266 |
| D738,612 | S * | 9/2015 | Winiski | | D3/205 |
| D749,856 | S * | 2/2016 | Lee | | D4/121 |
| D757,476 | S * | 5/2016 | O'Neill | | D7/300.2 |
| D819,264 | S * | 5/2018 | Mykhaylovych | | D27/101 |

| | | | | | |
|--------------|------|--------|------------|-------|-------------------------|
| D838,000 | S * | 1/2019 | Norell | | D24/224 |
| D846,327 | S * | 4/2019 | Peterson | | A47G 21/183 D7/300.2 |
| D847,568 | S * | 5/2019 | Hartnett | | D7/505 |
| 2002/0134850 | A1 * | 9/2002 | Hollenberg | | A47G 21/18 239/33 |
| 2012/0160928 | A1 * | 6/2012 | Jo | | A47G 21/183 239/33 |

(Continued)

Primary Examiner — Karen S Acker

Assistant Examiner — Steven B Reinholdt, Jr.

(74) *Attorney, Agent, or Firm* — Horst M. Kasper, Esq.

(57) **CLAIM**

The ornamental design for a filtering straw, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a filtering straw showing our new design; the rear and side elevational views are mirror images of the front elevational view;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a perspective top view thereof;

FIG. 5 is an enlarged exploded view of area 5 within FIG. 4; and,


FIG. 6 is a cross-section view of the filtering straw of FIG. 1 taken along line 6-6 in FIG. 2.

The evenly spaced broken lines in a rectangular shape in FIG. 4 and surrounding FIG. 5 denote a detail boundary and form no part of the claimed design.

The dot-dash-dot broken lines used in Figures 1, 4, and 6, denote a symbolic break that forms no part of the claimed design. The areas between the break lines form no part of the claimed design.

The evenly spaced broken lines in the drawings depict portions of the filtering straw that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0190004 A1* 7/2015 Chang A47G 21/18
239/33
2018/0020856 A1* 1/2018 Wang A47G 21/18
239/33

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6