



US00D896059S

(12) **United States Design Patent** (10) **Patent No.:** **US D896,059 S**
Sweeney et al. (45) **Date of Patent:** **** Sep. 15, 2020**

(54) **MORTISE LOCK STATUS INDICATOR**

(71) Applicant: **SARGENT MANUFACTURING COMPANY**, New Haven, CT (US)

(72) Inventors: **Ian Sweeney**, New Haven, CT (US);
Lee Griswold, New Haven, CT (US)

(73) Assignee: **Sargent Manufacturing Company**,
New Haven, CT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/645,904**

(22) Filed: **Apr. 30, 2018**

(51) **LOC (12) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/330**

(58) **Field of Classification Search**
USPC D8/330, 331, 336, 337, 338, 339, 341,
D8/342, 343, 350, 352, 353; D10/109.1,
D10/109.2, 114.1
CPC E05B 15/02; E05B 41/00; E05B 17/10;
E05B 17/22; Y10T 70/8027; Y10T
70/8081
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,490,999 A * 1/1985 Castle E05B 41/00
70/330
- 4,559,796 A * 12/1985 De Forrest, Sr. E05B 41/00
70/432
- D305,861 S * 2/1990 Kautt D8/330
- D437,771 S * 2/2001 Barnes D8/352
- D452,807 S * 1/2002 Gartner D8/330
- 6,471,257 B1 * 10/2002 Lu E05B 47/0012
292/144
- D494,841 S * 8/2004 Moon D8/352
- D508,393 S * 8/2005 Gao D8/352
- D578,866 S * 10/2008 Kim D8/350

- D581,245 S * 11/2008 Conway D8/330
- D584,942 S * 1/2009 Yoshie D8/383
- D585,270 S * 1/2009 Yoshie D8/383
- D591,138 S * 4/2009 Blanchette D8/330
- D592,936 S * 5/2009 Douglas D8/330
- D597,821 S * 8/2009 Nunez D8/330
- D614,475 S * 4/2010 Min D8/331
- D630,489 S * 1/2011 Gratzki D8/330
- D639,135 S * 6/2011 Doucet D8/330
- D660,129 S * 5/2012 Genord D8/330
- D663,603 S * 7/2012 Guo D8/302

(Continued)

Primary Examiner — Steven J Czyz

(74) *Attorney, Agent, or Firm* — DeLio Peterson &
Curcio LLC; Thomas E. Ciesco


(57) **CLAIM**

The ornamental design for a mortise lock status indicator, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right perspective view of a mortise lock status indicator;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a left elevational view thereof;
 FIG. 4 is a right elevational view thereof;
 FIG. 5 is a top elevational view thereof;
 FIG. 6 is a bottom elevational view thereof;
 FIG. 7 is a top, front, right perspective view of the mortise lock status indicator;
 FIG. 8 is a front elevational view thereof;
 FIG. 9 is a left side elevational view thereof;
 FIG. 10 is a right side elevational view thereof;
 FIG. 11 is a top elevational view thereof; and,
 FIG. 12 is a bottom elevational view thereof.
 The rear view of the “mortise lock status indicator” is not included and forms no part of the design.
 The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D666,074 S * 8/2012 Genord D8/330
 D673,838 S * 1/2013 Clark D8/353
 D679,986 S * 4/2013 Hsieh D8/330
 D682,656 S * 5/2013 Cramer D8/331
 D682,659 S * 5/2013 Genord D8/330
 D683,205 S * 5/2013 Cramer D8/331
 D685,249 S * 7/2013 Friedli D8/301
 8,490,445 B2 * 7/2013 Chiou E05B 47/0012
 70/224
 D696,095 S * 12/2013 Kim D8/331
 D702,580 S * 4/2014 Andersen D10/109.1
 D733,522 S * 7/2015 Kim D8/331
 9,187,928 B2 * 11/2015 Abel E05B 41/00
 9,299,270 B2 * 3/2016 Hosilyk G09F 3/00
 D752,946 S * 4/2016 Shen D8/330
 D766,070 S * 9/2016 Ruoff D8/343
 D767,365 S * 9/2016 Yu D8/330
 D771,471 S * 11/2016 Ruoff D8/330
 D774,875 S * 12/2016 Yu D8/353
 D778,708 S * 2/2017 Jeng D8/330
 D783,384 S * 4/2017 Shargh D8/330

9,631,399 B1 * 4/2017 Zhang E05B 47/00
 D790,948 S * 7/2017 Lai D8/330
 D790,956 S * 7/2017 Hetfield D8/330
 D791,569 S * 7/2017 Chen D8/331
 D794,414 S * 8/2017 Chou D8/330
 D812,448 S * 3/2018 Schneider D8/331
 D814,265 S * 4/2018 Kasper D8/330
 D817,148 S * 5/2018 Carpintero D8/331
 9,982,462 B2 * 5/2018 Lin E05B 47/0012
 D832,081 S * 10/2018 Gokcebay D8/331
 10,087,652 B2 * 10/2018 Snider E05B 17/10
 10,145,144 B1 * 12/2018 Shyu E05B 3/00
 10,161,162 B2 * 12/2018 Schaeffer E05B 15/02
 10,323,437 B2 * 6/2019 Hallett E05B 47/00
 D855,436 S * 8/2019 Yu D8/330
 D861,460 S * 10/2019 Ronge D8/353
 D863,029 S * 10/2019 Gokcebay D8/330
 10,443,264 B1 * 10/2019 Son E05B 9/08
 2015/0225982 A1 * 8/2015 Bronner E05B 63/0017
 70/432
 2015/0240526 A1 * 8/2015 Clary E05B 41/00
 70/432
 2017/0114570 A1 * 4/2017 Hallett E05B 47/00

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 11



FIG. 12