



US00D896166S

(12) **United States Design Patent** (10) **Patent No.:** **US D896,166 S**  
**Yamaoka** (45) **Date of Patent:** **\*\* Sep. 15, 2020**

(54) **TIRE FOR AUTOMOBILE**  
(71) Applicant: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Kobe-shi, Hyogo (JP)  
(72) Inventor: **Hiroshi Yamaoka**, Kobe (JP)  
(73) Assignee: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Kobe-Shi, Hyogo (JP)

D791,067 S \* 7/2017 Iwabuchi ..... D12/605  
D791,693 S \* 7/2017 Iwabuchi ..... D12/605  
D795,798 S \* 8/2017 Kamada ..... D12/605  
D803,149 S \* 11/2017 Ishikawa ..... D12/605  
D804,402 S \* 12/2017 Kamada ..... D12/605  
D807,284 S \* 1/2018 Iwabuchi ..... D12/605  
D808,333 S \* 1/2018 Iwabuchi ..... D12/605  
D813,799 S \* 3/2018 Maxwell ..... D12/605  
D814,395 S \* 4/2018 Sano ..... D12/605  
D817,860 S \* 5/2018 Maxwell ..... D12/605  
D823,785 S \* 7/2018 Noel ..... D12/605  
D843,930 S \* 3/2019 Itoi ..... D12/605  
D848,358 S \* 5/2019 Kamada ..... D12/605

(\*\*) Term: **15 Years**

\* cited by examiner

(21) Appl. No.: **29/692,838**

*Primary Examiner* — Michelle E. Wilson

(22) Filed: **May 29, 2019**

*Assistant Examiner* — Clese Moore, Jr.

(51) **LOC (12) Cl.** ..... **12-15**

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(52) **U.S. Cl.**  
USPC ..... **D12/605**

(57) **CLAIM**

(58) **Field of Classification Search**  
USPC ..... D12/604, 605  
CPC ..... B60C 13/00; B60C 1/00  
See application file for complete search history.

The ornamental design for a tire for automobile, as shown and described.

**DESCRIPTION**

(56) **References Cited**


FIG. 1 is a front view of a tire for automobile showing my new design;  
FIG. 2 is a rear view thereof;  
FIG. 3 is a top view thereof;  
FIG. 4 is a bottom view thereof;  
FIG. 5 is a right view thereof;  
FIG. 6 is a left view thereof;  
FIG. 7 is a partially enlarged view of a portion defined by lines 7-7 shown in FIG. 1; and,  
FIG. 8 is a cross-sectional view taken in direction of line 8-8 in FIG. 7.

**U.S. PATENT DOCUMENTS**

D588,532 S \* 3/2009 Shondel ..... D12/605  
D590,332 S \* 4/2009 Sato ..... D12/605  
D593,486 S \* 6/2009 Yonetsu ..... D12/605  
D618,165 S \* 6/2010 Sato ..... D12/605  
D666,143 S \* 8/2012 Sato ..... D12/605  
D693,761 S \* 11/2013 Nakamura ..... D12/605  
D769,806 S \* 10/2016 Yasunaga ..... D12/605  
D769,807 S \* 10/2016 Ishikawa ..... D12/605  
D773,986 S \* 12/2016 Nakamura ..... D12/605  
D777,656 S \* 1/2017 Maxwell ..... D12/605  
D777,658 S \* 1/2017 Taniguchi ..... D12/605  
D790,450 S \* 6/2017 Sato ..... D12/605  
D790,451 S \* 6/2017 Sato ..... D12/605

The portions shown in broken lines illustrate the boundary of the design and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2



**FIG. 3**



FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8