



US00D896458S

(12) **United States Design Patent**  
**Han**

(10) **Patent No.:** **US D896,458 S**

(45) **Date of Patent:** **\*\* Sep. 15, 2020**

(54) **DRYING RACK**

(71) Applicant: **BARENTHAL NORTH AMERICA, INC.**, Whippany, NJ (US)

(72) Inventor: **Hongyuan Han**, New Vernon, NJ (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/633,770**

(22) Filed: **Jan. 16, 2018**

(51) **LOC (12) Cl.** ..... **07-05**

(52) **U.S. Cl.**  
USPC ..... **D32/55; D32/58**

(58) **Field of Classification Search**  
USPC ..... D32/585, 276, 3; D6/510, 525;  
D30/133; 211/41.5, 41.4, 41.3, 41.8;  
312/311, 333, 334.4; D7/354, 629  
CPC .. A47L 15/505; A47L 15/503; A47L 15/0013;  
A47L 19/02; A47L 19/04; A47J 47/20  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D369,002 S *	4/1996	Pratt	.....	D32/55
D413,700 S *	9/1999	Wang	.....	D32/55
D429,863 S *	8/2000	Lenney	.....	D32/55
D465,891 S *	11/2002	Brown	.....	D32/55
D634,909 S *	3/2011	Guthrie	.....	D32/55
D714,509 S *	9/2014	Thomas	.....	D32/55
D762,035 S *	7/2016	Cooper	.....	D32/55
D787,769 S *	5/2017	Evans	.....	D32/55
D852,446 S *	6/2019	Sanduri Cohen	.....	D32/55
D862,822 S *	10/2019	Zhao	.....	D32/55

\* cited by examiner

*Primary Examiner* — Austin Murphy

(74) *Attorney, Agent, or Firm* — Preti Flaherty Beliveau & Pachios LLP

(57) **CLAIM**

The ornamental design for a drying rack, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper-back-right view of a drying rack according to the present invention, the drying rack including a folding frame (such as a stainless steel frame), a tray shown on the bottom (such as a silicone tray), a removable basket shown on the right side (such as a stainless-steel utensil basket), and tip covers shown on the arms of the frame (such as silicone tips), the drying frame is shown in the expanded position suitable for holding items while drying;

FIG. 2 is an upper-back-right view of the drying rack of FIG. 1 with the removable basket shown in an alternative location on the left side;

FIG. 3 is a back view of the drying rack of FIG. 1;

FIG. 4 is a lower-front-left view of the drying rack of FIG. 1;

FIG. 5 is a lower-back-right view of the drying rack of FIG. 1;


FIG. 6 is a lower-front view of the drying rack of FIG. 1;

FIG. 7 is a lower-right view of the drying rack of FIG. 1;

FIG. 8 is an upper-front-left view of the drying rack of FIG. 1, the frame is shown in the collapsed position with the removable basket placed on the tray between arms of the frame;

FIG. 9 is a top-down view of the drying rack of FIG. 1 with the frame in the collapsed position as shown in FIG. 8; and, FIG. 10 is a back view of the drying rack of FIG. 1 with the frame in the collapsed position as shown in FIGS. 8-9.

**1 Claim, 10 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7






Fig. 8




Fig. 9




Fig. 10