



US00D896679S

(12) **United States Design Patent** (10) **Patent No.:** **US D896,679 S**
Lachyani Abiri et al. (45) **Date of Patent:** **** Sep. 22, 2020**

(54) **BREATHABLE RING** D751,448 S 3/2016 Baker et al.
 D780,614 S 3/2017 Kaplan
 (71) Applicants: **Osnat Lachyani Abiri**, Tel Aviv (IL); D780,615 S 3/2017 Baker et al.
Raz Lachyani Abiri, Tel Aviv (IL) D784,182 S 4/2017 Baker et al.
 D789,231 S 6/2017 Baker et al.
 (72) Inventors: **Osnat Lachyani Abiri**, Tel Aviv (IL); D789,232 S 6/2017 Baker et al.
Raz Lachyani Abiri, Tel Aviv (IL) D789,233 S 6/2017 Baker et al.
 D789,234 S 6/2017 Baker et al.
 D811,926 S 3/2018 Luig
 (**) Term: **15 Years** 9,943,146 B2 4/2018 Baker et al.
 (Continued)

(21) Appl. No.: **29/721,256**

(22) Filed: **Jan. 19, 2020**

(51) **LOC (12) Cl.** **11-01**

(52) **U.S. Cl.**
USPC **D11/26**

(58) **Field of Classification Search**
 USPC D11/1, 3, 4, 26-39
 CPC A44C 9/00; A44C 9/0007; A44C 9/0015;
 A44C 9/0023; A44C 9/003; A44C
 9/0038; A44C 9/0046; A44C 9/0053;
 A44C 9/0061; A44C 9/0069; A44C
 9/0076; A44C 9/0084; A44C 9/0092;
 A44C 9/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,422,819 A 7/1922 Blaicher
 D79,555 S 10/1929 Goldstein et al.
 1,792,422 A 2/1931 Grant
 1,936,604 A 11/1933 Moldenhauer
 1,999,974 A 4/1935 Heyman
 2,128,644 A 8/1938 Gittler
 2,306,317 A 12/1942 Morrow
 5,682,768 A 11/1997 Nissenbaum
 D557,170 S 12/2007 Hardy
 7,350,377 B2 4/2008 Kaplan
 7,526,927 B2 5/2009 Pinto
 D686,101 S 7/2013 Dailey
 D750,994 S 3/2016 Baker et al.
 D751,447 S 3/2016 Baker et al.

FOREIGN PATENT DOCUMENTS

JP 01177911 12/1989
 JP 08182519 7/1996

(Continued)

OTHER PUBLICATIONS

MiniInTheBox.com, Grooved Ring Band. Available at least as early as Apr. 3, 2020.

Primary Examiner — Melanie Pellegrini
 (74) *Attorney, Agent, or Firm* — The Roy Gross Law Firm, LLC; Roy Gross


(57) **CLAIM**

The ornamental design for breathable ring, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a breathable ring in accordance with the new design;
 FIG. 2 is a cross sectional view designated by the arrows in FIG. 1;
 FIG. 3 is a top view thereof;
 FIG. 4 is a rear view thereof; and,
 FIG. 5 is a front perspective view thereof.
 The broken lines shown in the drawings illustrate portions of the breathable ring that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D840,260	S	*	2/2019	Forster	D11/3
10,349,709	B2		7/2019	Jones et al.		
10,383,411	B2		8/2019	Goodwin		
10,383,412	B2		8/2019	Goodwin		
D862,278	S		10/2019	Joshi		
D862,279	S		10/2019	Joshi		
D863,907	S		10/2019	Little		
D866,385	S		11/2019	Joshi		
2016/0345692	A1		12/2016	Baker et al.		
2018/0199681	A1		7/2018	Baker et al.		
2019/0116946	A1		4/2019	Jones et al.		
2019/0191829	A1		6/2019	Baker et al.		
2019/0313749	A1		10/2019	Goodwin		
2019/0355191	A1		11/2019	Jones et al.		

FOREIGN PATENT DOCUMENTS

JP	3096467	7/2003
KR	101284755	7/2013

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5