



US00D896683S

(12) **United States Design Patent** (10) **Patent No.:** **US D896,683 S**
Subrin (45) **Date of Patent:** **** Sep. 22, 2020**

(54) **LOCKET**
(71) Applicant: **Michelle Subrin**, Carmel, IN (US)
(72) Inventor: **Michelle Subrin**, Carmel, IN (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/597,021**
(22) Filed: **Mar. 14, 2017**
(51) **LOC (12) Cl.** **11-01**
(52) **U.S. Cl.**
USPC **D11/80**
(58) **Field of Classification Search**
USPC D11/1-7, 16, 40-45, 47-50, 52-54,
D11/56-58, 61, 63, 75-86; D3/207-211
CPC A44C 1/00; A44C 5/00; A44C 5/0007;
A44C 5/02; A44C 7/00; A44C 7/002;
A44C 7/003; A44C 7/004; A44C 7/005;
A44C 7/006; A44C 7/007; A44C 7/008;
A44C 7/009; A44C 15/00; A44C 25/00;
A44C 25/001; A44C 25/002; A44C
25/007
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

944,744 A * 12/1909 Pine G09F 23/04
40/323
1,077,025 A * 10/1913 Whitehead A44C 3/00
40/1.5
D203,737 S * 2/1966 Friedman D11/79
3,618,338 A * 11/1971 Sauer A44C 25/004
220/315
D311,504 S * 10/1990 De Frahan D11/79
D341,333 S * 11/1993 Prout D11/80
D383,702 S * 9/1997 MacDonald D11/79
D404,334 S * 1/1999 Welsh D11/26
D432,939 S * 10/2000 Hooglander D11/80
D435,961 S * 1/2001 Weinstock D3/215

6,484,537 B2 * 11/2002 Takessian A44C 17/0208
63/26
D538,196 S * 3/2007 Lee D11/79
D590,289 S * 4/2009 Karpman D11/7
D619,492 S * 7/2010 Wallace D11/50
D635,483 S * 4/2011 Charles D11/79
D690,894 S * 10/2013 Simmons D99/5
D704,589 S * 5/2014 Daniels Christensen
A44C 5/00
D11/7
D712,298 S * 9/2014 Taylor-Cattapan D11/79
D715,679 S * 10/2014 Ochoa D11/80
D717,198 S * 11/2014 Plusquellec D11/86

(Continued)

Primary Examiner — Wendy L Arminio

(74) *Attorney, Agent, or Firm* — C. John Brannon;
Brannon Sowers & Cracraft PC

(57) **CLAIM**

The ornamental design for a locket, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a locket showing my new design.

FIG. 2 is a first rear perspective view of the locket of FIG. 1.

FIG. 3 is a front elevation view of the locket of FIG. 1.


FIG. 4 is a right side elevation view of the locket of FIG. 1, with the left side elevation view being a mirror image of the same.

FIG. 5 is a top plan view of the locket of FIG. 1.

FIG. 6 is a rear elevation view of the locket of FIG. 1; and, FIG. 7 is a second rear perspective view of the locket of FIG. 1 shown in a position of use strung on an unclaimed ribbon drawn in broken lines.

The dot-dot-dash broken lines illustrating a ribbon in FIG. 7 depict environmental subject matter and form no part of the claimed design. The dot-dot broken lines illustrating a pattern on the front surface of the locket in FIGS. 1 and 3 are part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D766,124 S *	9/2016	Ochoa		D11/80
D821,254 S *	6/2018	McKean		D11/80
2015/0013385 A1 *	1/2015	Weems		A44C 25/002 63/18

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7