



US00D896773S

(12) **United States Design Patent** (10) **Patent No.:** **US D896,773 S**
McWilliam (45) **Date of Patent:** **** Sep. 22, 2020**

(54) **AUDIO RECEIVER DEVICE**

(56) **References Cited**

(71) Applicant: **Amazon Technologies, Inc.**, Seattle, WA (US)

U.S. PATENT DOCUMENTS

(72) Inventor: **Giles David Matthew McWilliam**, San Francisco, CA (US)

D213,050 S 12/1968 Hardy
D316,716 S 5/1991 Nagata
D538,255 S 3/2007 Matsuoka
D538,264 S 3/2007 Peersman
D540,499 S * 4/2007 Crookshanks D32/28
(Continued)

(73) Assignee: **Amazon Technologies, Inc.**, Seattle, WA (US)

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/727,010**

The Chinese Office Action dated Jun. 28, 2019 for Chinese Patent Application No. 201930097384.7, a counterpart of U.S. Appl. No. 29/663,044, 1 pages.

(22) Filed: **Mar. 6, 2020**

(Continued)

Related U.S. Application Data

(62) Division of application No. 29/663,044, filed on Sep. 11, 2018, now Pat. No. Des. 881,836.

Primary Examiner — Katie Jane Stofko

(51) **LOC (12) Cl.** **14-03**

(74) *Attorney, Agent, or Firm* — Lee & Hayes, P.C.

(52) **U.S. Cl.**
USPC **D14/188**

(57) **CLAIM**

(58) **Field of Classification Search**

The ornamental design for an audio receiver device, as shown and described.

USPC D14/167, 168, 170–172, 187, 188,
D14/194–196, 204, 207, 209.1, 210–216,
D14/219, 221, 222, 224, 239, 496;
181/143, 144, 147, 148, 150, 153, 157,
181/198, 199; 381/300–303, 306, 332,
381/333, 336, 345, 361–364, 386–388;
369/6–12
CPC B60R 11/0217; G06F 1/1688; G10K 9/22;
G10K 11/004; H03F 1/327; H04M 1/03;
H04M 1/035; H04N 5/642; H04N
21/4852; H04R 1/02; H04R 1/06; H04R
1/021; H04R 1/025; H04R 1/026; H04R
1/028; H04R 1/105; H04R 1/323; H04R
1/403; H04R 1/2803; H04R 1/2834;
H04R 5/02; H04R 7/20; H04R 9/06;
H04R 9/025; H04R 2201/021; H04R
2400/00; H04R 2201/07; H04R 2499/11;
H04R 2499/13; H04R 2499/15; H04S
3/00; H04S 7/30


DESCRIPTION

FIG. 1 is a top perspective view of an audio receiver device;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a right-side view thereof;
FIG. 5 is a left-side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The dashed broken lines depict portions of the audio receiver device that form no part of the claimed design. The dot-dashed broken lines represent boundaries of the claimed audio receiver device and form no part of the claimed design.

See application file for complete search history.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D550,646 S	9/2007	Kaneko	
D563,403 S	3/2008	Files	
D571,350 S	6/2008	Iwamoto et al.	
D572,232 S	7/2008	Joseph	
D579,441 S	10/2008	Okamura et al.	
D630,625 S *	1/2011	Boudreau	D14/257
D643,838 S *	8/2011	Miyawaki	D14/258
D645,464 S *	9/2011	Kimura	D14/257
D669,992 S	10/2012	Schafer et al.	
D682,261 S *	5/2013	Miyawaki	D14/258
D690,280 S	9/2013	Schul	
D693,974 S *	11/2013	Geyer	D32/28
D725,235 S *	3/2015	Barber	D23/254
D746,254 S	12/2015	Ito	
D759,917 S *	6/2016	Choi	D32/28
D780,170 S *	2/2017	Murakami	D14/258
D807,857 S *	1/2018	Corten	D14/188
D808,828 S *	1/2018	Behar	D10/50
D836,088 S	12/2018	Ivey et al.	
D838,713 S *	1/2019	Muramoto	D14/258
D843,240 S *	3/2019	Combe	D10/50

OTHER PUBLICATIONS

The Indian Office Action dated Mar. 28, 2019 for Indian Patent Application No. 315437-001, a counterpart of U.S. Appl. No. 29/663,046, 2 pages.

The Indian Office Action dated Apr. 11, 2019 for Indian Patent Application No. 315436-001, a counterpart of U.S. Appl. No. 29/663,044, 2 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7