



US00D896822S

(12) **United States Design Patent** (10) **Patent No.:** **US D896,822 S**
James et al. (45) **Date of Patent:** **** Sep. 22, 2020**

(54) **COMPUTING DEVICE DISPLAY SCREEN WITH GRAPHICAL USER INTERFACE FOR INTERNET-BASED SPILL RISK DATA INPUT**

(71) Applicant: **NEW PIG CORPORATION**, Tipton, PA (US)

(72) Inventors: **Andrew Ian James**, Warriors Mark, PA (US); **Nicholas David Recchia**, Altoona, PA (US)

(73) Assignee: **New Pig Corporation**, Tipton, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/637,434**

(22) Filed: **Feb. 19, 2018**

Related U.S. Application Data

(63) Continuation of application No. 15/794,323, filed on Oct. 26, 2017, and a continuation of application No. PCT/US2017/058437, filed on Oct. 26, 2017.

(51) **LOC (12) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/486; D14/489**

(58) **Field of Classification Search**
USPC D14/485-495
CPC G06Q 10/08; G06Q 10/0635; G06Q 10/0832; G06Q 10/0833
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,724,255 A 3/1998 Smith et al.
6,812,846 B2 11/2004 Gutta et al.
6,970,808 B2 11/2005 Abhulimen et al.
D707,696 S * 6/2014 Bentley D14/486
9,043,019 B2 5/2015 Eliuk et al.

D772,907 S * 11/2016 Caldwell D14/486
D786,281 S * 5/2017 Gedrich D14/486
D789,954 S * 6/2017 Gedrich D14/486
D806,735 S * 1/2018 Olsen D14/486
D816,093 S * 4/2018 Mazur D14/485
D816,116 S * 4/2018 Selassie D14/493
D818,471 S * 5/2018 Mohageg D14/485
D823,868 S * 7/2018 Eissa D14/486
D825,602 S * 8/2018 Gardner D14/486
D829,749 S * 10/2018 Kang D14/486
D829,756 S * 10/2018 Gardner D14/486
D833,458 S * 11/2018 Blechschmidt D14/485
D835,138 S * 12/2018 Edgington, Jr. D14/486

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion for PCT/US2017/058437 dated Dec. 27, 2017.

(Continued)

Primary Examiner — Darlington Ly
Assistant Examiner — Katherine A Holbrow
(74) *Attorney, Agent, or Firm* — Michael D. Lazzara;
Leech Tishman Fuscaldo & Lampl

(57) **CLAIM**

The ornamental design for a computing device display screen with graphical user interface for internet-based spill risk data input, as shown and described.

DESCRIPTION

The FIGURE is a front view of a computing device display screen with graphical user interface for internet-based spill risk data input, showing the claimed design. The outermost broken line rectangle shows a display screen and forms no part of the claimed design. All other broken lines show portions of the graphical user interface and form no part of the claimed design.

1 Claim, 1 Drawing Sheet

(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0244645 A1 10/2007 Hara et al.
2009/0015400 A1 1/2009 Breed
2011/0022532 A1 1/2011 Kriss
2016/0371618 A1 12/2016 Leidner et al.
2018/0114160 A1* 4/2018 James G06Q 10/0635

OTHER PUBLICATIONS

Bulk Chemical Storage Facilities Checklist, accessed at www.safetyrisk.net/.../Bulk-Chemical-Facilities-Checklist.pdf, Jun. 2017.
Hazardous Materials Emergency Response Plan (Micron Technology, Section II, part 2), accessed at www.pwcgov.org/government/dept/FR/Documents/006779.pdf, Jun. 2017.

* cited by examiner



What type of area is this? ▾

- Drums/IBC storage
- Flammable storage
- Fuel/Purging
- Gull storage/separating
- Hazardous waste storage
- Waste accumulation
- Other
- Bakery storage
- Safety cabinet



What is the volume of the largest liquid storage container in this area? (In gallons)* ▾

Please enter a value between 1 and 5000



Which are the primary types of liquids stored or used in this area? (Select all that apply) ▾

- Water-based liquids
- Flammable/combustible
- Outdoor
- Oil-based liquids
- Corrosives (acids/bases)



Is there a drain within 300ft of liquid containers? ▾

- Yes
- No



Do you have a drain blocking or drain sealing device stored in this area? ▾

- Yes
- No



What does the spill kit in this area look like? ▾



Make your choice based on size, not content.



Do you use secondary containment (such as containment pallets or installed berms) in this area? ▾

- Not at all
- As required by regs
- Everywhere
- Sometimes
- More than required



Do you give employees annual spill response training? ▾

- Yes
- No

Choose Your Industry ▾

Agriculture, Forestry and Fishing

GET MY SPILL KIT INFORMATION