



US00D896938S

(12) **United States Design Patent** (10) **Patent No.:** **US D896,938 S**
Blisse (45) **Date of Patent:** **** Sep. 22, 2020**

(54) **RADIANT HEATER**

- (71) Applicant: **MHS Munich Home Systems GmbH**,
Sauerlach b. Munich (DE)
- (72) Inventor: **Björn Blisse**, Sauerlach b. Munich (DE)
- (**) Term: **15 Years**
- (21) Appl. No.: **35/507,282**
- (22) Filed: **Jan. 9, 2019**

(80) **Hague Agreement Data**

- Int. Filing Date: **Jan. 9, 2019**
Int. Reg. No.: **DM/202331**
Int. Reg. Date: **Jan. 9, 2019**
Int. Reg. Pub. Date: **Aug. 23, 2019**
- (51) LOC (12) Cl. **23-02**
(52) U.S. Cl.
USPC **D23/342**
- (58) **Field of Classification Search**
USPC D23/342, 343, 344, 345, 350, 404
CPC .. F24F 11/30; F24F 11/58; F24F 11/52; F24F
11/62; F24F 11/46; F24F 2120/10; F24F
11/33; F24F 11/34; F24F 11/70; F24F
11/75; F24F 11/89; F24F 11/0034; F24F
11/006; F24F 11/32; F24F 11/38; F24F
11/47; F24F 11/49; F24F 11/64; F24F
11/65; F24F 2011/0064; F24F 2011/0071;
F24F 2110/10; F24F 2110/20; F24F
2120/12; F23D 2900/21004; F23D 3/08;
F23D 3/16; F23D 14/02; F23D 2208/00;
F23D 23/00; F23D 2900/14003; F23D
2900/14641; F23D 3/40; F24B 1/187;
F24B 1/006; F24B 1/028; F24B 1/1802;
F24B 1/1808; F24B 1/181; F24B 1/191;
F24B 1/195; F24B 3/00; F24B 7/025

See application file for complete search history.

(56)

References Cited**U.S. PATENT DOCUMENTS**

D464,413	S	*	10/2002	Shapiro	D23/335
D479,590	S	*	9/2003	Ko	D23/342
D567,347	S	*	4/2008	Ching	D23/342
D599,455	S	*	9/2009	Alexanderson	D23/351
D637,704	S	*	5/2011	Dukes	D23/342
D675,302	S	*	1/2013	Dukes	D23/342
D678,491	S	*	3/2013	Dong	D23/342
D762,290	S	*	7/2016	Jepson	D23/342
D840,010	S	*	2/2019	Schumann	D23/342
D842,975	S	*	3/2019	Schumann	D23/342

* cited by examiner

Primary Examiner — Khawaja Anwar

(74) *Attorney, Agent, or Firm — Norman B. Thot*

(57) **CLAIM**


The ornamental design for a radiant heater, as shown and described.

DESCRIPTION


1.-2. Radiant heater

FIG. 1.1 is a top plan view of a radiant heater, showing the first embodiment of our new design;
FIG. 1.2 is a bottom plan view thereof;
FIG. 1.3 is a side elevation view thereof;
FIG. 1.4 is a another side elevation view thereof;
FIG. 1.5 is bottom side perspective view thereof;
FIG. 1.6 is a another perspective view thereof; and
FIG. 1.7 is a side perspective view thereof;
FIG. 2.1 is a top plan view of a radiant heater, showing the second embodiment of our new design;
FIG. 2.2 is a bottom plan view thereof;
FIG. 2.3 is a side elevation view thereof;
FIG. 2.4 is an end elevation view thereof;
FIG. 2.5 is top side perspective view thereof;
FIG. 2.6 is a another perspective view thereof; and
FIG. 2.7 is another end perspective view thereof.


1 Claim, 14 Drawing Sheets




1.1




1.2




1.3




1.4




1.5




1.6




1.7




2.1




2.2



2.3




2.4



2.5



2.6



2.7

