



US00D897067S

(12) **United States Design Patent** (10) **Patent No.:** **US D897,067 S**
Azer (45) **Date of Patent:** **** Sep. 29, 2020**

(54) **SHOE HORN**

(71) Applicant: **Ephriam Azer**, Passaic, NJ (US)

(72) Inventor: **Ephriam Azer**, Passaic, NJ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/689,850**

(22) Filed: **May 2, 2019**

(51) **LOC (12) Cl.** **07-99**

(52) **U.S. Cl.**
USPC **D2/642**

(58) **Field of Classification Search**

USPC D2/641–643, 979, 999; D3/200;
D20/27; D24/136; D28/91.2; D32/46
CPC A47G 25/80; A47G 25/82; A47G 25/84;
A47G 25/86; A47G 25/88; A47G 25/90;
A47G 25/901; A47G 25/902; A47G
25/25; A47G 25/904; A47G 25/905;
A47G 25/907; A47G 25/908; A47G 25/92
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,291,563 A * 1/1919 Laughlin A47G 25/92
24/40
D84,620 S * 7/1931 Bradley A43C 11/1493
D2/642
2,214,085 A * 9/1940 O'Neill A43B 11/00
36/1
4,355,745 A * 10/1982 Nelson A47G 25/82
223/118
D427,417 S * 7/2000 Israel D2/642
D427,418 S * 7/2000 Huang D2/642
D431,893 S * 10/2000 Blaszczyk D2/642
6,447,528 B2 9/2002 Paraschac
D508,303 S * 8/2005 Bradley D2/642
6,942,129 B2 9/2005 Ferraioli
D624,727 S * 10/2010 Clemente D2/642

8,286,638 B1 * 10/2012 Blackford A47C 21/00
128/882
9,277,794 B2 3/2016 Moreau
9,498,077 B2 11/2016 Carlson et al.
D846,120 S * 4/2019 Wallis A47G 25/92
D24/136
2011/0226821 A1 * 9/2011 McGuire A43C 11/1493
223/118

(Continued)

Primary Examiner — Eric L Goodman

Assistant Examiner — Clare Ann Gannon

(74) *Attorney, Agent, or Firm* — Michael J. Feigin, Esq.;
Feigin and Fridman

(57) **CLAIM**

The ornamental design for a shoe horn, as shown and described.

DESCRIPTION

FIG. 1 shows a top, right side perspective view of a shoe horn.

FIG. 2 shows a bottom, right side perspective view thereof.

FIG. 3 shows a bottom plan view thereof.

FIG. 4 shows a front view thereof.

FIG. 5 shows a rear view thereof.

FIG. 6 shows a left side view, the reverse side being a mirror image thereof.

FIG. 7 shows a top plan view thereof.

FIG. 8 shows a top, right side perspective view of the shoe horn of FIG. 1 in an alternate configuration with the components separated.


FIG. 9 shows a bottom, right side perspective view of the shoe horn of FIG. 8.

FIG. 10 shows a top plan view of the shoe horn of FIG. 8.

FIG. 11 shows a bottom plan view of the shoe horn of FIG. 8; and,

FIG. 12 shows a left side view of the shoe horn of FIG. 8, the right side view being a mirror image thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0313396 A1 * 11/2015 Carlson A47G 25/908
2/239
2016/0106184 A1 4/2016 Almondo

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12