



US00D897297S

(12) **United States Design Patent** (10) **Patent No.:** **US D897,297 S**
Ishii et al. (45) **Date of Patent:** **** Sep. 29, 2020**

(54) **CONDUCTIVE STICKER**

(71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)

(72) Inventors: **Satoshi Ishii**, Kanagawa Pref. (JP); **Yoshimasa Takeda**, Kanagawa Pref. (JP); **Shuichi Kitano**, Kanagawa Pref. (JP); **Osamu Ono**, Yamagata-Pref. (JP); **Ami Inoue**, Tokyo (JP); **Takeshi Kondo**, Aichi (JP); **Tatsuya Nakamura**, Saitama Pref. (JP)

(73) Assignee: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/656,240**

(22) Filed: **Jul. 11, 2018**

(30) **Foreign Application Priority Data**

Jan. 12, 2018 (JP) 2018-000437

(51) **LOC (12) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**
USPC D13/182, 123, 133, 184, 199, 101, 110, D13/154, 173, 121; D18/24; D20/17, D20/22; D19/12; D15/144.1, 144; D12/502, 516, 520, 548, 552, 583; D5/47, 56, 61

CPC ... H01B 1/24; H01B 1/06; H01B 1/04; H01B 1/02; H01B 1/023; H01B 1/14; H01B 1/16; H01B 1/18; H05K 1/0271; H05K 1/0274; H05K 1/00; H05K 1/02; H05K 1/11; H05K 1/0296; H05K 3/30; H05K 3/34; H05K 3/36; H05K 3/40; C08J 5/18; C08J 5/02; C08J 5/12; C08J 5/128; C08J 5/047; G06F

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D38,210 S * 8/1906 French D5/47
D76,189 S * 8/1928 Heller D5/49
(Continued)

FOREIGN PATENT DOCUMENTS

JP 2017001592 1/2017
JP 2017001593 1/2017
(Continued)

Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — Harold C. Knecht, III


(57) **CLAIM**

The ornamental design for a conductive sticker, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a conductive sticker, showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a right view thereof;
FIG. 7 is a left view thereof;
FIG. 8 is an enlarged view of FIG. 6;
FIG. 9 is a cross sectional view taken along line 9-9 of FIG. 2;
FIG. 10 is an enlarged view of portion 10-10 of FIG. 2; and,
FIG. 11 is an enlarged view of portion 11-11 of FIG. 3.
The even dashed broken lines shown in the drawings represent portions of the conductive sticker that form no part of the claimed design. The dashed-dot lines adjacent the solid lines and the dash-dot lines showing the arrows represent boundary lines.

1 Claim, 3 Drawing Sheets



(58) **Field of Classification Search**
 CPC 3/041; G06F 3/044; G06F 3/047; H01L
 31/022491; H01L 29/04; H01L 31/036;
 B60R 16/06; B62D 37/00; H03K 17/975
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D82,124 S * 9/1930 Benthuisen D5/56
 D92,097 S * 4/1934 Lehner D6/582
 D102,250 S * 12/1936 Bowker D5/56
 D116,387 S * 8/1939 Sigoda D5/47
 2,170,147 A * 8/1939 Lane B65D 73/02
 206/447
 D119,351 S * 3/1940 Tabin D5/56
 D130,174 S * 10/1941 Rigney D5/47
 D130,390 S * 11/1941 Tips D5/47
 2,417,497 A * 3/1947 Hulslander, Sr. B65D 73/02
 206/390
 D166,635 S * 4/1952 Portong D5/53
 D192,769 S * 5/1962 Reynolds D18/24
 D203,149 S * 12/1965 Toothaker D5/53
 4,113,981 A * 9/1978 Fujita C09J 201/00
 174/88 R
 D279,795 S * 7/1985 Leray D18/24
 4,696,764 A * 9/1987 Yamazaki C09D 5/24
 106/1.12
 D312,174 S * 11/1990 Pancaldi D5/26
 D317,084 S * 5/1991 Cerny D5/47
 5,800,685 A * 9/1998 Perrault A01N 25/10
 204/291
 6,710,261 B2 * 3/2004 Takebe H05K 3/462
 174/255
 D495,748 S * 9/2004 Leland D20/17
 D499,887 S * 12/2004 Wong D5/53
 6,982,489 B2 * 1/2006 Wakiyama H01L 23/3114
 257/686
 D516,821 S * 3/2006 Wu D5/53
 D543,160 S * 5/2007 Mitsui D13/182
 D551,407 S * 9/2007 Caruso D32/40

7,524,893 B2 * 4/2009 Terada C08G 59/42
 252/512
 D606,093 S * 12/2009 Danton D14/489
 D611,255 S * 3/2010 Ko D5/52
 D613,690 S * 4/2010 Kuriki D13/133
 D615,927 S * 5/2010 Kuriki D13/133
 D617,263 S * 6/2010 Pitsolis D12/608
 D649,900 S * 12/2011 Landsman A44C 5/0015
 D11/1
 D723,214 S * 2/2015 Wang D26/152
 D725,466 S * 3/2015 Giza D20/22
 D734,916 S * 7/2015 Turner D2/717
 D760,074 S * 6/2016 Giza D9/434
 D769,324 S * 10/2016 Inose D14/491
 9,468,092 B2 * 10/2016 Sawada B32B 5/02
 D789,197 S * 6/2017 Giza D9/434
 D793,093 S * 8/2017 Rowbottom D5/7
 9,734,930 B2 * 8/2017 Kim H01B 1/24
 D799,130 S * 10/2017 Cornelius D32/40
 D800,479 S * 10/2017 Wilkinson D6/592
 D826,872 S * 8/2018 Ishikawa D13/182
 10,053,588 B2 * 8/2018 Hatakeyama C08F 212/14
 D834,547 S * 11/2018 Ishikawa D13/182
 D834,791 S * 12/2018 Wolter D2/860
 10,176,903 B2 * 1/2019 Sekitani H01B 1/22
 10,273,361 B2 * 4/2019 Choi H01B 1/24
 10,319,490 B2 * 6/2019 Sugita C08L 53/025
 D852,515 S * 7/2019 Toelke D5/60
 10,388,422 B2 * 8/2019 Feng H01B 1/18
 D863,786 S * 10/2019 Milenovich D5/56
 D863,787 S * 10/2019 Milenovich D5/56
 D877,809 S * 3/2020 Zellefrow D20/11
 2011/0062146 A1 * 3/2011 Kuriki G06F 3/044
 219/553
 2011/0089160 A1 * 4/2011 Kuriki G06F 3/044
 219/553

FOREIGN PATENT DOCUMENTS

JP D1592377 12/2017
 JP D1592378 12/2017
 WO WO 2015/064195 5/2015

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11