



US00D897436S

(12) **United States Design Patent** (10) **Patent No.:** **US D897,436 S**
Butler et al. (45) **Date of Patent:** **** Sep. 29, 2020**

(54) **ELECTRONIC COMPANION CONSOLE**

(71) Applicant: **Square Panda Inc.**, Sunnyvale, CA (US)

(72) Inventors: **Andrew Butler**, Sunnyvale, CA (US); **Michael Nuttall**, Portola Valley, CA (US); **Carey Lee**, Redwood City, CA (US); **Shalan Ertis**, Campbell, CA (US); **Timothy James Elliott**, New York, NY (US); **Hector Javier Farias**, Castro Valley, CA (US)

(73) Assignee: **Square Panda Inc.**, Sunnyvale, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/661,932**

(22) Filed: **Aug. 31, 2018**

(51) **LOC (12) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/324**

(58) **Field of Classification Search**
USPC D21/300, 324, 328, 332, 333; D17/20; D19/115, 128, 188, 100; 273/148 R, 273/148 B; 463/1, 46, 47, 43; 84/718, 84/722; D14/315, 318, 320, 322, 330, D14/335, 338, 346, 356, 374, 381, 382, D14/387, 388, 399, 400, 422, 439, 451, D14/455, 456, 474, 129, 133, 137, 138 R, D14/140.1, 163, 178, 199, 208, 217, 261
CPC G06F 1/1626; G06F 1/1656; G09B 19/00; G09B 19/08; H04B 1/0458
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D247,002 S * 1/1978 Katoh D21/332
D303,127 S * 8/1989 Biasotti D21/332
D324,243 S * 2/1992 Meggison D10/46.1

D412,187 S * 7/1999 Kitamori D14/435
D416,888 S * 11/1999 Kitamori D14/435
D428,939 S * 8/2000 Ota D21/332
D460,495 S * 7/2002 Naghi D21/333
D479,860 S * 9/2003 Lim D14/217
D500,528 S * 1/2005 Morris D21/324
D516,634 S * 3/2006 Man-tat D21/332

(Continued)

OTHER PUBLICATIONS

“Square Panda”, posted Dec. 14, 2017 [online], [retrieved Jan. 20, 2020]. Retrieved from internet, <https://www.youtube.com/watch?v=iWfVrIO7y64>.*

Primary Examiner — Sandra S Snapp

Assistant Examiner — Mehri Bajoul

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.

(57) **CLAIM**

The ornamental design for an electronic companion console, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an electronic companion console, showing our new design.

FIG. 2 is a rear view thereof.

FIG. 3 is a left view thereof

FIG. 4 is a right view thereof.

FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.

FIG. 7 is a top-front-right perspective view thereof.

FIG. 8 is a top-rear-right perspective view thereof.


FIG. 9 is a bottom-rear-left perspective view thereof; and,

FIG. 10 is bottom-front-left perspective view thereof.

In the drawings, the broken lines depict portions of the electronic companion console, and the broken lines form no part of the claimed design.

The shade lines show surface contour and not surface ornamentation.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D536,382 S * 2/2007 Sugino D21/332
D539,355 S * 3/2007 Fujita D14/435
D546,396 S * 7/2007 Matsuno D21/324
D559,327 S * 1/2008 Luk D21/330
D568,884 S * 5/2008 Kawanobe D14/401
D580,429 S * 11/2008 Cheng D14/315
D581,921 S * 12/2008 Kim D14/315
D584,304 S * 1/2009 Lin D14/138 AB
D586,798 S * 2/2009 Tanaka D14/315
D586,799 S * 2/2009 Gluskoter D14/315
D587,715 S * 3/2009 Davis D14/432
D597,143 S * 7/2009 Izumi D14/388
D602,095 S * 10/2009 Fujino D14/436
D610,625 S * 2/2010 Guinchard D21/333
D611,103 S * 3/2010 Fujino D21/332
D616,947 S * 6/2010 Kloster D21/333
D632,340 S * 2/2011 Guinchard D21/324
D645,909 S * 9/2011 Fujita D21/330
D650,447 S * 12/2011 Ehara D21/330

D667,891 S * 9/2012 Hermann, II D21/300
D748,734 S * 2/2016 Burgess D21/333
D752,039 S * 3/2016 Park D14/203.3
D782,567 S * 3/2017 Faoro D17/20
D788,768 S * 6/2017 Hsieh D14/315
D789,941 S * 6/2017 Sauvage D14/455
D789,942 S * 6/2017 Bailey D14/455
D795,214 S * 8/2017 Tschopp D14/138 G
D803,814 S * 11/2017 Harms D14/217
D804,450 S * 12/2017 Spiel D14/217
D807,860 S * 1/2018 Tschetter D14/217
D809,484 S * 2/2018 Shi D14/217
D819,633 S * 6/2018 Jun D14/363
D836,579 S * 12/2018 Gannon D14/126
D848,421 S * 5/2019 Turksu D14/399
D849,719 S * 5/2019 Branscomb D14/217
D849,742 S * 5/2019 Siminoff D14/399
D850,460 S * 6/2019 Luo D14/455
D864,970 S * 10/2019 Magi D14/436
D872,709 S * 1/2020 Pang D14/217
2006/0050061 A1 * 3/2006 Aiken G06F 1/1626
345/173

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D897,436 S
APPLICATION NO. : 29/661932
DATED : September 29, 2020
INVENTOR(S) : Butler et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

In Column 2, under "Description", Line 4, after "thereof", insert --.--

Signed and Sealed this
Sixteenth Day of February, 2021



Drew Hirshfeld
*Performing the Functions and Duties of the
Under Secretary of Commerce for Intellectual Property and
Director of the United States Patent and Trademark Office*