



US00D897450S

(12) **United States Design Patent** (10) **Patent No.:** **US D897,450 S**
Howard (45) **Date of Patent:** **** Sep. 29, 2020**

(54) **PARABOLIC LYNCHPIN BLOCK**(71) Applicant: **T. Dashon Howard**, Chicago, IL (US)(72) Inventor: **T. Dashon Howard**, Chicago, IL (US)(**) Term: **15 Years**(21) Appl. No.: **29/660,124**(22) Filed: **Aug. 17, 2018**(51) LOC (12) Cl. **21-01**

(52) U.S. Cl.

USPC **D21/488; D21/504**(58) **Field of Classification Search**USPC D21/386, 398, 468, 478, 479, 484–505;
D19/59, 60, 51; D6/708.6, 692.4, 692.5;
D30/160; D11/131CPC A63H 33/04; A63H 33/06; A63H 33/08;
A63H 33/082; A63H 33/084; A63H
33/10; A63H 33/102; A63H 33/105;

A63H 33/12; A63H 33/16; G09B 19/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D182,037 S * 2/1958 Noguchi D6/692.4
3,355,820 A * 12/1967 Brumlik G09B 23/26
434/278
3,477,188 A * 11/1969 Kostick E04H 1/00
52/637
3,577,660 A * 5/1971 Kenney G09B 23/26
434/280
D233,108 S * 10/1974 Rosen D6/692.5
D236,234 S * 8/1975 Hansen D26/6
D267,610 S * 1/1983 Reistetter D6/692.5
4,701,131 A * 10/1987 Hildebrandt A63F 9/12
434/211
5,236,196 A * 8/1993 Blankenburg G09B 23/04
434/213
D349,619 S * 8/1994 Li D6/708.16

D359,327 S *	6/1995	Gould	D21/468
RE35,085 E *	11/1995	Sanderson	E04B 1/1903 403/171
D367,675 S *	3/1996	Welch	D11/131
5,762,336 A *	6/1998	Miller, Jr.	A63F 9/12 273/156
D531,229 S *	10/2006	Vanbeneden	D21/386
D533,374 S *	12/2006	Trott	D6/708.16
D559,554 S *	1/2008	Jones	D6/300
D596,248 S *	7/2009	Silvergate	D21/398
7,662,014 B2 *	2/2010	Fleishman	A63H 33/084 446/97
8,075,314 B2 *	12/2011	Cabrera	G09B 1/00 434/236
D722,389 S *	2/2015	Armon	D25/113
D822,294 S *	7/2018	Holcomb	D30/160
D832,452 S *	10/2018	Adams	D24/211
D835,728 S *	12/2018	Clemmer	D21/484
D848,083 S *	5/2019	Fan	D30/160
2005/0197211 A1 *	9/2005	Sullivan	A63B 37/0003 473/371

* cited by examiner

Primary Examiner — Cynthia M. Chin

(74) Attorney, Agent, or Firm — Schwegman Lundberg & Woessner, P.A.

(57) **CLAIM**

The ornamental design for a parabolic lynchpin block, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a parabolic lynchpin block, showing our new design;

FIG. 2 is a back elevation view thereof;


FIG. 3 is a left side elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a perspective view thereof.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7