



US00D897478S

(12) **United States Design Patent**
Rofkahr, Jr. et al.

(10) **Patent No.:** **US D897,478 S**
(45) **Date of Patent:** **** Sep. 29, 2020**

(54) **CYLINDRICAL TRIGGER DAMPENING
ABSORBER**

(71) Applicants: **James J. Rofkahr, Jr.**, Altus, AR (US);
Michael D. Rofkahr, Ozark, AR (US)

(72) Inventors: **James J. Rofkahr, Jr.**, Altus, AR (US);
Michael D. Rofkahr, Ozark, AR (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/656,079**

(22) Filed: **Jul. 10, 2018**

(51) **LOC (12) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/108**

(58) **Field of Classification Search**
USPC D22/100–111, 115–116, 119–120, 199;
D21/300, 301, 573–575; D14/223, 224
CPC . F41G 1/02; F41G 1/027; F41G 1/033; F41G
1/06; F41G 3/26; F41C 23/10; F41C
23/16; F41J 1/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,549,755 A * 10/1985 Kot H02G 3/0658
174/51
- 4,857,015 A * 8/1989 Michaels H01R 13/648
439/607.47
- 5,033,982 A * 7/1991 Lucas H01R 13/53
439/125
- 5,390,804 A * 2/1995 Beggins B65D 23/0885
215/12.1
- D390,755 S * 2/1998 Hotton D7/608
- D405,056 S * 2/1999 Lee D13/154
- D435,036 S * 12/2000 Koss D14/223
- D444,141 S * 6/2001 Koss D14/223

- 6,240,850 B1 * 6/2001 Holler F42B 5/025
102/439
- D449,592 S * 10/2001 Koss D14/223
- 6,554,155 B1 * 4/2003 Beggins B65D 81/3879
220/592.16
- D514,094 S * 1/2006 Griffin D14/223
- D518,727 S * 4/2006 Haley D22/116
- 7,201,285 B2 * 4/2007 Beggins B65D 81/3879
215/386
- D542,782 S * 5/2007 Pena Angarita D14/223
- D643,415 S * 8/2011 Vasquez D14/223
- D656,922 S * 4/2012 Massaro D14/223
- D677,653 S * 3/2013 Cantoni D14/223

(Continued)

Primary Examiner — Khawaja Anwar

Assistant Examiner — Mojtaba Tehrani

(74) *Attorney, Agent, or Firm* — Keisling & Pieper PLC;
David B. Pieper

(57) **CLAIM**

The ornamental design for a cylindrical trigger dampening absorber, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cylindrical trigger dampening absorber showing our new design;
 FIG. 2 is another perspective view thereof;
 FIG. 3 is a top elevational view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a front elevational view thereof; and,
 FIG. 6 is a right side elevational view thereof;
 FIG. 7 is a back elevational view thereof; and
 FIG. 8 is a bottom elevational view thereof; and,
 FIG. 9 is an environmental view thereof showing an installation between the trigger mechanism and frame of a gun. The broken lines showing the trigger mechanism and frame of a gun are for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 1 Drawing Sheet






FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8




FIG. 9