



US00D897702S

(12) **United States Design Patent** (10) **Patent No.:** **US D897,702 S**  
**Bekas** (45) **Date of Patent:** **\*\* Oct. 6, 2020**

(54) **VEHICLE SEAT**

(71) Applicant: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)

(72) Inventor: **Mariusz Bekas**, Coventry (GB)

(73) Assignee: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/708,452**

(22) Filed: **Oct. 7, 2019**

**Related U.S. Application Data**

(62) Division of application No. 29/679,360, filed on Feb. 5, 2019, now Pat. No. Des. 867,003, which is a division of application No. 29/629,190, filed on Dec. 12, 2017, now Pat. No. Des. 841,351.

**Foreign Application Priority Data**

Jun. 15, 2017 (EM) ..... 004048874

(51) **LOC (12) Cl.** ..... **06-01**

(52) **U.S. Cl.**  
USPC ..... **D6/356**

(58) **Field of Classification Search**

USPC ..... D6/334, 356, 360, 369, 370, 374, 376, D6/716, 716.1, 716.2, 716.3, 716.4, D6/716.5, 716.7; D21/521, 533, 548  
CPC .... A61H 2201/0149; B60N 2/06; B60N 2/20; B60N 2/22; B60N 2/58; B60N 2/68; B60N 2/80; B60N 2/643; B60N 2/888; B60N 2/859; B60N 2/1615; B60N 2/7035; B60N 2/42745; B60N 2002/0272; B60N 2205/35; B60N 2/44; B60N 2/56

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D592,413 S *	5/2009	Higashida .....	D6/356
D616,212 S *	5/2010	Rosenbohm .....	D6/356
D617,105 S *	6/2010	Rosenbohm .....	D6/356
D771,398 S *	11/2016	Buffery .....	D6/356
D799,225 S *	10/2017	Callum .....	D6/356
D801,065 S *	10/2017	Willis .....	D6/356
D804,206 S *	12/2017	Varga .....	D6/356
D805,312 S *	12/2017	Varga .....	D6/356
D805,313 S *	12/2017	Varga .....	D6/356
9,849,817 B2 *	12/2017	Line .....	B60N 2/62
D808,185 S *	1/2018	Kondo .....	D6/356
10,011,192 B2 *	7/2018	Bonk .....	G01D 5/34784
D841,351 S *	2/2019	Bekas .....	D6/356

\* cited by examiner

*Primary Examiner* — Kevin K Rudzinski

*Assistant Examiner* — Paul D Bohannon

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP

(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

**DESCRIPTION**

FIG. 1 is a front right perspective view of a vehicle seat according to the present invention.

FIG. 2 is a front left perspective view of the vehicle seat shown in FIG. 1.

FIG. 3 is a rear left perspective view thereof.

FIG. 4 is a rear right perspective view thereof.

FIG. 5 is a front view thereof.

FIG. 6 is a rear view thereof.

FIG. 7 is a left side view thereof.

FIG. 8 is a right side view thereof; and,

FIG. 9 is a top view thereof.

**1 Claim, 9 Drawing Sheets**






FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7





FIG. 8




FIG. 9