

(12)

United States Design Patent

Hurford

(10)

Patent No.:

US D897,750 S

(45)

Date of Patent:

** Oct. 6, 2020

(54) **CHAIR**

(71) Applicant: **Okamura Corporation**, Yokohama-shi, Kanagawa (JP)

(72) Inventor: **Alexander Hurford**, Yokohama (JP)

(73) Assignee: **Okamura Corporation**, Yokohama-shi, Kanagawa (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/701,422**

(22) Filed: **Aug. 12, 2019**

(56)

References Cited

U.S. PATENT DOCUMENTS

D138,511	S	*	8/1944	Dreyfuss	D6/356
D298,491	S	*	11/1988	Haukvik	D6/365
D316,936	S	*	5/1991	Ekornes	D6/365
D508,787	S	*	8/2005	Natuzzi	D6/364
D531,420	S	*	11/2006	Kita	D6/364
D540,572	S	*	4/2007	Fanning	D6/364
D559,570	S	*	1/2008	Higgs	D6/364
D600,033	S	*	9/2009	Natuzzi	D6/364
D611,263	S	*	3/2010	Werner	D6/366
D662,733	S	*	7/2012	Metcalf	D6/717
D672,975	S	*	12/2012	Rashid	D6/335
D677,918	S	*	3/2013	Citterio	D6/366
D684,785	S	*	6/2013	Hwangbo	D6/367

(Continued)

Related U.S. Application Data

(62) Division of application No. 29/641,901, filed on Mar. 26, 2018.

(30) **Foreign Application Priority Data**

Sep. 26, 2017	(JP)	2017-020919
Sep. 26, 2017	(JP)	2017-020920
Sep. 26, 2017	(JP)	2017-020921

(51) **LOC (12) Cl.** **06-06**

(52) **U.S. Cl.**

USPC **D6/716**

(58) **Field of Classification Search**

USPC D6/356, 360, 364, 365, 335, 366, 367, D6/375, 716, 719; D21/521, 533, 548

CPC A61H 2201/0149; B60N 2/06; B60N 2/20; B60N 2/22; B60N 2/58; B60N 2/68; B60N 2/80; B60N 2/643; B60N 2/888; B60N 2/859; B60N 2/1615; B60N 2/7035; B60N 2/42745; B60N 2002/0272; B60N 2205/35; B60N 2/0252; B60N 2/99; B64D 11/064; B64D 11/0639; B64D 11/0646; B64D 33/0021; B64D 33/00

See application file for complete search history.

OTHER PUBLICATIONS

U.S. Appl. No. 29/701,416, filed Aug. 12, 2019.

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Paul D Bohannon

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a chair, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a chair showing my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;


FIG. 5 is a right side view thereof, the left side view being a mirror image thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines shown in the drawings illustrate portions of the chair that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D698,162	S	*	1/2014	Kita		D6/335
D701,719	S	*	4/2014	Haase		D6/719
D704,465	S	*	5/2014	Massaud		D6/364
D704,466	S	*	5/2014	Massaud		D6/364
D704,488	S	*	5/2014	Massaud		D6/716
D717,555	S	*	11/2014	Massaud		D6/364
D763,589	S	*	8/2016	Mion		D6/375
D799,844	S	*	10/2017	Aamodt		D6/366
9,828,101	B2		11/2017	Shih		
D824,185	S	*	7/2018	Wang		D6/367
D824,689	S	*	8/2018	Jongerus		D6/375
10,081,285	B2		9/2018	Kaneda et al.		
10,144,312	B2		12/2018	Akaike		
D839,622	S	*	2/2019	Oyama		D6/356
D848,162	S	*	5/2019	Yin		D6/335
D852,527	S	*	7/2019	Heydari		D6/366
2011/0254341	A1	*	10/2011	Potter		A47C 4/02 297/440.1
2017/0096084	A1	*	4/2017	Akaike		B64D 11/0639
2017/0096085	A1	*	4/2017	Akaike		B64D 11/0639
2017/0217341	A1	*	8/2017	Kaneda		B60N 2/99
2017/0291511	A1	*	10/2017	Akaike		B60N 2/4221
2017/0297460	A1	*	10/2017	Akaike		B60N 2/4235

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

