



US00D898022S

(12) **United States Design Patent**
Hornung

(10) **Patent No.:** **US D898,022 S**
(45) **Date of Patent:** **** Oct. 6, 2020**

(54) **COORDINATE INPUT DEVICE**

DESCRIPTION

- (71) Applicant: **Wacom Co., Ltd.**, Kazo-shi, Saitama (JP)
- (72) Inventor: **Thilo Naoki Hornung**, Toyko (JP)
- (73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/671,790**
- (22) Filed: **Nov. 29, 2018**
- (30) **Foreign Application Priority Data**
 - May 30, 2018 (JP) 2018-011820
- (51) **LOC (12) Cl.** **14-02**
- (52) **U.S. Cl.**
USPC **D14/336; D14/341; D14/389**
- (58) **Field of Classification Search**
USPC D14/388, 389, 390, 318, 336, 341, 342, D14/346, 356, 130, 218, 454, 455, 299,
(Continued)
- (56) **References Cited**

U.S. PATENT DOCUMENTS

D625,728 S * 10/2010 Crisp D14/390
D629,401 S * 12/2010 Crisp D14/390
(Continued)

FOREIGN PATENT DOCUMENTS


EM 004561876-0001 S 5/2018
JP D1381670 S 3/2010
(Continued)

Primary Examiner — Marie D. Fast Horse
(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**
The ornamental design for a coordinate input device, as shown and described.

FIG. 1 is a front bottom right isometric view of a coordinate input device showing my new design;
 FIG. 2 is a rear top left isometric view of the coordinate input device of FIG. 1;
 FIG. 3 is a bottom view of the coordinate input device of FIG. 1;
 FIG. 4 is a top view of the coordinate input device of FIG. 1;
 FIG. 5 is a left side elevation view of the coordinate input device of FIG. 1 wherein the right side is mirror symmetrical to the left side elevation view;
 FIG. 6 is a front plan view of the coordinate input device of FIG. 1;
 FIG. 7 is a rear plan view of the coordinate input device of FIG. 1;
 FIG. 8 is a rear top left isometric view of the coordinate input device of FIG. 1, showing the device in a second position;
 FIG. 9 is a rear top left isometric view of the coordinate input device of FIG. 1, showing the device in a third position;
 FIG. 10 is a bottom view of the coordinate input device of FIG. 1, showing the device in the third position;
 FIG. 11 is a top view of the coordinate input device of FIG. 1, showing the device in the third position;
 FIG. 12 is a left side elevation view of the coordinate input device of FIG. 1, showing the device in the third position, wherein the right side is mirror symmetrical to the left side elevation view;
 FIG. 13 is a rear plan view of the coordinate input device of FIG. 1, showing the device in the third position; and,
 FIG. 14 is a front plan view of the coordinate input device of FIG. 1, showing the device in the third position with an additional environmental stylus and stylus holder attached at the side.
 The broken lines in FIG. 14 showing the stylus and stylus holder attached at the side depict environment only and form no part of the claim, while all other broken lines depict portions of the coordinate input device that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



US D898,022 S

Page 2

(58) **Field of Classification Search**

USPC D14/371, 374, 378, 496, 432, 434, 457,
D14/458; D21/324, 329, 333; D13/162,
D13/164, 168; D10/46, 61, 65, 70;
D19/59-61, 113; D24/186
CPC G06F 3/041; G06F 3/048; G06F 3/484;
G06F 3/488; G06F 3/4883; G06F
3/03545; G06F 2203/0338; G06F 1/1669;
G06F 1/1643; G06F 1/166

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D629,402 S * 12/2010 Crisp D14/390
D634,316 S * 3/2011 Van Den Nieuwenhuizen
D14/336
D642,174 S * 7/2011 Hirota D14/374

D667,395 S * 9/2012 Lee D14/341
D669,049 S * 10/2012 Harper D14/126
D671,117 S * 11/2012 Harper D14/371
D690,699 S * 10/2013 Jonsson D14/390
D690,701 S * 10/2013 Jonsson D14/390
D714,784 S * 10/2014 Park D14/341
D719,161 S * 12/2014 Huebner D14/389
D732,533 S * 6/2015 Hirota D14/389
D733,710 S * 7/2015 Huebner D14/341
D754,008 S * 4/2016 Huebner D10/65
D827,636 S * 9/2018 Huebner D14/341
D842,739 S * 3/2019 Hornung D14/388
D852,794 S * 7/2019 Huebner D14/341
D856,322 S * 8/2019 Huebner D14/341

FOREIGN PATENT DOCUMENTS

JP D1475081 S 7/2013
JP D1574361 S 4/2017

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14