



US00D898232S

(12) **United States Design Patent**
Huang

(10) **Patent No.:** **US D898,232 S**

(45) **Date of Patent:** **** Oct. 6, 2020**

- (54) **NONSKID PAD**
- (71) Applicant: **Jibin Huang**, Zhejiang (CN)
- (72) Inventor: **Jibin Huang**, Zhejiang (CN)
- (73) Assignee: **Ningbo Yinshuo Plastic Co., Ltd.**,
Ningbo, Zhejiang (CN)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/685,170**
- (22) Filed: **Mar. 27, 2019**
- (51) **LOC (12) Cl.** **06-11**
- (52) **U.S. Cl.**
USPC **D25/163**; D6/582
- (58) **Field of Classification Search**
USPC D6/582-589, 591, 592, 609, 613, 614;
D12/203, 608; D19/9, 10, 37, 113;
D21/686, 780; D23/261, 310, 361;
D25/138, 156, 157, 163; D30/161;
D32/57
CPC A47G 27/02; A47G 27/0206; A47G
27/0212; A47G 27/0218; A47G 27/0225;
A47G 27/0231; A47G 27/0237; A47G
27/0275; A47G 27/0293; A47G 9/062;
A47K 3/002; E04F 2201/095; E04F
19/10; A47L 23/26; A47L 23/266
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,041,221 A * 6/1962 Judson A47G 27/0212
428/166
- D239,245 S * 3/1976 Fletcher D32/57
- D348,131 S * 6/1994 Bozzo D32/55
- D462,130 S * 8/2002 Kotler D25/138
- D522,067 S * 5/2006 Allen D21/321
- D570,503 S * 6/2008 Leier D25/156

- 7,607,265 B2 * 10/2009 Curry A63C 19/12
52/181
- D603,640 S * 11/2009 Thrush D6/582
- D604,082 S * 11/2009 Thrush D6/582
- D653,893 S * 2/2012 Huss B29C 39/003
D6/582
- D675,751 S * 2/2013 Amend D25/138
- D703,975 S * 5/2014 Huss D6/582
- D720,437 S * 12/2014 Togawa D23/261
- D740,591 S * 10/2015 Huss E01C 5/226
D6/592
- 9,487,923 B2 * 11/2016 Masanek, Jr. E01C 5/226
- D849,970 S * 5/2019 Bach D25/156
- D866,800 S * 11/2019 Runkles D25/138
- 2006/0029773 A1 * 2/2006 Waterman A47G 23/03
428/138

(Continued)

Primary Examiner — Kevin K Rudzinski
Assistant Examiner — Clare Ann Gannon


(57) **CLAIM**

The ornamental design for a nonskid pad, as shown and described.

DESCRIPTION

FIG. 1 is a bottom, front and left side perspective view of a nonskid pad showing my new design;
 FIG. 2 is a top, rear and right side perspective view thereof;
 FIG. 3 is a front elevation view thereof;
 FIG. 4 is a rear elevation view thereof;
 FIG. 5 is a left side elevation view thereof;
 FIG. 6 is a right side elevation view thereof;
 FIG. 7 is a top plan view thereof;
 FIG. 8 is a bottom plan view thereof; and,
 FIG. 9 is an enlarged view of the nonskid pad taken from the circled portion in FIG. 1.
 The broken lines in the drawings illustrate the environment of the nonskid pad which forms no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2011/0183102 A1* 7/2011 Afolabi A47L 23/266
428/83
2019/0117040 A1* 4/2019 Knight E04F 15/02038
2019/0186155 A1* 6/2019 Huss A47G 27/0293

* cited by examiner




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG. 8




FIG. 9