



US00D898239S

(12) **United States Design Patent** (10) **Patent No.:** **US D898,239 S**
Kusunoki et al. (45) **Date of Patent:** **** Oct. 6, 2020**

(54) **HEADLAMP FOR AN AUTOMOBILE**

D544,614 S * 6/2007 Markefka D26/28
D549,857 S * 8/2007 Lin D26/28

(71) Applicant: **Nissan Motor Co., Ltd.**, Yokohama,
Kanagawa (JP)

* cited by examiner

(72) Inventors: **Tepei Kusunoki**, Kanagawa (JP);
Julien Thiebaud, Tokyo (JP);
Kenichiro Koizumi, Tokyo (JP)

Primary Examiner — Marcus A Jackson

(74) *Attorney, Agent, or Firm* — Global IP Counselors,
LLP

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama
(JP)

(57) **CLAIM**

The ornamental design for a headlamp for an automobile, as
shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/682,536**

FIG. 1 is an outside elevational view of a headlamp for an
automobile in accordance with a first embodiment of our
new design;

(22) Filed: **Mar. 6, 2019**

FIG. 2 is an inside elevational view thereof;

(30) **Foreign Application Priority Data**

Sep. 7, 2018 (JP) 2018-019629

FIG. 3 is a top plan view thereof;

(51) **LOC (12) Cl.** **26-06**

FIG. 4 is a bottom plan view thereof;

(52) **U.S. Cl.**

USPC **D26/28**

FIG. 5 is a front side elevational view thereof;

(58) **Field of Classification Search**

USPC D26/28-36, 139

CPC F21S 48/00; F21S 48/10; F21S 48/115;

F21S 48/225; F21S 48/1233; F21S

48/1266; F21S 48/1388; F21S 48/2268;

F21V 21/04; F21V 29/004; B60Q 9/13;

B60Q 9/135; B60Q 9/1375

See application file for complete search history.

FIG. 6 is a rear side elevational view thereof; and,

FIG. 7 is a front side perspective view thereof.

The headlamp is configured to be mounted to an automobile.
The mounting structure and support structure of the head-
lamp, shown in broken lines in FIGS. 1 to 7, form no part
of the claimed design since the mounting structure and
support structure are hidden when the headlamp is mounted
to the automobile.

In addition, the appearance of the rear side structures and
inside structures of the headlamp as shown in broken lines
in FIGS. 1 to 7 is for purpose of illustrating the boundaries
of the exterior surface of the outside of the headlamp, and
forms no part of the claimed design. The headlamp has a
front lens that is transparent such that features behind the
lens are at least partially visible as illustrated.

A second embodiment of our new design includes the mirror
image of the headlamp shown in FIGS. 1 to 7.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D528,681 S * 9/2006 Nakahara D26/28

D528,685 S * 9/2006 Yoshida D26/28

D544,114 S * 6/2007 Ohta D26/28

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7