



US00D898327S

(12) **United States Design Patent** (10) **Patent No.:** **US D898,327 S**
van Eyk et al. (45) **Date of Patent:** **** Oct. 13, 2020**

- (54) **RING PET TREAT**
- (71) Applicant: **Spectrum Brands, Inc.**, Middleton, WI (US)
- (72) Inventors: **Gregory van Eyk**, Christiansburg, VA (US); **Tiffany Potter**, Pearisburg, VA (US); **Kelli Strazar**, St. Charles, MO (US)
- (73) Assignee: **Spectrum Brands, Inc.**, Middleton, WI (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/708,246**
- (22) Filed: **Oct. 4, 2019**

2,469,589 A	5/1949	Barricini	
2,988,045 A	6/1961	Fisher	
3,858,495 A	1/1975	Gotwalt	
3,939,761 A	2/1976	McGinty	
4,902,519 A	2/1990	Ream et al.	
4,924,811 A	5/1990	Axelrod	
D326,120 S *	5/1992	Michaelson	D11/13
D328,805 S *	8/1992	O'Rourke	D30/160
5,166,798 A	11/1992	Cho	
5,168,798 A	12/1992	Kristofich et al.	
5,193,443 A	3/1993	Carney	
D382,678 S *	8/1997	Weinacker, Jr.	D30/160
D391,735 S	3/1998	Baker	
D392,435 S	3/1998	Mocking et al.	
D408,948 S	4/1999	Huettner et al.	
D415,803 S	10/1999	Cousins	
6,042,873 A	3/2000	Lawson	
6,054,159 A	4/2000	Manzone	
D427,391 S	6/2000	Gill	
6,113,956 A	9/2000	Bower	
6,159,508 A	12/2000	Wolf et al.	
6,228,402 B1	5/2001	Wolf et al.	
6,277,420 B1	8/2001	Anderson et al.	
D465,885 S *	11/2002	Weinacker, Jr.	D30/160
D470,277 S	2/2003	Tu	
D475,423 S *	6/2003	Chrystal	D21/662
6,601,539 B1	8/2003	Snook	
D485,046 S	1/2004	Hague	
D497,457 S	10/2004	Willinger	
6,827,041 B2	12/2004	Hague et al.	
D503,507 S	4/2005	Jia et al.	
D505,233 S *	5/2005	Viola	D30/160
D505,533 S	5/2005	Jia et al.	
D508,762 S	8/2005	Jia et al.	
D513,545 S	1/2006	Byrne	
D522,711 S	6/2006	Nakata	
D525,397 S	7/2006	Wang	
D556,392 S	11/2007	Rutherford et al.	
D569,077 S	5/2008	Axelrod	
D586,511 S	2/2009	Willinger	
7,485,330 B2	2/2009	Anderson et al.	
D594,182 S	6/2009	Hague	
D603,127 S	11/2009	Townsend et al.	
D603,128 S	11/2009	Townsend et al.	
D603,132 S	11/2009	Townsend et al.	
D603,578 S	11/2009	Townsend et al.	
D603,579 S	11/2009	Townsend et al.	
D605,069 S	12/2009	Plouchard	
D606,279 S	12/2009	Townsend et al.	
D610,315 S	2/2010	Lopusnak et al.	
D612,552 S	3/2010	Matz	
D616,616 S	5/2010	Byrne	
D626,706 S	11/2010	Ragonetti	

Related U.S. Application Data

- (62) Division of application No. 29/679,700, filed on Feb. 8, 2019, now Pat. No. Des. 865,318.
- (51) **LOC (12) Cl.** **01-01**
- (52) **U.S. Cl.**
USPC **D1/199; D30/160**
- (58) **Field of Classification Search**
USPC D1/100-130, 199; 426/5, 76, 87, 92, 94, 426/95, 99, 101, 103, 108, 138-139, 143, 426/144, 279, 282, 283, 391, 514, 549, 426/660; D13/100; D24/101-104; D28/8.1; 424/467; 425/195; 34/296; D6/601; D9/453; D30/160
CPC .. A61K 9/2072; A61K 9/0004; A61K 9/2095; A61K 9/209
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

D93,402 S	9/1934	Johnson
2,036,706 A	4/1936	Ward
2,116,310 A	8/1936	Holman
2,185,547 A	1/1940	Fowler
D133,869 S	7/1942	Donahue



D636,949	S	4/2011	Axelrod et al.	
D645,640	S	9/2011	Mingyun et al.	
D649,736	S	12/2011	Cheung	
D649,739	S	12/2011	Maia	
D650,146	S	12/2011	Cheung	
D651,771	S	1/2012	Shanghai	
D661,458	S	6/2012	Mingyun et al.	
D666,378	S	9/2012	Dixon	
D672,099	S	12/2012	Simms et al.	
8,491,950	B2	7/2013	Grammer et al.	
D696,836	S	1/2014	Chen	
D697,274	S	1/2014	Thorne	
D701,655	S *	3/2014	Byrne	D30/160
D708,417	S	7/2014	Allen	
D708,418	S	7/2014	Allen	
D708,818	S	7/2014	Axelrod et al.	
D717,017	S	11/2014	McGrath et al.	
D718,501	S	11/2014	Byrne	
D721,210	S	1/2015	Diskin	
D726,991	S	4/2015	Albuja	
9,010,821	B2	4/2015	Stern	
D729,888	S *	5/2015	Kessler	D21/692
9,039,574	B2 *	5/2015	Wilson	A63B 21/045 482/46
D733,813	S *	7/2015	Schauenburg	D21/662
D741,555	S	10/2015	Byrne	
D743,639	S	11/2015	Byrne	
D744,175	S	11/2015	Byrne	
D749,803	S	2/2016	Urbanczyk	
D750,527	S	3/2016	Roth	
D752,841	S	4/2016	Neely et al.	
D753,531	S	4/2016	Roth	
D755,451	S	5/2016	Lai	
D759,341	S	6/2016	Templeman et al.	
D761,496	S	7/2016	Byrne	
D762,042	S	7/2016	Osenga	
D762,511	S	8/2016	Roth	
D778,001	S	1/2017	Byrne	
D785,276	S	5/2017	Petersen	
D785,281	S	5/2017	Petersen	
D791,426	S	7/2017	Petersen	
D820,538	S	6/2018	Urbanczyk	
D822,940	S	7/2018	Falcone	
10,124,204	B1 *	11/2018	Vo	A63B 21/0407
D836,880	S	1/2019	Kreamer	
D847,918	S	5/2019	Reisinger	
D848,084	S *	5/2019	Jew	D30/160
2003/0106500	A1	6/2003	Kirch	
2004/0005392	A1	1/2004	Filipi et al.	
2004/0028783	A1	2/2004	Fullwood et al.	
2004/0219260	A1	11/2004	Anderson et al.	
2005/0069609	A1	3/2005	Straus et al.	
2007/0218171	A1	9/2007	Mehrle et al.	
2007/0264415	A1	11/2007	Axelrod et al.	
2008/0014311	A1	1/2008	Tepper et al.	
2008/0029045	A1	2/2008	Willinger	
2008/0145485	A1	6/2008	Tepper et al.	
2008/0175962	A1	7/2008	Grammer et al.	
2008/0182734	A1 *	7/2008	Wu	A63B 21/0004 482/126
2008/0193607	A1	8/2008	Tepper et al.	
2010/0062111	A1	3/2010	Langford	
2010/0303970	A1	12/2010	Grammer et al.	
2010/0304002	A1	12/2010	Grammer et al.	
2013/0266696	A1	10/2013	Shrestha et al.	
2013/0295235	A1	11/2013	Albuja et al.	
2013/0309359	A1	11/2013	Langford	
2014/0186276	A1	7/2014	Mahe	
2014/0335223	A1	11/2014	Grammer et al.	
2015/0090192	A1	4/2015	Powers et al.	
2016/0143320	A1	5/2016	Mahe et al.	

FOREIGN PATENT DOCUMENTS

CN	201207894	3/2009
DE	10 2015 107 453	8/2016
WO	2004062522	7/2004
WO	2008003140	1/2008

OTHER PUBLICATIONS

Elle, “Elle’s Kitchen: Adana Kebab” American Homestead, (Jun. 16, 2012), Web Oct. 24, 2016, <<http://americanhomestead.blogspot.com/2012/06/elles-kitchen-adana-kebab.html>>.

Hair, Jaden, “Asian Steak Kabobs” Steamy Kitchen, (Jul. 15, 2011), Web. Dec. 29, 2016, <<http://steamykitchen.com/16839-asian-steak-kabobs-recipe.html#comments>>.

Dingo, Porkie Roll Pork and Porkhide Dog Chew Sticks, <http://www.dingobrand.com/Products/Rawhide-sticksfor-dogs/Porkie-porkhide-dog-chew-sticks.aspx>, printed Dec. 8, 2016.

Dingo, Dynostix Rawhide Chew Sticks, <http://www.dingobrand.com/Products/Rawhide-sticks-for-dogs/Copy-of-Dynostix-rawhide-chew-sticks.aspx>, printed Dec. 8, 2016.

Dingo, Twist Sticks Chicken Rawhide Twists, <http://www.dingobrand.com/Products/Rawhide-sticks-for-dogs/Twist-Sticks-Chicken-50-Pack.aspx>, printed Dec. 8, 2016.

Dingo, Tartar Control Dental Sticks for Dogs, <http://www.dingobrand.com/Products/Dog-tartar-control-andremoval/How-to-remove-dog-tartar-dental-sticks.aspx>, printed Dec. 8, 2016.

International Search Report for International Application No. PCT/US2016/068741 dated Mar. 7, 2017 (14 pages).

Elfenbein. “Cooking for Dogs—Shish Kebabs.” <http://twolittlecavaliers.com>, Jun. 10, 2012, 3 pages.

Unknown. “Griddled glazed vegetable kebabs.” BBC Good Food, Jul. 2010, 3 pages retrieved from www.bbcgoodfood.com/recipes/588651/griddled-glazed-vegetable-kebabs.

International Search Report for International Application No. PCT/US2016/068728 dated Mar. 7, 2017 (14 pages).

Sacco, Brooke Dowd. “Web’s Tastiest Halloween Food, Marshmallow & Pretzel Bones” Kid Crave. (Oct. 22, 2012), Web. May 24, 2017, <<http://kidcrave.com/scoop/webs-tastiest-halloween-food/>>.

Blonde Chicken, “Fluffy Cheesy Weiner Kebab,” Instructable, (Aug. 11, 2012), Web. Jul. 27, 2018, <<https://www.instructables.com/id/Fluffy-Cheesy-Weiner-Kabobs/>>.

* cited by examiner

Primary Examiner — Katie Jane Stofko
(74) Attorney, Agent, or Firm — Merchant & Gould, P.C.

(57) CLAIM

The ornamental design for a ring pet treat, as shown and described.

DESCRIPTION

FIG. 1 is front, top and left side perspective view of a first embodiment of a ring pet treat according to the new design; FIG. 2 is a back, bottom and right side perspective view of the embodiment of FIG. 1; FIG. 3 is a front view of the embodiment of FIG. 1; FIG. 4 is a back view of the embodiment of FIG. 1; FIG. 5 is a left side elevation view of the embodiment of FIG. 1; FIG. 6 is a right side elevation view of the embodiment of FIG. 1; FIG. 7 is a top plan view of the embodiment of FIG. 1; FIG. 8 is a bottom plan view of the embodiment of FIG. 1; FIG. 9 is front, top and left side perspective view of a second embodiment of a ring pet treat according to the new design, the portion shown in broken lines forming no part of the claimed design; FIG. 10 is a back, bottom and right side perspective view of the embodiment of FIG. 9; FIG. 11 is a front view of the embodiment of FIG. 9; FIG. 12 is a back view of the embodiment of FIG. 9; FIG. 13 is a left side elevation view of the embodiment of FIG. 9;

FIG. 14 is a right side elevation view of the embodiment of FIG. 9;

FIG. 15 is a top plan view of the embodiment of FIG. 9;

FIG. 16 is a bottom plan view of the embodiment of FIG. 9;

FIG. 17 is front, top and left side perspective view of a third embodiment of a ring pet treat according to the new design, the portion shown in broken lines forming no part of the claimed design;

FIG. 18 is a back, bottom and right side perspective view of the embodiment of FIG. 17;

FIG. 19 is a front view of the embodiment of FIG. 17;

FIG. 20 is a back view of the embodiment of FIG. 17;

FIG. 21 is a left side elevation view of the embodiment of FIG. 17;

FIG. 22 is a right side elevation view of the embodiment of FIG. 17;

FIG. 23 is a top plan view of the embodiment of FIG. 17;

FIG. 24 is a bottom plan view of the embodiment of FIG. 17;

FIG. 25 is front, top and right side perspective view of a fourth embodiment of a ring pet treat according to the new design, the portion shown in broken lines forming no part of the claimed design;

FIG. 26 is a back, bottom and right side perspective view of the embodiment of FIG. 25;

FIG. 27 is a front view of the embodiment of FIG. 25;

FIG. 28 is a back view of the embodiment of FIG. 25;

FIG. 29 is a left side elevation view of the embodiment of FIG. 25;

FIG. 30 is a right side elevation view of the embodiment of FIG. 25;

FIG. 31 is a top plan view of the embodiment of FIG. 25;

FIG. 32 is a bottom plan view of the embodiment of FIG. 25;

FIG. 33 is back, bottom and right side perspective view of a fifth embodiment of a ring pet treat according to the new design, the portion shown in broken lines forming no part of the claimed design;

FIG. 34 is a back, bottom and right side perspective view of the embodiment of FIG. 33;

FIG. 35 is a front view of the embodiment of FIG. 33;

FIG. 36 is a back view of the embodiment of FIG. 33;

FIG. 37 is a left side elevation view of the embodiment of FIG. 33;

FIG. 38 is a right side elevation view of the embodiment of FIG. 33;

FIG. 39 is a top plan view of the embodiment of FIG. 33;

FIG. 40 is a bottom plan view of the embodiment of FIG. 33;
FIG. 41 is back, bottom and right side perspective view of a sixth embodiment of a ring pet treat according to the new design, the portion shown in broken lines forming no part of the claimed design;

FIG. 42 is a back, bottom and right side perspective view of the embodiment of FIG. 41;

FIG. 43 is a front view of the embodiment of FIG. 41;

FIG. 44 is a back view of the embodiment of FIG. 41;

FIG. 45 is a left side elevation view of the embodiment of FIG. 41;

FIG. 46 is a right side elevation view of the embodiment of FIG. 41;

FIG. 47 is a top plan view of the embodiment of FIG. 41;

FIG. 48 is a bottom plan view of the embodiment of FIG. 41;

FIG. 49 is front, top and left side perspective view of a seventh embodiment of a ring pet treat according to the new design, the portion shown in broken lines forming no part of the claimed design;

FIG. 50 is a back, bottom and right side perspective view of the embodiment of FIG. 49;

FIG. 51 is a front view of the embodiment of FIG. 49;

FIG. 52 is a back view of the embodiment of FIG. 49;

FIG. 53 is a left side elevation view of the embodiment of FIG. 49;

FIG. 54 is a right side elevation view of the embodiment of FIG. 49;

FIG. 55 is a top plan view of the embodiment of FIG. 49;

FIG. 56 is a bottom plan view of the embodiment of FIG. 49;

FIG. 57 is front, top and left side perspective view of an eighth embodiment of a ring pet treat according to the new design, the portion shown in broken lines forming no part of the claimed design;

FIG. 58 is a back, bottom and right side perspective view of the embodiment of FIG. 57;

FIG. 59 is a front view of the embodiment of FIG. 57;

FIG. 60 is a back view of the embodiment of FIG. 57;

FIG. 61 is a left side elevation view of the embodiment of FIG. 57;

FIG. 62 is a right side elevation view of the embodiment of FIG. 57;

FIG. 63 is a top plan view of the embodiment of FIG. 57;

and,

FIG. 64 is a bottom plan view of the embodiment of FIG. 57.

1 Claim, 56 Drawing Sheets

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25



FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33



FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42



FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50



FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57



FIG. 58



FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63




FIG. 64

