



US00D898379S

(12) **United States Design Patent**  
**Feng et al.**

(10) **Patent No.:** **US D898,379 S**  
(45) **Date of Patent:** **\*\* Oct. 13, 2020**

(54) **MITT FOR REMOVING LINT, FUR AND HAIR**

D379,123 S \* 5/1997 Driggers ..... D28/63  
6,256,831 B1 \* 7/2001 Chen ..... A47K 7/02  
15/118

(71) Applicants: **Fei Feng**, Sunnyvale, CA (US); **Dan Xiong**, Sunnyvale, CA (US); **Haoyu Feng**, Sunnyvale, CA (US); **Jinyao Feng**, Sunnyvale, CA (US)

D511,233 S \* 11/2005 Franco ..... D28/63  
D511,412 S \* 11/2005 Madrid ..... D3/228  
D575,016 S \* 8/2008 Shaw ..... D32/40  
D580,117 S \* 11/2008 Shaw ..... D32/40  
7,765,617 B2 \* 8/2010 Alden ..... A41D 19/01529  
16/435

(72) Inventors: **Fei Feng**, Sunnyvale, CA (US); **Dan Xiong**, Sunnyvale, CA (US); **Haoyu Feng**, Sunnyvale, CA (US); **Jinyao Feng**, Sunnyvale, CA (US)

D760,957 S \* 7/2016 Bellinger ..... D28/63  
D796,746 S \* 9/2017 Barlow ..... D28/63

\* cited by examiner

*Primary Examiner* — Marissa J Cash  
*Assistant Examiner* — Rebecca Tsehaye

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/707,247**

(57) **CLAIM**

We claim the ornamental design for a mitt for removing lint, fur, and hair, as shown and described.

(22) Filed: **Sep. 26, 2019**

(51) **LOC (12) Cl.** ..... **04-01**

**DESCRIPTION**

(52) **U.S. Cl.**  
USPC ..... **D4/137**

(58) **Field of Classification Search**  
USPC ..... D4/137, 199; D2/622; D28/9, 63, 99;  
D32/40, 42, 43

CPC ..... A47L 13/00; A47L 13/16; A47L 13/18;  
A47L 13/28; A47L 13/56

See application file for complete search history.

FIG. 1 is a perspective view of the mitt for removing lint, fur, and hair;

FIG. 2 is a front side view thereof;

FIG. 3 is a rear side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top side view thereof; and,

FIG. 7 is a bottom side view thereof.


The broken lines illustrate portions of the mitt for removing lint, fur and hair that form no part of the claimed design. The hashed pattern is surface shading used to provide character and contour to the mitt's surfaces.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,495,389 A \* 5/1924 Heimerl ..... A47L 13/18  
15/227  
D303,725 S \* 9/1989 Rojko ..... D28/63

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7