



US00D898585S

(12) **United States Design Patent** (10) **Patent No.:** **US D898,585 S**
Giildenzopf (45) **Date of Patent:** **** Oct. 13, 2020**

(54) **BOTTLE**

(71) Applicant: **James Joseph Sanctified Spirits, LLC**,
Westlake, TX (US)

(72) Inventor: **Joseph Giildenzopf**, Westlake, TX (US)

(73) Assignee: **James Joseph Sanctified Spirits, LLC**,
Westlake, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/702,184**

(22) Filed: **Aug. 16, 2019**

Related U.S. Application Data

(63) Continuation of application No. 29/643,778, filed on
Apr. 11, 2018, now Pat. No. Des. 863,974.

(51) **LOC (12) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/719; D9/550**

(58) **Field of Classification Search**
USPC D9/600, 614, 624, 500-505, 516, 530,
D9/537-546, 549-551, 569-575;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D92,461 S 6/1934 Fuerst et al.
D225,973 S 1/1973 Setrakian

(Continued)

OTHER PUBLICATIONS

“Barrel Aged in a Bottle™”; Oak Infusion Spiral; American Oak
Infusion Spiral® System; www.barrelagedinabottle.com; undated; 1
pg.

Primary Examiner — Sandra L Morris

(57) **CLAIM**

An ornamental design for a “bottle,” as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of the bottle;

FIG. 2 is a front elevation view of the bottle;

FIG. 3 is a rear elevation view of the bottle;

FIG. 4 is a right side view of the bottle;

FIG. 5 is a left side view of the bottle;

FIG. 6 is a top view of the bottle;

FIG. 7 is a bottom view of the bottle;

FIG. 8 is an environmental perspective view including the
bottle;

FIG. 9 is an alternative front perspective view of the bottle;

FIG. 10 is a front perspective view of a second embodiment
of the bottle;

FIG. 11 is a front elevation view of a second embodiment of
the bottle;

FIG. 12 is a rear elevation view of a second embodiment of
the bottle;

FIG. 13 is a right side view of a second embodiment of the
bottle;

FIG. 14 is a left side view of a second embodiment of the
bottle;

FIG. 15 is a top view of a second embodiment of the bottle;

FIG. 16 is a bottom view of a second embodiment of the
bottle;

FIG. 17 is an environmental perspective view including a
second embodiment of the bottle;

FIG. 18 is an alternative front perspective view of a second
embodiment of the bottle;

FIG. 19 is a front perspective view of a third embodiment of
the bottle;

FIG. 20 is a front elevation view of a third embodiment of
the bottle;

FIG. 21 is a rear elevation view of a third embodiment of the
bottle;

FIG. 22 is a right side view of a third embodiment of the
bottle;

FIG. 23 is a left side view of a third embodiment of the
bottle;

FIG. 24 is a top view of a third embodiment of the bottle;

FIG. 25 is a bottom view of a third embodiment of the bottle;

FIG. 26 is an environmental perspective view including a
third embodiment the bottle;

FIG. 27 is an alternative front perspective view of a third
embodiment of the bottle;

FIG. 28 is a front perspective view of a fourth embodiment
of the bottle;

(Continued)



FIG. 29 is a front elevation view of a fourth embodiment of the bottle;
 FIG. 30 is a rear elevation view of a fourth embodiment of the bottle;
 FIG. 31 is a right side view of a fourth embodiment of the bottle;
 FIG. 32 is a left side view of a fourth embodiment of the bottle;
 FIG. 33 is a top view of a fourth embodiment of the bottle;
 FIG. 34 is a bottom view of a fourth embodiment of the bottle;
 FIG. 35 is an environmental perspective view including a fourth embodiment the bottle; and,
 FIG. 36 is an alternative front perspective view of a fourth embodiment of the bottle.
 The broken lines shown in the drawings represent portions of the bottle or environment that form no part of the claimed design.

1 Claim, 28 Drawing Sheets

(58) **Field of Classification Search**

USPC 206/457, 494, 459.5, 527, 540;
 229/116.1; 215/381-384, 400;
 D7/514-516, 539, 544, 571, 579, 604,

D7/613, 619.2, 628-630, 391-392.1;
 D3/270-271.3

CPC B65D 67/00; B65D 81/36; B65D 81/60;
 B65D 81/368; B65D 2203/00; B65D
 2203/02; B65D 5/42; B65D 5/4208;
 B65D 77/00; A63H 33/16

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

| | | |
|--------------|---------|------------------|
| D470,057 S | 2/2003 | Bowen |
| D482,608 S | 11/2003 | Krebsbach et al. |
| D498,668 S | 11/2004 | Counts |
| D562,698 S | 2/2008 | McGovern |
| 7,357,069 B1 | 4/2008 | Karasch et al. |
| D621,283 S | 8/2010 | Overgaard |
| D677,569 S | 3/2013 | Lemaitre |
| D698,647 S | 2/2014 | Maillet et al. |
| D700,015 S | 2/2014 | Audet et al. |
| D726,010 S | 4/2015 | Savkar et al. |
| D727,166 S | 4/2015 | Tariko |
| D743,269 S | 11/2015 | Pape |
| D745,408 S | 12/2015 | Koop et al. |
| D770,297 S | 11/2016 | Gregg |
| D799,969 S | 10/2017 | Harris |




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36