



US00D898600S

(12) **United States Design Patent** (10) **Patent No.:** **US D898,600 S**
Baldwin et al. (45) **Date of Patent:** **** Oct. 13, 2020**

(54) **STACK LIGHT**

(71) Applicants: **Christopher M. Baldwin**, Avon, IN (US); **Mark T. Monnett**, Cloverdale, IN (US)

(72) Inventors: **Christopher M. Baldwin**, Avon, IN (US); **Mark T. Monnett**, Cloverdale, IN (US)

(73) Assignee: **Mallory Sonalert Products, Inc.**, Indianapolis, IN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/611,351**

(22) Filed: **Jul. 20, 2017**

(51) **LOC (12) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/114.2**

(58) **Field of Classification Search**
USPC D10/114.6; 362/86; D26/38, 72, 104; D25/126; D12/179; 404/6, 9
CPC H04R 1/2811; H04R 1/028; H04R 17/00; F21V 23/003; F21V 23/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,868,671	A *	2/1975	Maguire	A63B 71/06 340/323 R
3,873,866	A	3/1975	Goble		
4,602,245	A	7/1986	Yang et al.		
D322,584	S *	12/1991	Kawashima	D10/114.6
D363,036	S *	10/1995	Sasaki	D10/114.6
D383,867	S *	9/1997	Shalvi	D10/113.2
5,952,915	A	9/1999	Marquardt et al.		
6,130,618	A	10/2000	Burnett et al.		
6,166,623	A	12/2000	Coward		
D439,858	S *	4/2001	Decosse	D10/114.6
6,512,450	B1	1/2003	Burnett et al.		

6,814,610	B2	11/2004	Kurose et al.		
D557,159	S *	12/2007	Sasaki	D10/114.6
7,445,360	B2	11/2008	Ikeda		
D673,475	S *	1/2013	Di Giovine	D10/114.2
D673,476	S *	1/2013	Clore	D10/114.6
9,030,318	B1	5/2015	Baldwin et al.		

(Continued)

OTHER PUBLICATIONS

Patlite LU7-LB catalog page, undated, 1 page. Retrieved from the Internet Aug. 10, 2016.

(Continued)

Primary Examiner — Michael C Stout
Assistant Examiner — Katrina N Gonzalez
(74) *Attorney, Agent, or Firm* — William F. Bahret


(57) **CLAIM**

The ornamental design for a stack light, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a stack light showing our new design.
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The stack light is shown with a symbolic break in its length, as illustrated by the dot-dash broken lines. The appearance of any portion of the article between the dot-dash broken lines forms no part of the claimed design. The dot-dot-dash broken line shown within the stack light represents the bounds of the claim and forms no part of the claimed design. All other broken lines illustrate environmental structure and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,307,309	B2	4/2016	Feller et al.	
9,863,611	B2 *	1/2018	Gutekunst	F21S 8/00
9,997,031	B2 *	6/2018	Dolezalek	G08B 5/36
10,309,594	B1 *	6/2019	Baldwin	F21V 23/06
2003/0030567	A1	2/2003	Hetzel et al.	
2015/0198317	A1 *	7/2015	Feller	H05B 33/0842 362/249.01
2015/0201261	A1 *	7/2015	Feller	H04R 1/028 381/395

OTHER PUBLICATIONS

Patlite LU7-LB Manual, undated, 2 pages. Retrieved from the Internet Aug. 10, 2016.

Patlite LU7-LB Specifications, undated, 2 pages. Retrieved from the Internet Aug. 10, 2016.

Banner CL50 Column Light Data Sheet, P/N 145315 Rev. G, Dec. 21, 2012, Banner Engineering Corp., 7 pgs.

PATLITE ME-A/MES-A Signal Tower Data Sheet, undated, PATLITE Corporation, 1 pg.

PATLITE ME-A/MP Installation Manual, undated, PATLITE Corporation, 4 pgs.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7