



US00D898982S

(12) **United States Design Patent** (10) **Patent No.:** **US D898,982 S**
Evans et al. (45) **Date of Patent:** **** Oct. 13, 2020**

(54) **LIGHTING FIXTURE**
(71) Applicant: **CertainTeed Ceilings Corporation,**
Malvern, PA (US)
(72) Inventors: **Phillip Evans,** Littleton, MA (US);
Dennis Michaud, Groton, CT (US);
Kim Dupont-Madinier, Somerville,
MA (US)
(73) Assignee: **CertainTeed Ceilings Corporation,**
Malvern, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/643,356**

(22) Filed: **Apr. 6, 2018**

(51) **LOC (12) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/118**

(58) **Field of Classification Search**
USPC D26/23-28, 63, 67-92, 118, 123, 124,
D26/128-137
CPC F21V 21/042; F21V 21/049; F21S 8/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D104,232 S * 4/1937 Arenberg D26/122
D203,060 S * 11/1965 Schaefer D26/76
D208,099 S * 7/1967 Arrigoni D26/120
D336,967 S * 6/1993 Boundy D26/74
D339,654 S * 9/1993 Chan D26/131
D394,518 S * 5/1998 Burrow 26/76
5,848,833 A * 12/1998 Margulies F21S 8/06
362/147
D430,339 S * 8/2000 Reo D26/118
D461,022 S * 7/2002 Eberlein D26/118
D500,878 S * 1/2005 Lewis D26/76
D507,844 S * 7/2005 Friedman D26/118
D546,493 S * 7/2007 Friedman D26/76

D572,400 S * 7/2008 Benensohn D26/76
D584,444 S * 1/2009 Lipson D26/76
D585,153 S * 1/2009 Maxik D26/85
D608,042 S * 1/2010 Wu D26/76
D620,181 S * 7/2010 Sanoner D26/85
D623,339 S * 9/2010 Schlabach D26/85
D634,471 S * 3/2011 Hsieh D26/118
D636,924 S * 4/2011 Cocksedge D26/118
D638,976 S * 5/2011 Howis D26/80
D649,282 S * 11/2011 McDonald D26/118

(Continued)

FOREIGN PATENT DOCUMENTS

EM 001829953-0013 * 4/2011
EM 001402416-0007 * 7/2014

(Continued)

OTHER PUBLICATIONS

Copending U.S. Appl. No. 16/375,633, filed Apr. 4, 2019.

Primary Examiner — Leanne Was-Englehart
(74) *Attorney, Agent, or Firm* — McDonnell Boehnen
Hulbert & Berghoff LLP


(57) **CLAIM**

The ornamental design for a lighting fixture, as shown and described herein.

DESCRIPTION

FIG. 1 is a perspective view of a lighting fixture of the present design;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a right side view thereof, enlarged for clarity;
FIG. 5 is a left side view thereof, enlarged for clarity;
FIG. 6 is a rear view thereof; and,
FIG. 7 is a front view thereof.
The broken lines depict portions of the lighting fixture that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D667,163 S * 9/2012 Blum D26/118
D671,587 S * 11/2012 Li D16/237
2010/0103654 A1 4/2010 Yasuda et al.
2011/0019410 A1 1/2011 Ibanez et al.
2011/0069484 A1 3/2011 Wu et al.
2011/0222270 A1 9/2011 Porciatti
2013/0308303 A1 11/2013 Greenholt et al.
2014/0226316 A1 8/2014 Medendorp et al.

FOREIGN PATENT DOCUMENTS

EP 3339718 A2 6/2018
KR 300505855.0000 * 9/2008
WO 2007088665 A1 8/2007
WO 2015/193290 A1 12/2015

* cited by examiner




FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7