



US00D898983S

(12) **United States Design Patent**  
**Lyons**

(10) **Patent No.:** **US D898,983 S**

(45) **Date of Patent:** **\*\* Oct. 13, 2020**

(54) **LIGHT COVER**

(71) Applicant: **WHELEN ENGINEERING COMPANY, INC.**, Chester, CT (US)

(72) Inventor: **Jon Lyons**, Haddam, CT (US)

(73) Assignee: **WHELEN ENGINEERING COMPANY, INC.**, Chester, CT (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/665,876**

(22) Filed: **Oct. 8, 2018**

(51) **LOC (12) Cl.** ..... **26-06**

(52) **U.S. Cl.**  
USPC ..... **D26/118**

(58) **Field of Classification Search**  
USPC ..... D26/24, 28, 71, 83, 88, 89, 118, 120,  
D26/139; D12/190, 195, 196  
CPC ..... F21V 15/00; F21V 15/01; F21V 15/012;  
F21V 17/00; F21S 8/003; F21Y 2015/00;  
F21Y 2015/10; G02B 6/0095  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|            |   |         |                   |       |         |
|------------|---|---------|-------------------|-------|---------|
| D553,789 S | * | 10/2007 | Akinrele          | ..... | D26/118 |
| D584,180 S |   | 1/2009  | Pokorny           |       |         |
| D589,835 S |   | 4/2009  | Pokorny           |       |         |
| D589,836 S |   | 4/2009  | Pokorny           |       |         |
| D591,187 S |   | 4/2009  | Pokorny           |       |         |
| D591,188 S |   | 4/2009  | Pokorny           |       |         |
| D595,172 S |   | 6/2009  | Pokorny           |       |         |
| D608,674 S |   | 1/2010  | Lyons             |       |         |
| D682,135 S |   | 5/2013  | Grote, Jr. et al. |       |         |
| D687,592 S | * | 8/2013  | Park              | ..... | D26/118 |
| D691,762 S | * | 10/2013 | Sieczkowski       | ..... | D26/89  |

|            |   |         |             |       |           |
|------------|---|---------|-------------|-------|-----------|
| D721,844 S | * | 1/2015  | Lay         | ..... | D26/71    |
| D723,729 S | * | 3/2015  | Maxik       | ..... | F21K 9/60 |
|            |   |         |             |       | D26/89    |
| D743,084 S | * | 11/2015 | Lay         | ..... | D26/71    |
| D757,330 S | * | 5/2016  | Sieczkowski | ..... | D26/85    |
| D761,485 S | * | 7/2016  | Gerardo     | ..... | D26/118   |
| D812,799 S | * | 3/2018  | Shundong    | ..... | D26/72    |
| D874,709 S | * | 2/2020  | Coleman     | ..... | D26/89    |

**OTHER PUBLICATIONS**

FireRay LED Perimeter Lights Product Information, www.fedsig.com, pp. 1-9.  
Whelen M Series Surface Mount Super-LED Lighthead Product Information, Whelen Engineering Company Inc., pp. 1-4.

\* cited by examiner

*Primary Examiner* — Wan Laymon  
*Assistant Examiner* — Clint A Samuel  
(74) *Attorney, Agent, or Firm* — Dilworth IP, LLC


(57) **CLAIM**

The ornamental design for a light cover, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the light cover; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a right side elevation view thereof; FIG. 5 is a left side elevation view thereof; and, FIG. 6 is a top plan view thereof. The broken lines in FIG. 3 indicate a thickness of the cover and the fact that the interior surface is not claimed. The bottom of the light cover is unornamented, so that view is omitted.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6