



US00D899091S

(12) **United States Design Patent**  
**Kukucka et al.**

(10) **Patent No.:** **US D899,091 S**  
(45) **Date of Patent:** **\*\* Oct. 20, 2020**

(54) **ELONGATED ALTERNATE RAIL BODY OF A TOOL HOLDING DEVICE**

(71) Applicant: **GRIP HOLDINGS LLC**, Brandon, FL (US)

(72) Inventors: **Paul Kukucka**, Brandon, FL (US);  
**Thomas Stefan Kukucka**, Brandon, FL (US)

(73) Assignee: **GRIP HOLDINGS LLC**, Brandon, FL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/731,310**

(22) Filed: **Apr. 14, 2020**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/710,567, filed on Oct. 24, 2019.

(51) **LOC (12) Cl.** ..... **03-01**

(52) **U.S. Cl.**  
USPC ..... **D3/312**

(58) **Field of Classification Search**  
USPC ..... D3/226, 228, 245, 246, 283-284,  
D3/303-304, 308, 313, 315, 319, 328;  
D6/515, 567, 574, 675, 682, 682.1;  
D8/349, 354, 373, 376  
CPC ..... B25H 3/003; B25H 3/006; B25H 3/06;  
B25F 25/006; B25F 5/02; B25F 5/021;  
B25B 29/00; B25B 33/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D251,071 S \* 2/1979 Brady ..... D25/119  
D251,806 S \* 5/1979 Brady ..... D25/119

4,927,020 A 5/1990 Randy  
D322,486 S \* 12/1991 Westphal ..... D25/122  
D345,427 S \* 3/1994 Moss ..... D25/119  
D364,104 S \* 11/1995 Johnson ..... D10/69  
D422,718 S \* 4/2000 Chaney ..... D25/122  
D424,213 S \* 5/2000 Chaney ..... D25/122  
D457,052 S 5/2002 Snyder  
6,698,603 B2 3/2004 Lawson et al.  
6,827,320 B2 12/2004 Yeh  
7,950,534 B2 5/2011 Kao  
D669,685 S \* 10/2012 Legreca ..... D3/304  
D669,769 S \* 10/2012 Lapping ..... D25/122

(Continued)

**FOREIGN PATENT DOCUMENTS**

WO DM//103 611 8/2018

*Primary Examiner* — Kelley A Donnelly

(57) **CLAIM**

The ornamental design for an elongated alternate rail body of a tool holding device, as shown and described.

**DESCRIPTION**


FIG. 1 is a top perspective view of an elongated alternate rail body of a tool holding device showing my new design; FIG. 2 is a bottom perspective view thereof; FIG. 3 is a front elevational view thereof; the rear view being a mirror image; FIG. 4 is a top plan view thereof; and, FIG. 5 is a right side elevational view thereof; the left side being a mirror image.

The left side elevational view is a mirror image of the right elevational view.

The rear elevational view is a mirror image of the front elevational view.

The broken line showing the elongated alternate rail body of a tool holding device in FIGS. 1-3 are included for the purpose of showing environmental structure and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

## U.S. PATENT DOCUMENTS

8,813,957 B1 \* 8/2014 Kao ..... B25H 3/003  
206/378  
D742,546 S \* 11/2015 Singh ..... D25/119  
9,186,790 B1 11/2015 Kao  
9,538,862 B2 \* 1/2017 Kao ..... B25H 3/003  
9,545,716 B2 1/2017 Hsieh  
D787,185 S 5/2017 Hsieh  
9,662,781 B1 \* 5/2017 Kao ..... B25H 3/04  
D800,347 S \* 10/2017 Blick ..... D25/119  
D803,566 S \* 11/2017 Hsieh ..... D3/312  
9,821,451 B1 \* 11/2017 Kao ..... B25H 3/04  
9,878,441 B1 \* 1/2018 Kao ..... B25H 3/06  
D818,194 S \* 5/2018 Trzesniowski ..... D26/138  
10,105,835 B1 \* 10/2018 Kao ..... B25H 3/04  
D852,017 S \* 6/2019 Kao ..... D8/71  
D872,931 S \* 1/2020 Tremaine ..... D26/138  
D874,025 S \* 1/2020 Kittur ..... D25/119  
D877,686 S \* 3/2020 Connellan ..... D12/412  
2015/0336262 A1 \* 11/2015 Kao ..... B25H 3/003  
206/378  
2017/0259425 A1 \* 9/2017 Kao ..... B25H 3/003  
2017/0312910 A1 \* 11/2017 Kao ..... B25H 3/04  
2017/0361453 A1 \* 12/2017 Kao ..... B25H 3/04  
2020/0147800 A1 \* 5/2020 Chen ..... B66F 9/24

\* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4



FIG.5