



US00D899107S

(12) **United States Design Patent**
Luo et al.

(10) **Patent No.:** **US D899,107 S**

(45) **Date of Patent:** **** Oct. 20, 2020**

(54) **COMBINED WATERPROOF MIRROR AND LED LIGHT**

(71) Applicant: **Shenzhen Hongwang Nicemay Electric Co., Ltd**, Shenzhen (CN)

(72) Inventors: **Dewei Luo**, Shenzhen (CN); **Yingcong Cao**, Shenzhen (CN)

(73) Assignee: **SHENZHEN HONGWANG NICEMAY ELECTRIC CO., LTD**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/672,339**

(22) Filed: **Dec. 5, 2018**

(51) **LOC (12) Cl.** **06-07**

(52) **U.S. Cl.**
USPC **D6/309**

(58) **Field of Classification Search**
USPC D26/51, 61, 63, 74, 87, 90, 93-94,
D26/106-107, 113, 118, 135; D6/309
CPC F21S 48/142; F21S 9/02; F21V 33/006;
F21V 17/02; F21V 1/00; F21V 5/00;
F21V 5/02; F21Y 2101/02; F21K 5/023
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D459,094 S *	6/2002	Stone	D6/309
D488,626 S *	4/2004	Kruger	D6/309
D492,230 S *	6/2004	Berger	D12/187
D505,555 S *	5/2005	Snell	D6/309
D509,369 S *	9/2005	Snell	D6/310
7,048,406 B1 *	5/2006	Shih	A45D 42/10 362/135
7,090,378 B1 *	8/2006	Zadro	A45D 42/10 362/109

D540,549 S *	4/2007	Yue	D6/312
D546,567 S *	7/2007	Bhavnani	D6/309
D558,987 S *	1/2008	Gildersleeve	D6/306
D568,081 S *	5/2008	Thompson	D6/568
D569,671 S *	5/2008	Thompson	D6/568
D574,159 S *	8/2008	Howard	D6/310
D621,541 S *	8/2010	Hamel	D26/93
D649,790 S *	12/2011	Pitot	D6/309
D665,030 S *	8/2012	Podd	D20/42
D670,087 S *	11/2012	Walker	D6/309
D688,289 S *	8/2013	Hodgson	D16/135
D689,701 S *	9/2013	Mischel, Jr.	D6/309
D690,455 S *	9/2013	Hagenauer	D26/93
D699,448 S *	2/2014	Yang	D6/309
D699,952 S *	2/2014	Yang	D6/309
D701,050 S *	3/2014	Yang	D6/309
D701,507 S *	3/2014	Cope	D14/374

(Continued)

Primary Examiner — Sheryl Lane

Assistant Examiner — Stacey L Hopkins


(57) **CLAIM**

The ornamental design for a combined waterproof mirror and LED light, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined waterproof mirror and LED light showing our new design; FIG. 2 is another perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; and, FIG. 9 is a perspective view of the combined waterproof mirror and LED light in a second state. The broken lines in the drawings are for the purpose of illustrating portions of the combined waterproof mirror and LED light that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D707,454	S	*	6/2014	Pitot	D6/309
D711,874	S	*	8/2014	Cope	D14/374
D712,963	S	*	9/2014	Fleet	D19/113
D719,747	S	*	12/2014	Mischel, Jr.	D6/309
D736,001	S	*	8/2015	Yang	D6/309
D739,592	S	*	9/2015	Hagenauer	D26/106
D764,592	S	*	8/2016	Zenoff	D20/42
D776,945	S	*	1/2017	Yang	D6/309
D779,836	S	*	2/2017	Bailey	D6/309
9,638,410	B2	*	5/2017	Yang	G02B 6/0096
D801,060	S	*	10/2017	Hollinger	D6/309
D808,565	S	*	1/2018	Ambrozus	D26/74
D816,350	S	*	5/2018	Yang	D6/309
D828,944	S	*	9/2018	Xie	D26/74
D835,328	S	*	12/2018	Silver	D26/90
D843,430	S	*	3/2019	Hodgson	D16/135
D848,158	S	*	5/2019	Yang	D6/309
D850,696	S	*	6/2019	Zhu	D26/74
D855,242	S	*	7/2019	Chen	D26/106
D857,219	S	*	8/2019	Chew	D24/210
D860,485	S	*	9/2019	Yu	D26/24
10,398,213	B2	*	9/2019	Vargas	H04N 5/2251
D872,348	S	*	1/2020	Liu	D26/106
D873,328	S	*	1/2020	Shen	D16/239
D874,162	S	*	2/2020	Greenwalt	D6/310
D877,392	S	*	3/2020	Yu	D26/79
D882,843	S	*	4/2020	Kaiser	D26/60
D885,769	S	*	6/2020	Wang	D6/309
D886,360	S	*	6/2020	Xu	D26/106
D887,590	S	*	6/2020	Ke	D26/1
2011/0211079	A1	*	9/2011	Rolston	G03B 15/06 348/207.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9