



US00D899207S

(12) **United States Design Patent**
Ferman

(10) **Patent No.:** **US D899,207 S**

(45) **Date of Patent:** **** Oct. 20, 2020**

(54) **SCISSORS HANDLE**

(71) Applicant: **Shark Fin Shear Co., Inc.**, Centerville, IA (US)

(72) Inventor: **Randall Ferman**, Randolph, NJ (US)

(73) Assignee: **Shark Fin Shear Co., Inc.**, Centerville, IA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/638,664**

(22) Filed: **Feb. 28, 2018**

(51) **LOC (12) Cl.** **08-03**

(52) **U.S. Cl.**
USPC **D8/57**

(58) **Field of Classification Search**
USPC D8/4, 5, 51-58, 107
CPC B26B 13/10; B26B 13/20; B26B 13/12;
B26B 13/06; B26B 13/04; B26B 13/24
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | |
|-------------|---------|-----------------|
| 40,010 A | 9/1893 | Bryant |
| 970,406 A | 9/1910 | Tindall |
| 1,357,200 A | 10/1920 | Kiefer |
| 1,967,549 A | 7/1934 | Buda |
| 2,184,909 A | 12/1939 | Crompton |
| 2,369,673 A | 2/1945 | Hartkopf |
| 2,370,026 A | 2/1945 | Elia |
| 2,606,368 A | 8/1952 | Ratcliff |
| 2,640,264 A | 6/1953 | Sullivan et al. |
| 2,669,993 A | 2/1954 | Curutchet |
| 2,677,179 A | 5/1954 | Servilla |
| 2,728,140 A | 12/1955 | Krusius |
| 3,825,020 A | 7/1974 | Myers |
| 3,840,990 A | 10/1974 | Laurenti |
| 3,877,145 A | 4/1975 | Andrews |

| | | |
|-------------|---------|---------------|
| D239,497 S | 4/1976 | Megma |
| 3,974,563 A | 8/1976 | Koch |
| 4,091,539 A | 5/1978 | Watanabe |
| D250,389 S | 11/1978 | Vitetta |
| 4,173,074 A | 11/1979 | Newman et al. |

(Continued)

FOREIGN PATENT DOCUMENTS

| | | |
|----|--------------|---------|
| DE | 4 304 578 A1 | 8/1994 |
| DE | 19612968 A1 | 10/1997 |

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 10/818,889, filed Apr. 6, 2004 entitled Scissors Having a Middle Finger Guide.
(Continued)

Primary Examiner — Deanna L Pratt
(74) *Attorney, Agent, or Firm* — Lerner, David, Littenberg, Krumholz & Mentlik, LLP


(57) **CLAIM**

I claim the ornamental design for a scissors handle, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of one embodiment of a scissors handle showing my new design, in accordance with the present invention;
FIG. 2 is a front plan view of the scissors handle of FIG. 1 shown as part of a pair of scissors,
FIG. 3 is a back plan view of the scissors handle of FIG. 1;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines in the drawings illustrate the unclaimed environment of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|------|---------|-----------------|----------------------|
| D277,450 | S | 2/1985 | Hayashi | |
| 5,086,563 | A | 2/1992 | Sakuma et al. | |
| 5,170,570 | A | 12/1992 | Mays, Jr. | |
| 5,501,016 | A | 3/1996 | Kuribayashi | |
| 5,517,762 | A | 5/1996 | Kuribayashi | |
| 5,528,833 | A | 6/1996 | Sakuma | |
| D384,260 | S | 9/1997 | Dunch | |
| 5,720,103 | A | 2/1998 | West et al. | |
| 5,778,540 | A | 7/1998 | Huang | |
| 5,781,999 | A | 7/1998 | Chang | |
| 5,819,416 | A | 10/1998 | Robinson et al. | |
| 5,860,215 | A | 1/1999 | Roskam et al. | |
| 5,987,757 | A | 11/1999 | Schmidt et al. | |
| 6,000,138 | A | 12/1999 | Bornancini | |
| D426,441 | S | 6/2000 | Sotokawa | |
| D427,869 | S | 7/2000 | Zoiss et al. | |
| D429,982 | S | 8/2000 | Kamrath | |
| 6,397,478 | B1 | 6/2002 | Bornancini | |
| D502,070 | S | 2/2005 | Ferman | |
| D526,880 | S | 8/2006 | Ferman | |
| 7,373,728 | B2 * | 5/2008 | Ferman | B26B 13/20 30/232 |
| D593,871 | S * | 6/2009 | Schmidt | D9/721 |
| 9,358,693 | B1 * | 6/2016 | Berger | B26B 13/12 |
| D773,268 | S * | 12/2016 | Usman | D8/57 |
| D815,505 | S * | 4/2018 | Usman | D8/57 |
| D816,450 | S * | 5/2018 | Breuer | D8/57 |
| D829,522 | S * | 10/2018 | Noriyuki | D8/57 |

| | | | | |
|--------------|------|--------|---------------|----------------------|
| 2002/0129497 | A1 | 9/2002 | Lyddon et al. | |
| 2005/0126012 | A1 * | 6/2005 | Ferman | B26B 13/12 30/232 |
| 2006/0143930 | A1 * | 7/2006 | Adachi | B26B 13/12 30/232 |
| 2007/0209214 | A1 * | 9/2007 | Kamemura | B26B 13/24 30/233 |
| 2009/0158598 | A1 * | 6/2009 | Ishida | B26B 13/20 30/232 |
| 2010/0107420 | A1 * | 5/2010 | Makoto | B26B 13/08 30/201 |
| 2018/0141222 | A1 * | 5/2018 | Takahashi | B25G 1/102 |

FOREIGN PATENT DOCUMENTS

| | | | |
|----|-----------|----|---------|
| FR | 2648384 | A1 | 12/1990 |
| JP | 1-101487 | A | 7/1989 |
| JP | 02-189179 | A | 7/1990 |

OTHER PUBLICATIONS

U.S. Appl. No. 29/195,696, filed Dec. 16, 2003 entitled Scissors Handle.
 Photograph of scissors from www.exedges.com. Found online Oct. 12, 2004.
 U.S. Appl. No. 11/269,011, filed Nov. 8, 2005, titled "Scissors Having a Middle Finger Guide".

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7