



US00D899350S

(12) **United States Design Patent**
Henderson

(10) **Patent No.:** **US D899,350 S**

(45) **Date of Patent:** **** Oct. 20, 2020**

(54) **VEHICLE TIRE TREAD**

(71) Applicant: **Alfred Henderson**, Spencer, OH (US)

(72) Inventor: **Alfred Henderson**, Spencer, OH (US)

(73) Assignee: **American Kenda Rubber Industrial Co., Ltd.**, Reynoldsburg, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/724,636**

(22) Filed: **Feb. 18, 2020**

Related U.S. Application Data

(62) Division of application No. 29/623,996, filed on Oct. 29, 2017, now Pat. No. Des. 878,284.

(51) **LOC (12) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/594**

(58) **Field of Classification Search**
USPC D12/544, 545, 571, 574, 579, 580, 594,
D12/596, 600, 602, 605, 593
CPC B60C 11/11
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D229,371 S	*	11/1973	Shughart	D12/574
D319,809 S	*	9/1991	Manestar	D12/579
D483,718 S		12/2003	Hutz et al.		
D642,512 S	*	8/2011	Jacobs	D12/600
D670,236 S	*	11/2012	Drake	D12/600
D730,272 S	*	5/2015	Fleckner	D12/580
D761,193 S	*	7/2016	Schimmoeller	D12/599
D770,970 S	*	11/2016	Kuwano	D12/594
D773,385 S	*	12/2016	Kuwano	D12/579
D773,980 S	*	12/2016	Takahashi	D12/579
D781,219 S	*	3/2017	Williams	D12/579
D806,640 S	*	1/2018	Petr	D12/602
D810,669 S	*	2/2018	Johnson	D12/579

(Continued)

OTHER PUBLICATIONS

www.parrishtire.com: Extreme All-Terrain Light Truck Klever R/T KR601 Cut Sheets. Undated; 7 pages. Found online May 15, 2019 at <http://www.parrishtire.com/wp-content/uploads/KR601-Kenda-Product-Overview-Presentation-Spring-2018-3.pdf> (Year: 2019).*

Primary Examiner — Robert M. Spear

(74) *Attorney, Agent, or Firm* — Standley Law Group LLP; Eric M. Gayan; Stephen L. Grant

(57) **CLAIM**

The ornamental design for a vehicle tire tread, as shown and described.

DESCRIPTION

FIG. 1 is an outside perspective view of a vehicle tire showing my new tread design, it being understood that the depicted tread pattern extends over the entire circumference of the tire;

FIG. 2 is an outside elevational view thereof, the inside elevational view being identical;

FIG. 3 is a front elevational view thereof, the rear elevational view being identical;

FIG. 4 is a top view thereof, the bottom view being identical;

FIG. 5 is an outside perspective view of a variation of the vehicle tire tread design shown in FIGS. 1-4;


FIG. 6 is an outside elevational view of the tire tread design shown in FIG. 5, the inside elevational view being identical;

FIG. 7 is a front elevational view of the tire tread design shown in FIG. 5; and,

FIG. 8 is a top view of the tire tread design shown in FIG. 5.

In the drawing figures, the tire features shown in broken lines indicate environmental subject matter only, and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D838,662 S *	1/2019	Tikka	D12/579
D844,546 S *	4/2019	Sakamoto	D12/579
D844,547 S *	4/2019	Sakamoto	D12/579
D845,224 S *	4/2019	Kochanek	D12/600
D878,284 S *	3/2020	Henderson	D12/593

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8