



US00D899485S

(12) **United States Design Patent** (10) **Patent No.:** **US D899,485 S**
Tamura et al. (45) **Date of Patent:** **** Oct. 20, 2020**

(54) **INTERCHANGEABLE LENS FOR CAMERA**

(56) **References Cited**

(71) Applicant: **CANON KABUSHIKI KAISHA**,
Tokyo (JP)
(72) Inventors: **Masahisa Tamura**, Utsunomiya (JP);
Katsuhiro Inoue, Utsunomiya (JP);
Kunihiko Sasaki, Utsunomiya (JP);
Shigehiro Torii, Saitama (JP);
Toshinori Yamazaki, Tokyo (JP); **Toru**
Matsumoto, Utsunomiya (JP)

U.S. PATENT DOCUMENTS

D670,751 S	*	11/2012	Koyama	D16/134
D692,475 S	*	10/2013	Hasuda	D16/134
D698,842 S	*	2/2014	Hasuda	D16/219
D698,843 S	*	2/2014	Hasuda	D16/219
D705,335 S		5/2014	Oikawa et al.		
D705,841 S	*	5/2014	Hasuda	D16/134
D706,326 S	*	6/2014	Hasuda	D16/134
D721,117 S	*	1/2015	Hasuda	D16/219

(Continued)

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

FOREIGN PATENT DOCUMENTS

(**) Term: **15 Years**

JP	1456035	11/2012
JP	1456461	11/2012

(Continued)

(21) Appl. No.: **29/715,064**

Primary Examiner — Ramzi S Almatrahi

(22) Filed: **Nov. 27, 2019**

(74) *Attorney, Agent, or Firm* — Venable LLP

Related U.S. Application Data

(62) Division of application No. 35/507,100, filed on Nov. 14, 2018 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Nov. 14, 2018.

(57) **CLAIM**

The ornamental design for an interchangeable lens for camera, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

May 15, 2018 (JP) 2018-010531


(51) **LOC (12) Cl.** **16-05**

(52) **U.S. Cl.**
USPC **D16/219**

(58) **Field of Classification Search**
USPC D16/134, 136, 200, 202–205, 218, 219;
348/373–376; 359/826–828; 396/25,
396/505, 529–532, 535, 539–541
CPC G03B 17/02; G03B 19/04; G03B 17/56;
G03B 17/04; G03B 15/03; G03B 17/14;
H04N 5/2251; H04N 5/2252; H04N
5/2253; H04N 5/2254; G02B 7/02; G02B
7/04; G02B 7/14
See application file for complete search history.

FIG. 1 is a front elevation view of an interchangeable lens for camera showing our new design;
FIG. 2 is a back elevation view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a top and front perspective view thereof; and,
FIG. 8 is a bottom and front perspective view thereof.
The broken lines depict portions of the interchangeable lens for camera in which the design is embodied that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D726,240	S	4/2015	Oikawa et al.	
D727,994	S *	4/2015	Hasuda	D16/219
D731,577	S *	6/2015	Hasuda	D16/219
D732,101	S *	6/2015	Hasuda	D16/134
D732,102	S *	6/2015	Hasuda	D16/219
D745,591	S *	12/2015	Oh	D16/136
D750,152	S *	2/2016	Awazu	D16/219
D780,822	S *	3/2017	Awazu	D16/219
D783,700	S	4/2017	Tagawa et al.	
D822,750	S *	7/2018	Yoon	D16/219
D831,093	S *	10/2018	Tokiwa	D16/219
D838,765	S *	1/2019	Tokiwa	D16/219
D885,462	S *	5/2020	Nagaoka	D16/219

FOREIGN PATENT DOCUMENTS

JP	1456462	11/2012
JP	1456463	11/2012
JP	1456464	11/2012
JP	1456465	11/2012
JP	1555184	8/2016
JP	2016-126069 A	7/2017

* cited by examiner




FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8