



US00D899624S

(12) **United States Design Patent** (10) **Patent No.:** **US D899,624 S**
Johnson (45) **Date of Patent:** **** Oct. 20, 2020**

(54) **BLOOD STORAGE DEVICE WITH TWO ACCESS OPENINGS**

(71) Applicant: **Boston Microfluidics, Inc.**, Boston, MA (US)

(72) Inventor: **Brandon T. Johnson**, Somerville, MA (US)

(73) Assignee: **Boston Microfluidics, Inc.**, Cambridge, MA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/667,198**

(22) Filed: **Oct. 19, 2018**

(51) **LOC (12) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/224**

(58) **Field of Classification Search**
USPC D24/107, 121-123, 216, 217, 219, 224/223-227, 229-231, 232; D10/81; D14/327, 363
CPC B01L 3/5023
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D239,310 S *	3/1976	Haerr	D24/217
D284,214 S *	6/1986	Hatcher	D24/223
D324,426 S	3/1992	Fan et al.		
D331,807 S *	12/1992	Sodergren	D10/81
5,384,264 A	1/1995	Chen et al.		
D410,287 S *	5/1999	von Boetticher	D24/165
D411,621 S	6/1999	Eisenbarth et al.		
6,372,514 B1 *	4/2002	Lee	G01N 33/54366 422/408
6,399,398 B1 *	6/2002	Cunningham	G01N 33/521 422/412
D512,512 S	12/2005	Bell et al.		
D590,063 S	4/2009	Garthoff et al.		

D631,556 S	1/2011	Shi et al.		
D676,145 S	2/2013	Kouge et al.		
D728,818 S *	5/2015	Burroughs	D24/230
D733,313 S	6/2015	Kouge et al.		
D734,482 S	7/2015	Peterman		

(Continued)

FOREIGN PATENT DOCUMENTS

KR 3020160043209 9/2016

OTHER PUBLICATIONS

Buckle. Online, published date Jun. 5, 2016. Retrieved on Nov. 22, 2019 from URL: http://www.8472.co.uk/misc_buckles_double.htm.*

(Continued)

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Omeed Agilee

(74) *Attorney, Agent, or Firm* — David J. Thibodeau, Jr.; VLP Law Group LLP

(57) **CLAIM**

The ornamental design for a blood storage device with two access openings, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a blood storage device with two access openings embodying the design.

FIG. 2 is a view of the front side of the device shown in FIG. 1; and,

FIG. 3 is a view of the rear side of the device shown in FIG. 1.

The dash lines depict the boundaries of the claim and form no part thereof. The short dash-short dash-long dash broken lines, and the areas bounded by both solid lines and short dash-short dash-long dash broken lines, depict portions of the blood storage device with two access openings that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D822,225 S 7/2018 Moon et al.
D824,530 S 7/2018 Velschow et al.
D855,210 S 7/2019 Ito et al.
D861,189 S * 9/2019 Lampropoulos D24/224
D861,915 S * 10/2019 Zakrys D24/233
2014/0303518 A1 10/2014 Pierce et al.
2015/0069072 A1* 3/2015 Kelley A61J 1/10
220/592.03
2018/0031552 A1* 2/2018 Johnson G01N 33/558
2018/0356393 A1 12/2018 Piasio et al.
2019/0111421 A1* 4/2019 Johnson B01L 3/5023
2019/0126266 A1* 5/2019 Johnson B01L 3/502753

OTHER PUBLICATIONS

Through the isosceles trapezoid window? Online, published date Dec. 6, 2006. Retrieved on Nov. 22, 2019 from URL: <https://www.flickr.com/photos/page94/315753467>.*

Garden House / Joaquin Alvado Bañón. Online, published date 2012. Retrieved on Nov. 22, 2019 from URL: <https://www.archdaily.com/306750/garden-house-joaquin-alvado-banon>.*

"A new era for blood collection and testing," Online, published date unknown. Retrieved on Nov. 18, 2019 from URL: [https:// www.bostonmicrofluidics.com/](https://www.bostonmicrofluidics.com/).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3