



US00D899673S

(12) **United States Design Patent** (10) **Patent No.:** **US D899,673 S**
DeBellis (45) **Date of Patent:** **** Oct. 20, 2020**

- (54) **RECTILINEAR MOUNTING PLATE FOR LIGHT FIXTURES**
- (71) Applicant: **Thomas M. DeBellis**, Canyon Lake, CA (US)
- (72) Inventor: **Thomas M. DeBellis**, Canyon Lake, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/675,533**
- (22) Filed: **Jan. 3, 2019**
- (51) **LOC (12) Cl.** **26-05**
- (52) **U.S. Cl.**
USPC **D26/138**
- (58) **Field of Classification Search**
USPC D26/63, 72, 74, 76, 78-83, 85, 86, 88, D26/90, 93, 111, 113, 118, 119, 120, 121, D26/122, 138, 139, 140, 141, 142, 152
CPC F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035-037; F21S 8/04; F21S 8/043; F21S 8/063
See application file for complete search history.

- D525,207 S 7/2006 Kister et al.
- D599,054 S 8/2009 Yu
- D599,951 S 9/2009 Pickard et al.
- D628,737 S 12/2010 van den Akker
- D632,008 S * 2/2011 Kim D26/120
- D636,923 S * 4/2011 De Bevilacqua D26/85
- D638,975 S * 5/2011 Hyland D26/74
- D641,098 S * 7/2011 Wildner D26/89
- D646,417 S 10/2011 Wauters
- D648,060 S * 11/2011 Yamamoto D26/120
- D663,881 S 7/2012 Janssen
- D677,418 S 3/2013 Wilson et al.
- D731,692 S * 6/2015 Boyer D26/74
- 9,055,677 B2 6/2015 Garza, Jr. et al.
- 9,060,607 B1 6/2015 Canales
- D767,808 S 9/2016 Lehman
- D785,853 S 5/2017 DeBellis
- D785,854 S 5/2017 DeBellis
- D826,466 S * 8/2018 Momin D26/118
- D827,912 S * 9/2018 Momin D26/120
- D829,968 S * 10/2018 Momin D26/120
- D835,327 S * 12/2018 Li D26/89

(Continued)

Primary Examiner — Natasha Vujcic
(74) *Attorney, Agent, or Firm* — Kirk A. Buhler; Buhler & Associates Patenting

(57) **CLAIM**

The ornamental design for a rectilinear mounting plate for light fixtures, as shown and described.

DESCRIPTION


FIG. 1 is a top perspective view for a rectilinear mounting plate for light fixtures showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a rear elevation view thereof;
FIG. 6 is a left side elevation thereof; and,
FIG. 7 is a right side elevation view thereof.

1 Claim, 4 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,965,287 A 6/1976 Mueller
- 4,825,339 A 4/1989 Boudon et al.
- D303,019 S * 8/1989 Segill D26/143
- D304,990 S 12/1989 Springer
- 5,149,039 A 9/1992 Peterson et al.
- D330,661 S 11/1992 McWilliams
- D357,385 S 4/1995 Addison et al.
- 5,505,419 A 4/1996 Gabrius
- D467,372 S 12/2002 Lee



(56)

References Cited

U.S. PATENT DOCUMENTS

D840,061	S	*	2/2019	Kolenda	D26/26
D847,769	S	*	5/2019	Iino	D13/180
D867,654	S	*	11/2019	Berry	D26/142
D886,358	S	*	6/2020	Silver	D26/90
D892,387	S	*	8/2020	Silver	D26/89
D892,388	S	*	8/2020	Silver	D26/89
2003/0172499	A1		9/2003	Uehara et al.		

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7